F	00	d	E	S	tablishment Inspection	R	e	pc	r	t						Ç	core:	<u>99</u>	<u>i</u>	
Es	tal	olis	hn	ner	nt Name: EDIBLE ARRANGEMENTS									E	sta	ablishment ID: 3034028014				
					ress: 3244 SILAS CREEK PARKWAY											X Inspection ☐ Re-Inspection				
					N SALEM	Sta	tΔ	. 1	NC				D	ate		01/26/2016 Status Code: A				
	., . <sub>-</sub> D:				County: 34 Forsyth	Ota	ic	. –				_				: <u>∅                                   </u>	5 Ø 🗞	am		
					County: INCREDIBLY DESIGNED INC.											ime: 1 hr 5 minutes		Pili		
	rm			' -												ry #: II				
	_				(336) 768-2034							_			_	stablishment Type: Produce Department	and Salad	— Bar		
W	ast	ew	ate	er (	<b>System:</b> ⊠Municipal/Community [	O	n-	Site	e S	Sys	ter	n				Risk Factor/Intervention Violations				
W	ate	r S	up	ply	y: ⊠Municipal/Community □On-	Site	S	up	ply	,						Repeat Risk Factor/Intervention Vi		- 5:		
		مال	, ro	- III	ness Risk Factors and Public Health Int	0 FI (0	~4:	ion								Good Retail Practices		_	_	_
ı					ibuting factors that increase the chance of developing foods				>			Good	d Re	tail F	rac	tices: Preventative measures to control the addition of pa	athogens, ch	emic	als,	
ı				_	rventions: Control measures to prevent foodborne illness or	rinjury										and physical objects into foods.			_	_
		OUT		N/O	Compliance Status	OU	T	CDI	R	VR	_	$\perp$		N/A		•	OUT	CD	I R	VR
1	upe 🔀	U			.2652 PIC Present; Demonstration-Certification by	2	0		П	П	28	afe F	-000	and	a vv	ater .2653, .2655, .2658  Pasteurized eggs used where required	1 0.5		T	П
' F	mpl		e He	alth	accredited program and perform duties .2652	٢						×					2 1		H	
2	×				Management, employees knowledge; responsibilities & reporting	3 1.5	0									Water and ice from approved source  Variance obtained for specialized processing		=	#	E
3	×				Proper use of reporting, restriction & exclusion	3 1.5	0		П	П			<u> </u>	×		methods	1 0.5	0 -	뽀	Ľ
_			gien	ic P	ractices .2652, .2653			1-			-	ood	len	npera	atur	re Control .2653, .2654 Proper cooling methods used; adequate			TE	
	X				Proper eating, tasting, drinking, or tobacco use	2 1	0								_	equipment for temperature control			#	1
5	X				No discharge from eyes, nose or mouth	1 0.5	0							×		Plant food properly cooked for hot holding	1 0.5		1	_
_		entin	g C	onta	mination by Hands .2652, .2653, .2655, .2656									X		Approved thawing methods used	1 0.5		呾	몓
6	X				Hands clean & properly washed	4 2	0					X				Thermometers provided & accurate	1 0.5	0 🗆		ı 🗆
7	X				No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5	0				-	ood	lder	ntific	atio			JE	T	E
8	X				Handwashing sinks supplied & accessible	2 1	0					X X	ntio	n of	Eor	Food properly labeled: original container od Contamination .2652, .2653, .2654, .2656, .2	2  1	<u> </u>		
F	ppr	ove	d So	urce	.2653, .2655							×		11 01	FUC	Insects & rodents not present; no unauthorized			T	П
9	X				Food obtained from approved source	2 1	0									animals  Contamination prevented during food			+=	Ξ
10				X	Food received at proper temperature	2 1	0					×				preparation, storage & display	2 1	_	+	H
11	X				Food in good condition, safe & unadulterated	2 1	0					X	Ш			Personal cleanliness	-++	0 🗆	+	里
12			X		Required records available: shellstock tags, parasite destruction	2 1	0				39	X				Wiping cloths: properly used & stored	1 0.5		呾	몓
F	rote	ctio		om (	Contamination .2653, .2654						40	×				Washing fruits & vegetables	1 0.5			
13	X				Food separated & protected	3 1.5	0						=	se of	Ute	ensils .2653, .2654		7.	T	
14	X				Food-contact surfaces: cleaned & sanitized	3 1.5	0					X				In-use utensils: properly stored  Utensils, equipment & linens: properly stored,		0	尸	$\perp$
15	X				Proper disposition of returned, previously served, reconditioned, & unsafe food	2 1	0				42	X				dried & handled	1 0.5		$\mathbb{L}$	
_		ntial	ly Ha	azar	dous Food Time/Temperature .2653						43	X				Single-use & single-service articles: properly stored & used	1 0.5			
16			X		Proper cooking time & temperatures	3 1.5	0				44	×				Gloves used properly	1 0.5			
17			X		Proper reheating procedures for hot holding	3 1.5	0				U	tens	ils a	nd I	Equ	ipment .2653, .2654, .2663				
18	X				Proper cooling time & temperatures	3 1.5	0				45	×				Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used	2 1	0 🗆		
19			×		Proper hot holding temperatures	3 1.5	0				46	×	П			Warewashing facilities: installed, maintained, &	1 0.5		t	占
20	$\boxtimes$	П			Proper cold holding temperatures	3 1.5	0			П		X				used; test strips  Non-food contact surfaces clean	1 0.5		F	Е
21	×				Proper date marking & disposition		0	H			$\overline{}$	hysi	cal l	Faci	litie		[1] [0.3]	41		
-					Time as a public health control: procedures &		Е	H				×			IIIIC.	Hot & cold water available; adequate pressure	2 1		ī	П
22	cons	ume	X or A	lvic	records	2 1	0		Ш	Ш		$\mathbf{X}$	$\overline{\Box}$			Plumbing installed; proper backflow devices	2 1			
23			X	1013	Consumer advisory provided for raw or undercooked foods	1 0.5	0	П	П	П		×				Sewage & waste water properly disposed	2 1			Е
_		y Sı		ptib	le Populations .2653		1	ت.								Toilet facilities: properly constructed, supplied		_	H	H
24			×		Pasteurized foods used; prohibited foods not offered	3 1.5	0					×				& cleaned Garbage & refuse properly disposed; facilities		0	#	1
(	hen	nica			.2653, .2657						52		X			maintained	1 0.5	_	40	10
25	×				Food additives: approved & properly used	1 0.5	0				53		×			Physical facilities installed, maintained & clean	1 0.5			
26	×				Toxic substances properly identified stored, & used	2 1	0				54		×			Meets ventilation & lighting requirements; designated areas used	0.5			1



27 🗆 🗆 🗷

Conformance with Approved Procedures .2653, .2654, .2658

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



**Total Deductions:** 

Location	iciti ivailic.	RRANGEME	ENTS		Establishment	D: 3034028014		
Location	Address: 3244 SILAS C	REEK PAF	RKWAY			Re-Inspection	Date: 01/26/2016	
	STON SALEM			State: NC_	Comment Addendu	m Attached?	Status Code: A	
County: 3			_ Zip: 271	03			Category #:	
	r System: 🗵 Municipal/Con				Email 1. eugenec	@incrediblydesigned	= -	
Water Supp			On-Site Syste	em				
	: INCREDIBLY DESIGN	NED INC.			Email 2:			
Telephon	e: (336) 768-2034				Email 3:			
				nperature C	Observations			
Item hot water	Location prep sink	Temp 125	Item	Location	Temp	o Item	Location	Temp
honeydew	walk in cooler	38				-		
cooling	walk in cooler	50	-					
ambient air	reach in cooler	23				_		
Serv Safe	Travis Campbell 12/8/					_		
- Colv Gale	Travis Campbell 12/0/	-13 0	-					
						_		
			-			-		
	Violations cited in this rep				Corrective Action		of the food code	
2 5-501.13	Receptacles - C - 0 p	oints- Car	dboard dur	mpster lids hav	e torn off. Replace.			
					·			
Walls: R	l Floors, Walls and Cei ecaulk handwash sink	in bathroo	om to wall.		·			
Walls: R Floors: E	ecaulk handwash sink Baseboard in bathroom	in bathroon has peele	om to wall. ed away fro	om wall. Reatta	ach.			
Walls: R Floors: E	ecaulk handwash sink	in bathroon has peele	om to wall. ed away fro	om wall. Reatta	ach.	wardrn@forsyth.c	c before renovatior	1.
Walls: R Floors: E	ecaulk handwash sink Baseboard in bathroom	in bathroon has peele	om to wall. ed away fro	om wall. Reatta	ach.	wardrn@forsyth.c	c before renovatior	1.
Walls: R Floors: E PIC state 4 6-303.11	ecaulk handwash sink Baseboard in bathroom	in bathroon has peeld ry storage - Repeat:	om to wall. ed away fro may be re Lighting le	om wall. Reatta modeled. Con vel low at choo	ach. tact Nathan Ward at colate prep table and	prep table adjace		
Walls: R Floors: E PIC state 4 6-303.11 Lighting	ecaulk handwash sink Baseboard in bathroom es warewashing and di I Intensity-Lighting - C measured 30-35 foot d	in bathroo has peele ry storage - Repeat: candles. In	om to wall. ed away fro may be re Lighting le	om wall. Reatta modeled. Con vel low at choo nting to a minin	ach. tact Nathan Ward at colate prep table and	prep table adjace		
Walls: R Floors: E PIC state 4 6-303.11 Lighting	ecaulk handwash sink Baseboard in bathroom es warewashing and di I Intensity-Lighting - C measured 30-35 foot o	in bathroo has peele ry storage - Repeat: candles. In	om to wall. ed away fro may be re Lighting le	om wall. Reatta modeled. Con vel low at choo nting to a minin	ach. tact Nathan Ward at colate prep table and num of 50 foot candl	prep table adjace		
Walls: R Floors: E PIC state 4 6-303.11 Lighting  Person in Ch	ecaulk handwash sink Baseboard in bathroom es warewashing and di I Intensity-Lighting - C measured 30-35 foot d	in bathrood has peele ry storage - Repeat: candles. In Fravis	om to wall. ed away fro may be re Lighting le	om wall. Reatta modeled. Con- vel low at choo nting to a minin	ach. tact Nathan Ward at colate prep table and num of 50 foot candl	prep table adjace		

REHS Contact Phone Number: (336)703 - 3144





Establishment Name: EDIBLE ARRANGEMENTS Establishment ID: 3034028014

#### **Observations and Corrective Actions**





Establishment Name: EDIBLE ARRANGEMENTS Establishment ID: 3034028014

#### **Observations and Corrective Actions**





Establishment Name: EDIBLE ARRANGEMENTS Establishment ID: 3034028014

### **Observations and Corrective Actions**





Establishment Name: EDIBLE ARRANGEMENTS Establishment ID: 3034028014

### **Observations and Corrective Actions**



