Food Establishment Inspection Report sco								
Establishment Name:								
Location Address: 333 SUMMIT SQUARE CT								
City: WINSTON SALEM	State: NC	Date: Ø 6 / 23 / 2016 Status Code: A						
Zip: 27105 County: 34 Forsyth		Time In: $09:40^{\circ}$ Time Out: $11:30^{\circ}$						
Permittee: HUMAN SERVICE ALLIANCE		Total Time: 1 hr 50 minutes						
Telephone:         (336) 377-0191		FDA Establishment Type: Full-Service Restaurant						
Wastewater System: Municipal/Community [	,	No. of Risk Factor/Intervention Violations: 1						
Water Supply: XMunicipal/Community On-	Site Supply	No. of Repeat Risk Factor/Intervention Violations:						
Foodborne Illness Risk Factors and Public Health Int	terventions	Good Retail Practices						
Risk factors: Contributing factors that increase the chance of developing food Public Health Interventions: Control measures to prevent foodborne illness o		Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.						
IN OUT N/A N/O Compliance Status	OUT CDI R VR	R IN OUT N/A N/O Compliance Status OUT CDI R	VR					
Supervision .2652		Safe Food and Water .2653, .2655, .2658						
1         Image: Second strain         PIC Present; Demonstration-Certification by accredited program and perform duties	2000	28  Pasteurized eggs used where required						
Employee Health     .2652       2 xl     Management, employees knowledge;		29 🛛 🗌 Water and ice from approved source 210						
responsibilities & reporting		30 C X Variance obtained for specialized processing 1030 C						
3 X Proper use of reporting, restriction & exclusion	3 1.5 0	Food Temperature Control .2653, .2654						
Good Hygienic Practices         .2652, .2653           4         Image: Constraint of the state of the stat		31 🛛 🗆 Proper cooling methods used; adequate equipment for temperature control						
5 X     No discharge from eyes, nose or mouth		32  Plant food properly cooked for hot holding						
Preventing Contamination by Hands .2652, .2653, .2655, .2656		33 X Approved thawing methods used						
6 🛛 🗌 Hands clean & properly washed	420	34 ⊠         □         Thermometers provided & accurate         1000 □						
7 🛛 🗆 🗆 🗠 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	31.50	Food Identification .2653						
8 X     Handwashing sinks supplied & accessible		35 South State Sta						
Approved Source .2653, .2655		Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657						
9 🛛 🗌 Food obtained from approved source	210							
10 🗌 🔲 🔀 Food received at proper temperature	210	preparation, storage & display						
11 X G Food in good condition, safe & unadulterated	210	38 ⊠   □   Personal cleanliness						
12 D Required records available: shellstock tags, parasite destruction		39 ☑   □   Wiping cloths: properly used & stored   □   □						
Protection from Contamination .2653, .2654		40 🛛 🗆 🖂 Washing fruits & vegetables						
13 🛛 🗆 🗆 Food separated & protected	31.50	Proper Use of Utensils .2653, .2654						
14 🛛 🗌 Food-contact surfaces: cleaned & sanitized	3 1.5 0	41 X In-use utensils: properly stored 1 20 C	Ľ					
15 🖾 🗆 Proper disposition of returned, previously served, reconditioned, & unsafe food	210 🗆 🗆		$\square$					
Potentially Hazardous Food Time/Temperature .2653		43 🛛 🗆 Single-use & single-service articles: properly						
16    Image: Constraint of the second	31.50	44 ⊠         □         Gloves used properly         1030         □						
17 🗆	31.50	Utensils and Equipment .2653, .2654, .2663	_					
18 🗆 🗆 🖾 Proper cooling time & temperatures	31.50	45 ⊠ □ approved, cleanable, properly designed, 210 □						
19 🔲 🗌 🖾 Proper hot holding temperatures	31.50	46 🛛 🗆 Warewashing facilities: installed, maintained, & 1030						
20 🛛 🗀 🗀 Proper cold holding temperatures	3 1.5 0	47 🛛 □ Non-food contact surfaces clean 1030 □ □						
21 🗌 🔀 🔲 🗍 Proper date marking & disposition	315 🗙 🗙 🗆 🗆	Physical Facilities .2654, .2655, .2656	F					
22 Time as a public health control: procedures &		48 🗙 🗆 🗠 Hot & cold water available; adequate pressure 210						
Consumer Advisory .2653		49 🗆 🔀 Plumbing installed; proper backflow devices 2 🕱 🛈 🗆	X					
23 Consumer advisory provided for raw or undercooked foods	10.50	50 🛛 🗌 Sewage & waste water properly disposed						
Highly Susceptible Populations .2653		51 X C C Toilet facilities: properly constructed, supplied						
24 Pasteurized foods used; prohibited foods not offered	31.50		F					
Chemical         .2653, .2657           25         Image: Chemical interview         Food additives: approved & properly used	10.50							
26 X     Image: Constraint of the state of t		Meets ventilation & lighting requirements;						
Conformance with Approved Procedures .2653, .2654, .2658		designated areas used 1 0 0 0 0						
27     Image: Specialized process, reduced oxygen packing criteria or HACCP plan	210	Total Deductions: <sup>2</sup>						
4115		Public Health   Environmental Health Section  Food Protection Program  CR  CR  CR  CR  CR  CR  CR  CR  CR  C						
3		Off						

## **Comment Addendum to Food Establishment Inspection Report**

Establishment Name: THE EVENT CENTER		Establis
Location Address: 333 SUMMIT SQUARE C	т	🔀 Inspe
City: WINSTON SALEM	State: NC	Comment
County: 34 Forsyth	_ Zip: <sup>27105</sup>	
Wastewater System: ⊠ Municipal/Community □ Water Supply: ⊠ Municipal/Community □		Email 1:
Permittee: HUMAN SERVICE ALLIANCE		Email 2:
Telephone: (336) 377-0191		Email 3:

Establishment ID: 3034012129

X Inspection	Re-Inspection		Date: 06/23/2016			
Comment Addend	dum Attached?		Status Code:	А		
			Category #:	IV		

ail 1: tec@eventsatsummit.org

Е	mail	2:

	Temperature Observations							
ltem Turkey	Location Reach in cooler	Temp 42	Item Chlorine	Location Rinse cycle in ppm	Temp 50	Item	Location	Temp
Whipped	Reach in cooler	42	NRFSP	Exp. 6/17/18 #20869865	0			
Baked	Walk in cooler	42						
Mashed	Walk in cooler	43						
Cut fruit	Walk in cooler	40						
Pasta salad	Walk in cooler	44						
Hot water	Three compartment sink	146						
Chlorine	Bottle in ppm	50						

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

0 pts - 3-501.17 Ready-To-Eat Potentially Hazardous Food (Time/Temperature Control for Safety Food), Date Marking - PF - Two 21 containers of cut fruit and cut cheese in walk in cooler were not date marked - all potentially hazardous, ready to eat foods, held over 24 hours, must be date marked and held for no more than 4 days, if held between 41 - 45 deg F or no more than 7 days, if held at 41 deg F or less - CDI - manager date marked covers

- 3-302.12 Food Storage Containers Identified with Common Name of Food C Unlabeled bottles, shakers and small containers of 35 seasonings, spices and oil mixes observed - must label food items not clearly identifiable as a food with working name such as "salt", "sugar", "breader", etc.
- 36 0 pts - 6-501.112 Removing Dead or Trapped Birds, Insects, Rodents and other Pest - C - Empty three light shields in prep rooms containing dead bugs

Person in Charge (Print & Sign):	<b>H</b> Beverly	First	Danzige	Last r	bank Dame
Regulatory Authority (Print & Sign)		First	Michaud	Last	KM. pchs
REHS ID: 2259 - Michaud, Kenneth				_ Verification Required Date: 07 / 03 / 2016	
REHS Contact Phone Number	r: ( <u>336</u>	) <u>7 Ø 3</u> - <u>3 1 3</u>	81		
North Carolina Department	of Health & H	DHHS is 3	an equal o	iblic Health  • Enviror pportunity employer.	nmental Health Section • Food Protection Program

Establishment Name: THE EVENT CENTER

Establishment ID: \_3034012129

Observations and Corrective Actions					
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.					

49 5-203.14 Backflow Prevention Device, When Required - P - No backflow prevention device observed on water supply lines for coffee and tea maker at back of dining room - unless documentation from manufacturer stating an internal air gap or backflow prevention device is present, a backflow prevention device rated ASSE 1022 must be added on each water source for both machines - will require verification visit/contact in 10 days - contact Kenneth Michaud at michaukb@forsyth.cc or (336) 703-3131 when complete



Spell

## Comment Addendum to Food Establishment Inspection Report

Establishment Name: THE EVENT CENTER

Establishment ID: 3034012129

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



**√** Spell Establishment Name: THE EVENT CENTER

Establishment ID: 3034012129

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment Name: THE EVENT CENTER

Establishment ID: 3034012129

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell