H (\mathbf{OC})d	E	Sl	ablishment inspection	Re	po	rt							Sco	re:	ć	<u>)5.</u>	5	
E _S	tak	olis	hn	ner	nt Name: COOK OUT #10	,						E	st	ablishment ID: 3034020434	,					
Location Address: 3101 PETERS CREEK PKWY						Inspection ☐ Re-Inspection														
Cit	City: WINSTON SALEM State: NC						Date: 0 2 / 17 / 20 17 Status Code: A													
•						Time In: $\underline{10} : \underline{50} \otimes \underline{\text{am}}$ Time Out: $\underline{12} : \underline{50} \otimes \underline{\text{pm}}$														
•					County: 34 Forsyth				Total Time: 2 hrs 0 minutes											
			ee:	_	COOK OUT RESTAURANTS LLC									ory #: III						
Felephone: (336) 650-0110											· · · · · · · · · · · · · · · · · · ·				-					
N	ast	ew	/ate	er S	System: ⊠Municipal/Community [On-	Site	Sy	ster	m				stablishment Type: Fast Food Restaura						
Water Supply: ⊠Municipal/Community ☐ On-Site Supply													Risk Factor/Intervention Violation Repeat Risk Factor/Intervention \		ior	_				
											141	J. (<i>)</i>	repeat risk ractor/intervention	violat	101	13.	_		_
Foodborne Illness Risk Factors and Public Health Interventions									Good Retail Practices											
	Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury.									Good	d Re	tail F	Prac	ctices: Preventative measures to control the addition o and physical objects into foods.	f pathoge	ens,	che	mica	als,	
			N/A		Compliance Status	OUT	CDI	R VR	╫	IN	OUT	N/A	N/C	Compliance Status	$\overline{}$	0U1	Г	CDI	R	VR
S	upe				.2652				-					/ater .2653, .2655, .2658						
1	X				PIC Present; Demonstration-Certification by accredited program and perform duties	2 0			28			X		Pasteurized eggs used where required	I	1 0.5	0			
$\overline{}$		oye	е Не	alth	.2652				29	×				Water and ice from approved source	[2	2 1	0			
2	X				Management, employees knowledge; responsibilities & reporting	3 1.5 0			30		П	×		Variance obtained for specialized processing	F	1 0.5		П	П	h
3	X				Proper use of reporting, restriction & exclusion	3 1.5 0							atu	methods re Control .2653, .2654						
\neg		Ну	gien	ic Pr	ractices .2652, .2653					X				Proper cooling methods used; adequate equipment for temperature control	[1	1 0.5	0			Б
4	X				Proper eating, tasting, drinking, or tobacco use	2 1 0			32			$\overline{\Box}$	M	Plant food properly cooked for hot holding		1 0 5				Ħ
5	X				No discharge from eyes, nose or mouth	1 0.5 0			1	\mathbf{X}						-			_	+
$\overline{}$	$\overline{}$	ntin	ıg Cı	onta	mination by Hands .2652, .2653, .2655, .2656				╙	\vdash				Approved thawing methods used			+	\vdash		H
6	X				Hands clean & properly washed	4 2 0				×				Thermometers provided & accurate		0.5	0	Ш	Ш	닏
7	X				No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5 0			35	ood	Ider	itific	catio	on .2653 Food properly labeled: original container	F-					П
8		X			Handwashing sinks supplied & accessible	212	X		_			n of	Fo	od Contamination .2652, .2653, .2654, .2656	2657			ᆜ	ш	Ľ
Α	ppr	ove	d So	urce	.2653, .2655					×		11 01		Insects & rodents not present; no unauthorize		2 1	0	П	П	Б
9	X				Food obtained from approved source	2 1 0			37		 X			animals Contamination prevented during food			\blacksquare	\mathbf{X}		E
10				X	Food received at proper temperature	2 1 0			1					preparation, storage & display		_	+	\vdash	_	E
11	X				Food in good condition, safe & unadulterated	2 1 0			1	X				Personal cleanliness		_	+		-	Ľ
12			×		Required records available: shellstock tags, parasite destruction	210			39	-	×			Wiping cloths: properly used & stored			0	X	×	Ш
P	rote	ctio	n fro	om C	Contamination .2653, .2654				ш	X				Washing fruits & vegetables		0.5	0			
13	X				Food separated & protected	3 1.5 0					r Us	se of	f Ut	rensils .2653, .2654						
14	X				Food-contact surfaces: cleaned & sanitized	3 1.5 0			1	×	Ш			In-use utensils: properly stored Utensils, equipment & linens: properly stored,		1 0.5	\perp		Ш	Ľ
15	X				Proper disposition of returned, previously served,	2 1 0			42		×			dried & handled		1 🔀	0		X	
		ntial	ly Ha	azaro	reconditioned, & unsafe food dous Food TIme/Temperature .2653				43	×				Single-use & single-service articles: properly stored & used	[7	1 0.5	0			
16	X				Proper cooking time & temperatures	3 1.5 0			44	×				Gloves used properly	[ī	1 0.5	0			
17				X	Proper reheating procedures for hot holding	3 1.5 0			U	tens	ils a	nd l	Εqι	ipment .2653, .2654, .2663						
18		П		×	Proper cooling time & temperatures	3 1.5 0		ПГ	45		X			Equipment, food & non-food contact surfaces approved, cleanable, properly designed,	[2	2 🗶	0			
19	X	一			Proper hot holding temperatures	3 1.5 0	+		 					constructed, & used Warewashing facilities: installed, maintained,	& -					H
-		<u> </u>					1-1		46					used; test strips	<u> </u>	1 0.5				Ц
20	X	<u> </u>			Proper cold holding temperatures	3 1.5 0	\blacksquare		1 └─	×				Non-food contact surfaces clean		0.5	0			Ш
21	X				Proper date marking & disposition	3 1.5 0		4		hysi		Faci	litie		. 6					
22	X				Time as a public health control: procedures & records	2 1 0			┸	×				Hot & cold water available; adequate pressure		2 1	H			브
\neg	ons	ume		dviso	ory .2653 Consumer advisory provided for raw or				49	=	×			Plumbing installed; proper backflow devices		2 🗶				+
23	∐ lict:'		×	n#il-i	undercooked foods	1 0.5 0			50	×				Sewage & waste water properly disposed	_	2 1	0			
2/	iigni	y St □	usce	מוזק	le Populations .2653 Pasteurized foods used; prohibited foods not	3 1.5 0			51		X			Toilet facilities: properly constructed, supplied & cleaned	<u> </u>	0.5	X			
۲4	hen	ical			offered .2653, .2657				52		×			Garbage & refuse properly disposed; facilities maintained	;	1 0.5	×			
25			×		Food additives: approved & properly used	1 0.5 0			53		×			Physical facilities installed, maintained & clea	ın 🛭	0.5	0		X	Б
26	X				Toxic substances properly identified stored, & used	2 1 0			54		×			Meets ventilation & lighting requirements; designated areas used		1 🔀	0	\vdash	X	+



27 🗆 🗆 🗵

Conformance with Approved Procedures .2653, .2654, .2658

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



Total Deductions: 4.5

Establishment Nar	1116.			Establishment ID: 3034020434								
Location Address	s: 3101 PETERS CF	EEK PKWY		⊠Insp	ection	Re-Inspection	Date: <u>02/17</u>	/2017				
City: WINSTON SA	ALEM		State: NC	•	nt Addendum	•	Status Cod	le ^{. A}				
County: 34 Forsyth		Zip:_ ²⁷¹					Category #					
3	/astewater System: Municipal/Community □ On-Site System					Email 1:						
Water Supply: Permittee: COOF	ity 🔲 On-Site Syste TS LLC	em	Email 2									
Telephone: (336)				Email 3								
relephone. <u>(***</u>	,											
1 1	t'		nperature (14	Lastina	T				
tem Locati ServSafe Reggi	tion jie Coleman	Temp Item 00 Final coo	Location k Fried chi		Temp 180	item	Location	Temp				
Hamburger Final o	cook	160 Hotdogs	Make un	it	42							
Grilled Final of	cook	169 BBQ	Walk-in o	cooler	40							
Fried chicken Hot ho	old	145 Raw	Cooling of	drawer	40							
Lettuce Make	unit	41										
Hot water 3-com	npartment sink	133										
Chlorine ppm Bucke	et	100										
Chlorine ppm Bottle	e	50										
handsink. Handw provided.//5-205.	vashing Signage - washing reminders 5.11 Using a Handv of the handsink. H	shall be present ashing Sink-Op	t at each hand: eration and Ma	sink in a foo aintenance	od establish - PF - 0 pts	ment . CDI - Ha - A bottle of win	ndwashing rei ndow cleaner v	minders vas stored or				
6-301.14 Handwa handsink. Handwa provided.//5-205. the splashguard the lower shelf.	washing reminders 5.11 Using a Handv	shall be present vashing Sink-Op andsinks shall b	t at each hands eration and Ma e used only fo Common Name	sink in a for aintenance r handwash e of Food -	od establish - PF - 0 pts ning and no C - 0 pts - <i>A</i>	ment . CDI - Ha - A bottle of win other purpose. (indwashing rei ndow cleaner v CDI - Bottle re les were not la	minders vas stored or located to				
6-301.14 Handwahandsink. Handw	washing reminders 5.11 Using a Handv of the handsink. H Storage Containers	shall be present vashing Sink-Op and sinks shall be and sinks shall be a shal	t at each hands eration and Ma e used only fo Common Name from it's origin	sink in a for aintenance r handwash e of Food - nal packagin	od establish - PF - 0 pts ning and no C - 0 pts - A ng shall be I	ment . CDI - Ha - A bottle of win other purpose. (few sauce bottl abeled with the	Indwashing relation cleaner we CDI - Bottle relations were not la common nam	minders vas stored or clocated to abeled e of the food				
6-301.14 Handwahandsink. Handw	washing reminders 1.11 Using a Handy of the handsink. He handsink. He handsink had been seen to be the handsink had been to be the handsing th	shall be present vashing Sink-Op and sinks shall be and sinks shall be a shal	t at each hands eration and Ma e used only fo Common Name from it's origin	sink in a for aintenance r handwash e of Food - nal packagin	od establish - PF - 0 pts ning and no C - 0 pts - A ng shall be I pts - A cou	ment . CDI - Ha - A bottle of win other purpose. (a few sauce bottl abeled with the ble boxes of pota Boxes relocated	andwashing relation cleaner with CDI - Bottle relationship common name atoes were stold to shelving.	minders vas stored or located to abeled e of the food.				
6-301.14 Handwahandsink. Handw	washing reminders in the handsink. He handsink. He handsink. He handsink. He handsink. He handsink he handsink. He handsink he handsink. He handsink he handsink. He handsink	shall be present vashing Sink-Op and sinks shall be light light shall be light light light shall be stored at light shall be	t at each handseration and Mae used only for Common Name from it's origin from the Premileast 6 inches	sink in a for aintenance r handwash e of Food - nal packagin ises - C - 0 above the	od establish - PF - 0 pts ning and no C - 0 pts - A ng shall be I pts - A cou	ment . CDI - Ha - A bottle of win other purpose. (few sauce bottl abeled with the	andwashing relation cleaner with CDI - Bottle relationship common name atoes were stold to shelving.	minders vas stored or clocated to abeled e of the food				
6-301.14 Handwind handsink. Handwink. Handwink. Handwink. Handwind handsink. Handwind handsink. Handwind handsink. Handwind handsink. Salasia handwind handw	washing reminders in the handsink. He storage Containers er make unit. Food storage-Preventing in freezer. Food storage in freezer. Food storage (Print & Sign):	shall be present vashing Sink-Op and sinks shall be light light shall be light light light shall be stored at light shall be	t at each handseration and Mae used only for Common Name from it's origin from the Premileast 6 inches Chrystal Hodge	sink in a for aintenance r handwash e of Food - hal packagin ises - C - 0 above the start	od establish - PF - 0 pts - NF - 0 pts - O pts - A	ment . CDI - Ha - A bottle of win other purpose. (a few sauce bottl abeled with the ble boxes of pota Boxes relocated	les were not la common nam	minders vas stored or located to abeled e of the food				



E	Comment Addendum to Food Esta Establishment Name: COOK OUT #10	Establishment ID: 3034020434
_		
	Observations and Corrected Within the time frames by Violations cited in this report must be corrected within the time frames by the corrected within the correct within the	
39		hs were stored outside of sanitizer solution. Wet wiping
42	4-901.11 Equipment and Utensils, Air-Drying Required - C - Repeat: 7 and utensils shall be fully air-dried after they are cleaned. Separate or	
45	4-501.11 Good Repair and Proper Adjustment-Equipment - C - Repeator of the condensate fans in the walk-in freezer and cooler. Replace torn cooler. Equipment shall be maintained in good repair.//4-202.16 Nonfocrates from storage as they are not easily cleanable. Replace with applications of the cooler.	gaskets in the hotdog make unit cooling drawers and walk-in ood-Contact Surfaces - C - Replace beverage crate and milk
49	5-202.13 Backflow Prevention, Air Gap - P - The drain pipes of the 3-c the floor sink. An air gap of at least 1 inch is required between the end Verification of air gap is required by 2-24-17, contact Grayson Hodge and the single sin	of the drain pipe and the flood rim of the floor sink.
51	5-501.17 Toilet Room Receptacle, Covered - C - 0 pts - Provide a tras	h can lid for the employee restroom.
52	5-501.11 Outdoor Storage Surface - C 0 pts - One of the outdoor dum Outdoor storage surfaces for refuse shall be constructed of a nonabso dumpster.	

6-201.11 Floors, Walls and Ceilings-Cleanability - C - Repeat: Repair floor tile/grout around the office area, a few ceiling tiles are beginning to chip around the prep table, and caulk the base of the toilet in the restroom to the floor. Floors, walls, and ceilings shall be smooth and easily cleanable.//6-501.12 Cleaning, Frequency and Restrictions - C - Wall cleaning needed around the handsink and prep tables. Floors, walls, and ceilings shall be kept clean.





Establishment Name: COOK OUT #10 Establishment ID: 3034020434

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

6-303.11 Intensity-Lighting - C - Lighting is low in the small storage room (bulb burnt out) and in the walk-in freezer at 3 foot candles. Lighting shall be at least 10 foot candles in walk-in units and dry storage areas. Increase lighting.





Establishment Name: COOK OUT #10 Establishment ID: 3034020434

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: COOK OUT #10 Establishment ID: 3034020434

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



