Food Establishment Inspection Report Score: 94 Establishment Name: BOWMAN GRAY STADIUM STAND #2 Establishment ID: 3034020230 Location Address: 1250 MARTIN LUTHER KING JR. DR. City: WINSTON-SALEM Date: 06 / 16 / 2018 Status Code: A Time In: $0.7 : 2.5 \overset{\bigcirc}{\otimes} \overset{am}{pm}$ Time Out: Ø 8: 55 am County: 34 Forsyth Zip: 27101 Total Time: 1 hr 30 minutes CITY OF WS Permittee: Category #: II Telephone: (336) 777-0803 FDA Establishment Type: Fast Food Restaurant No. of Risk Factor/Intervention Violations: 2 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O CDI R VR Compliance Status Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛭 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🗵 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🔀 1 0.5 0 3 \times П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 **Good Hygienic Practices** .2652, .2653 Proper cooling methods used; adequate 1 0.5 0 31 🛛 🗆 equipment for temperature control 4 🗆 🛮 Proper eating, tasting, drinking, or tobacco use 32 🔀 $|\Box|\Box|\Box|$ Plant food properly cooked for hot holding 1 0.5 0 🗆 🗆 5 🗵 ΙП 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🔀 🖂 🖂 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗷 🗆 1 0.5 0 - -Thermometers provided & accurate 420 _ _ _ 6 🛛 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210 - -21000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 - -37 🗵 🗆 preparation, storage & display 10 🗆 Food received at proper temperature 38 🛛 🗀 Personal cleanliness 1 0.5 0 - -|11| 🔀 | 🗆 Food in good condition, safe & unadulterated 39 🗷 🗀 Wiping cloths: properly used & stored 1050 -Required records available: shellstock tags, 12 🗆 21000 40 🗆 🗆 🗷 Washing fruits & vegetables 1 0.5 0 ... **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 15 0 - -41 🗆 🗖 In-use utensils: properly stored 14 🔀 3 1.5 0 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 🗆 🗆 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210000 reconditioned, & unsafe food Single-use & single-service articles: properly 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature stored & used 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 44 🛛 🗀 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17| 🗆 3 1.5 0 | | | | Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used 45 🛛 🗆 210 -3 1.5 0 Proper cooling time & temperatures Warewashing facilities: installed, maintained, & used; test strips 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 1.5 0 - -Proper cold holding temperatures |47| □ | 🔀 Non-food contact surfaces clean 21 🗆 Proper date marking & disposition **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔀 🖂 🖂 210 - -Hot & cold water available; adequate pressure 0 49 🕱 2110 - | -Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 - -50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 🗆 🗆 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0 ...

54

Meets ventilation & lighting requirements;

Total Deductions:

designated areas used

210 - -

					<u>stablish</u>	ment	Inspection	n Report		
Establishm	nent Name: BOWMAN	GRAY STAE	IUM STAND #	‡2	Establish	nment IE): 3034020230			
City: WIN	Address: 1250 MARTII	N LUTHER K	State: NC			☑ Inspection ☐ Re-Inspection Date: 06/16/2018 Comment Addendum Attached? ☐ Status Code: A We have a state of a few forms and a few forms a few forms a few forms a few forms and a few forms a				
County: 34 Forsyth Wastewater System: ✓ Municipal/Com Water Supply: ✓ Municipal/Com Permittee: CITY OF WS					Water sample taken? Yes No Category #: II Email 1: chuckduggins50@gmail.com Email 2:					
Telephone: (336) 777-0803					Email 3:					
			Temp	erature Ob	oservatio	ns				
Item hot water	Effection Location utensil sink	ve Janua Temp 140		9 Cold Ho Location hot holding		ill char Temp 150	nge to 41 d	legrees Location	Temp	
quat	utensil sink	200	chicken	hot holding		148				
chicken	cook to	183	ServSafe	Kit Edwards	s 3-18-21	00				
fries	cook to	208								
pizza	cook to	208								
corn dogs	cook to	180								
slaw	prep cooler	40								
chili	reach in cooler	41								
	Violations cited in this rep			ons and Co				.11 of the food cod	e.	
dry s	1.11 Eating, Drinking, o torage. Store employed aminated. CDI-all were	e drinks on	a lower shel							
chili i when	1.18 Ready-To-Eat Pot n the reach in cooler w n held at 41F or less ma 8. CDI- chili was disca	as dated 5, ay be held t	26. Refriger	ated, PHF's s	hall be mar	ked with	date prepared	or date opened.	These foods	
	4.12 In-Use Utensils, B e utensils in the ice wit							es contacting the	ice. Store	
Lock Text										
Dawa 1 - 01	norma (Duint o C'	<i>Fii</i> Kit	rst	<i>La</i> Edwards	ast		~ *			
Person in Cr	narge (Print & Sign):				4		NG			
First Regulatory Authority (Print & Sign): Angle Pinyan					ast		(Jugu)	hayan		
	REHS ID:	1690 - Pi	nyan, Angie)		Verific	ation Required D	Date: 0/	,	
DEUC	Contact Dhono Number:	(226)	702 26	1.0			•			

REHS Contact Phone Number: (336)703-2618

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section Program DHHS is an equal opportunity employer.

Page 2 of ______ Food Establishment Inspection Report, 3/2013



Establishment Name: BOWMAN GRAY STADIUM STAND #2 Establishment ID: 3034020230

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C-*REPEAT*-Clean gaskets of coolers, outside of Alto-Shams, rack behind pizza cooler, lower shelf of table near the fryers. Maintain nonfood contact surfaces clean.
- 6-501.12 Cleaning, Frequency and Restrictions C- *REPEAT*- Floors need cleaning throughout. Maintain floors clean. 6-501.11

Repairing-Premises, Structures, Attachments, and Fixtures-Methods - C-*REPEAT*-Painted floors are chipping making them very difficult to clean. Physical facilities shall be maintained in good repair. Repaint the floors or replace with an approved floor covering.





Establishment Name: BOWMAN GRAY STADIUM STAND #2 Establishment ID: 3034020230

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BOWMAN GRAY STADIUM STAND #2 Establishment ID: 3034020230

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BOWMAN GRAY STADIUM STAND #2 Establishment ID: 3034020230

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



