Food Establishment Inspection Report Score: 95 Establishment Name: ZOE'S KITCHEN Establishment ID: 3034012308 Location Address: 205 SOUTH STRATFORD RD Date: <u>Ø 6</u> / <u>1 3</u> / <u>2 Ø 1</u> 8 Status Code: A City: WINSTON SALEM State: NC Time In: \emptyset 2 : $15 \overset{\bigcirc{}}{\otimes} pm$ Time Out: Ø 5 : 20 8 pm County: 34 Forsyth Zip: 27103 Total Time: 3 hrs 5 minutes ZOE'S KITCHEN LLC Permittee: Category #: IV Telephone: (336) 748-0587 FDA Establishment Type: Full-Service Restaurant No. of Risk Factor/Intervention Violations: 1 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by 1 🛛 🗀 28 Pasteurized eggs used where required accredited program and perform duties **Employee Health** 29 🛭 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🗵 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🔀 1 0.5 0 \times П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 **Good Hygienic Practices** .2652, .2653 Proper cooling methods used; adequate 31 🛛 🗆 equipment for temperature control 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 🔀 $|\Box|\Box|\Box|$ Plant food properly cooked for hot holding 1 0.5 0 \square 5 П 1 0.5 0 | | | | No discharge from eyes, nose or mouth 33 🔀 🖂 🖂 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗷 🗆 Thermometers provided & accurate

CDI R VR 1 0.5 0 1 0.5 0 1 0.5 0 🗆 🗆 1 0.5 0 - -420 _ _ _ 6 🛛 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210 - -210 - -9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🛛 🗀 Personal cleanliness 1 0.5 0 - -11 🗵 Food in good condition, safe & unadulterated 39 🗷 🗆 Wiping cloths: properly used & stored 1050 -Required records available: shellstock tags, 12 🗆 21000 40 🖾 🖂 🖂 Washing fruits & vegetables 1 0.5 0 ... **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 ☐ ☐ ☐ Food separated & protected 3 15 0 - -41 🗖 🗆 1 0.5 0 🗆 🗆 In-use utensils: properly stored 14 🔀 3150 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 42 🗆 🗷 Proper disposition of returned, previously served 15 🖾 🗀 210000 reconditioned, & unsafe food Single-use & single-service articles: properly 43 🛛 🗆 1 0.5 0 ... Potentially Hazardous Food Tlme/Temperature stored & used 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17| 🗆 3 1.5 0 | | | | Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 3 1.5 0 Proper hot holding temperatures 10.5 🗶 🗆 🗆 🗆 46 🗌 🔀 \square Proper cold holding temperatures |47| □ | 🔀 Non-food contact surfaces clean 21 🔀 Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔀 🖂 🖂 210 - -Hot & cold water available; adequate pressure 49 🔀 2100 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗷 🗆 🗆 1 0.5 0 - -50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 🗆 🗆 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; 26 🗵 🗆 Toxic substances properly identified stored, & used 54 1 0.5 0 ... designated areas used Conformance with Approved Procedures .2653, .2654, .2658 Total Deductions: Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan |27| 🗆 | 🗆 | 🔀 210 - -





		Comme	nt Adde	endum to	Food E	stablis	hment l	nspection	n Report	
Establi	shmei	nt Name: ZOE'S KIT						: 3034012308		
Location Address: 205 SOUTH STRATFORD RD City: WINSTON SALEM State: NC					ate: NC	☑ Inspection ☐ Re-Inspection Date: 06/13/2018 Comment Addendum Attached? ☐ Status Code: A Water sample taken? ☐ Yes ☒ No Category #: IV				
County: 34 Forsyth Zip: 27103										
		System: Municipal/Con				Email 1: winstonsalem@zoeskitchen.com				
Water Supply: ✓ Municipal/Community On-Site System Permittee: ZOE'S KITCHEN LLC				Email 2:						
		(336) 748-0587				Email 3	:			
				Tempo	erature O	bservati	ons			
		Effectiv	ve Janua					nge to 41 d	legrees	
Item Serv Sa	afe	Location R. JOnes 12-6-18	Temp 00		Location salad mak	_	Temp 53	_	Location lowboy	Temp 39
Chlorine	е	dish machine (ppm)	50	feta	make unit		38	chicken rolls	lowboy	40
Quat (p	pm)	bucket	150	tomato	make unit		40	shrimp	final cook	168
Quat (p	pm)	3 compartment sink	300	mushrooms	pizza mak	e unit	39	rice	hot holding	208
Hot wat	er	3 compartment sink	153	chicken	salad mak	e unit	51	chicken soup	hot holding	158
pot sala	nd	salad make unit	41	ham 	salad mak	e unit	53	quiona	walk-in cooler	37
pasta		salad make unit	41	chicken	steam wel		154	potatoes	cooling	93
spring r	nix	salad make unit	52	vegetables	steam wel	1	167	potatoes	cooling 1 hour later	64
42 42 s t	1-901.1 stacked ogethe	r. After cleaning and	tensils, Air-l I sanitizing, Proper Adji	Drying Requii equipment a ustment-Equi	red - C- REF nd utensils s	shall be air	-dried. Do Shelving ab	not towel dry.	itensil rack observed 1pt tment sink rusting/loc	
		ge (Print & Sign): hority (Print & Sign):	<i>Fii</i> Rebeckah <i>Fii</i> Shaneria	rst	Jones	∟ast ∟ast	X (Pu -	T RIVARN	
-				hama=!= 0 :	-1 - 11		_ 		J IN COMP	
		_		haneria San			Verifica	ation Required D	Date: / /	
R		ontact Phone Number: orth Carolina Department o				c Health ● Er	nvironmental H	ealth Section • F	Food Protection Program	

DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013

Establishment Name: ZOE'S KITCHEN Establishment ID: 3034012308

Observations	and (Orroctiv	o Actions
COSEIVAIIONS	anu c	JOHEGUV	e Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 4-501.14 Warewashing Equipment, Cleaning Frequency C- Lime buildup observed in dishmachine. Heavy food and debri buildup observed around dish machine. Increase the frequency that dish machine is cleaned. A warewashing machine used for washing and rinsing EQUIPMENT, UTENSILS, or raw FOODS shall be cleaned throughout the day at a frequency necessary to prevent recontamination of EQUIPMENT and UTENSILS and to ensure that the EQUIPMENT performs its intended function. Opts
- 47 4-602.13 Nonfood Contact Surfaces C- REPEAT- Detail cleaning is needed on shelving inside the walk-in cooler shelving above prepsinks, and dry storage shelving. Nonfood contact surfaces shall be maintained clean. 0.5pts
- 6-501.12 Cleaning, Frequency and Restrictions C- Strip and recaulk molding caulk in the following areas: Around toilets in both women and men restrooms, Behind wall-prepsink juncture, behind wall-3 compartment sink juncture. Floors, walls, and ceilings shall be maintained clean. Opts





Establishment Name: ZOE'S KITCHEN Establishment ID: 3034012308

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: ZOE'S KITCHEN Establishment ID: 3034012308

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name:	ZOE'S KITCHEN	Establishment ID:	3034012308

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



