Food Establishment Inspection	n Report	S	core: <u>99</u>			
Establishment Name: BISCUITVILLE 167		Establishment ID: 3034011069				
Location Address: 921 S MAIN ST		Inspection Re-Inspection				
City: KERNERSVILLE						
·						
Total Time: 2 hrs 55 minutes						
Permittee: BISCUITVILLE INC		Category #: III				
Telephone: (336) 996-0616		EDA Establishment Type: Fast Food Restaurant				
Wastewater System: Municipal/Community	On-Site Sys	No. of Risk Factor/Intervention Violations:	3			
Water Supply: Municipal/Community On-Site Supply No. of Risk Factor/Intervention Violations: No. of Risk Factor/Intervention Violations:						
Risk factors: Contributing factors that increase the chance of developing food	Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury. Buddition of pathogens, chemicals, and physical objects into foods.					
IN OUT N/A N/O Compliance Status	OUT CDI R VR	IN OUT N/A N/O Compliance Status	OUT CDI R VR			
Supervision .2652		Safe Food and Water .2653, .2655, .2658				
1 Image: Constraint of the second	$2 0 \Box \Box \Box$	28 Image: Second se	10.50			
Employee Health .2652 2 X Management, employees knowledge;		29 X Water and ice from approved source	210			
responsibilities & reporting	313 🗙 🗙 🗆 🗆	30 30 Variance obtained for specialized processing methods	10.50			
3 X Proper use of reporting, restriction & exclusion	31.50	Food Temperature Control .2653, .2654				
Good Hygienic Practices .2652, .2653 4 🛛 🗆 Proper eating, tasting, drinking, or tobacco use	21000	31 🛛 🗆 Proper cooling methods used; adequate equipment for temperature control	10.50			
		32 🔲 🔲 🖾 Plant food properly cooked for hot holding	10.50			
5 Image: Contamination by Hands .2652, .2653, .2655, .2656		33 🗆 🗆 🖾 Approved thawing methods used	10.50 🗆 🗆			
6 X Hands clean & properly washed	420000	34 🛛 🗌 Thermometers provided & accurate	1 0.5 0 🗆 🗆 🗆			
No bare hand contact with RTE foods or pre-	31.50	Food Identification .2653				
approved alternate procedure property followed		35 🔀 🔲 Food properly labeled: original container	210000			
8 X Handwashing sinks supplied & accessible		Prevention of Food Contamination .2652, .2653, .2654, .2656, .26				
Approved Source .2653, .2655 9 X Food obtained from approved source	210000	36 🖾 🗆 Insects & rodents not present; no unauthorized animals	210 🗆 🗆 🗆			
		37 🛛 🗆 Contamination prevented during food preparation, storage & display	21000			
		38 🛛 🗌 Personal cleanliness	1 0.5 0 🗆 🗆 🗆			
11 X Food in good condition, safe & unadulterated 12 P Required records available: shellstock tags,		39 🔀 🗌 Wiping cloths: properly used & stored				
	210	40 🛛 🗌 🔲 Washing fruits & vegetables				
Protection from Contamination .2653, .2654 13 Image: Contamination Image: Contamination	31.50000	Proper Use of Utensils .2653,.2654				
		41 🛛 🗌 In-use utensils: properly stored	10.50			
14 X Food-contact surfaces: cleaned & sanitized 1 X Proper disposition of returned, previously served.	313 🗶 🗆 🗙 🗆	42 Utensils, equipment & linens: properly stored, dried & handled				
IS IS <		Single-use & single-service articles: properly				
Potentially Hazardous Food Time/Temperature .2653 16 X Image: Comparison of the second se						
		44 Z Gloves used properly Utensils and Equipment .2653, .2654, .2663				
17 Proper reheating procedures for hot holding		Equipment_food & non-food contact surfaces				
18 Image: Second state 19	31.50	45 X approved, cleanable, properly designed, constructed, & used				
19 🛛 🗌 💭 Proper hot holding temperatures	3150	46 🛛 🗆 Warewashing facilities: installed, maintained, & used; test strips	10.50			
20 Proper cold holding temperatures	315 🗙 🗙 🗆 🗆	47 🔲 🔀 Non-food contact surfaces clean	1 🗷 🗆 🗖 🗖			
21 🛛 🗌 🔲 Proper date marking & disposition	3150	Physical Facilities .2654, .2655, .2656				
22 Z2 Z2 Z2 Z2 Z2 Z2 Z2 Z2 Z2	210	48 🛛 🗌 Hot & cold water available; adequate pressure				
Consumer Advisory .2653		49 Plumbing installed; proper backflow devices	218800			
23 Consumer advisory provided for raw or undercooked foods	1050	50 🛛 🗌 Sewage & waste water properly disposed				
Highly Susceptible Populations .2653		51 🛛 🗆 🔲 Toilet facilities: properly constructed, supplied & cleaned	1 0.5 0			
	3 1.5 0	52 🛛 🗆 Garbage & refuse properly disposed; facilities maintained				
Chemical .2653, .2657 25 Image: Xero Ample Am		53 X Physical facilities installed, maintained & clean				
26 X Image: Construction 26 X Image: Construction Toxic substances properly identified stored, & used		Meets ventilation & lighting requirements;				
Conformance with Approved Procedures .2653, .2654, .2658		54 ⊠ I designated areas used I				
27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2003, 2004, 2006 27 Image: Second marker with approved Proceedings 2004, 2006 27 Image: Second marker with approved Proceedings 2004, 2006 28 Image: Second marker with approved Proceedings 2004, 2007 29 Image: Second marker with approved Proceedings 2004, 2007	210	Total Deductions	:: 1			

this

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendum to Food Establishment Inspection Report

Establishment Name: BISCUITVILLE 167		Establishment ID: 3034011069		
Location Address: 921 S MAIN ST City: KERNERSVILLE County: 34 Forsyth Zip: 27 Wastewater System: Municipal/Community On-Site System: Municipal/Community On-Site System: Municipal/Community Permittee: BISCUITVILLE INC Telephone: (336) 996-0616	stem	 ☑ Inspection □ Re-Inspection Comment Addendum Attached? □ Water sample taken? □ Yes ☑ No Email 1: ^{bv167@biscuitville.com} Email 2: Email 3: 	Date: <u>12/14/2018</u> Status Code: <u>A</u> Category #: <u>III</u>	
Temperature Observations				
Effective January 4, 2040 Cold Helding will shange to 44 degrees				

Lifective January 1, 2019 Cold Holding will change to 41 degrees								
ltem ServSafe	Location Christy Zender 7/7/21	Temp 0	ltem Sausage	Location Hot Holding Cabinet	Temp 152	Item Lettuce	Location Reach-In	Temp 43
Hot Water	3 Compartment Sink	144	HashBrowns	Hot Holding Cabinet	140	Milk	Walk in Cooler	44
Quat. Sani	3 Compartment Sink	200	Fries	Hot Holding Cabinet	139	SausgeChee	Walk in Cooler	41
Fries	Final Cook	189	Oatmeal	Hot Holding Cabinet	145			
Egg	Final Cook	182	Gravy	Hot Plate	136			
Ham	Final Cook	174	Grits	Hot Plate	145			
Chicken	Hot Holding Cabinet	156	Tomato	ColdHolding Unit	42			
Eggs	Hot Holding Cabinet	141	Lettuce	ColdHolding Unit	50			

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

2 2-103.11 (M) Person in Charge-Duties - PF- Person in charge could not locate an employee health policy. Person in charge recited 2/5 diseases from memory. Food employees and conditional employees are informed of their responsibility to report in accordance with law, to the person in charge, information about their health and activities as they relate to diseases that are transmissible through food. CDI: Person in charge located copy of employee health policy. Opts.

- 14 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils P-REPEAT (Improvement from last inspection) One metal bin and a scoop contained food residue. Equipment food contact surfaces and utensils shall be clean to sight and touch. CDI: Items sent to be rewashed. 0pts.
- 20 3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding P-Lettuce at cold holding unit measured between 48F-50F. Lettuce had been in unit since early morning. Potentially Hazardous foods shall be maintained at 45F or below. CDI: Lettuce was voluntarily discarded by person in charge. 0pts.

LOCK Text					
First Last					
Person in Charge (Print & Sign): Christy Zender Christian Zender					
First Last Regulatory Authority (Print & Sign): Patteson					
REHS ID: 2744 - Delgadillo, Iverly Verification Required Date: / /	_				
REHS Contact Phone Number: (<u>336</u>) <u>703</u> - <u>3141</u> North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. Page 2 of Food Establishment Inspection Report, 3/2013					

Comment Addendum to Food Establishment Inspection Report

Establishment Name: BISCUITVILLE 167

Establishment ID: 3034011069

	Observations and Corrective Actions
	Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.
12	4 001 11 Equipment and Literails. Air Drying Required, C. Two stocks of hins stocked wet. After cleaning and capitizing

- 42 4-901.11 Equipment and Utensils, Air-Drying Required C- Two stacks of bins stacked wet. After cleaning and sanitizing, equipment and utensils shall be air-dried prior to stacking.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C-REPEAT- The following require additional cleaning: Clean utensil shelving above the 3 compartment sink and the dry storage shelving. Non food contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.
- 49 5-203.14 Backflow Prevention Device, When Required P- Pistol grip attached to hose that hangs on a hook does not have a backflow prevention device rated for continuous pressure. A plumbing system shall be installed to preclude backflow of a solid, liquid, or gas contaminant into the water supply system at each point of use at the food establishment, including on a hose bibb if a hose is attached or on a hose bibb if a hose is not attached and backflow prevention is required by law, by providing an air gap or installing an approved backflow prevention device. CDI: Pistol grip was removed. 0pts.





Spell

Establishment Name: BISCUITVILLE 167

Establishment ID: 3034011069

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: BISCUITVILLE 167

Establishment ID: 3034011069

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: BISCUITVILLE 167

Establishment ID: 3034011069

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

