Food Establishment Inspection Report								
Food Establishment Inspection Report Score: Establishment Name: WALMART NEIGHBORHOOD MARKET DELI 6243 Establishment ID: 3034022824								
Location Address: 3633 CLEMMONS RD			_		⊠Inspection □Re-Inspection			
City: CLEMMONS								
Zip: 27012 County: 34 Forsyth								
Total Time: 2 hrs 20 minutes								
Telephone: (336) 293-1396			FD)A (Establishment Type: Deli Department			
Wastewater System: Municipal/Community		tem			f Risk Factor/Intervention Violations	s: 1		
Water Supply: XMunicipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations:								
Foodborne Illness Risk Factors and Public Health Int Risk factors: Contributing factors that increase the chance of developing food Public Health Interventions: Control measures to prevent foodborne illness of	Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.							
IN OUT N/A N/O Compliance Status	OUT CDI R VR	IN	IN OUT N/A N/O Compliance Status OUT CDI					
Supervision .2652					Water .2653, .2655, .2658			
□ □ □ □ □ accredited program and perform duties		28 🗌		X	Pasteurized eggs used where required			
Employee Health .2652 2 Image: Comparison of the state of the st		29 🛛	+		Water and ice from approved source	210		
2 Image: Management, employees knowledge; responsibilities & reporting 3 Image: Management, employees knowledge; responsibilities & reporting Proper use of reporting, restriction & exclusion		30 🗆		×	Variance obtained for specialized processing methods			
Good Hygienic Practices .2652, .2653	3 1.5 0			pera	ture Control .2653, .2654 Proper cooling methods used; adequate			
4 X Proper eating, tasting, drinking, or tobacco use	21000	31 🛛	+		equipment for temperature control			
5 🛛 🗌 No discharge from eyes, nose or mouth		32 🗆			Plant food properly cooked for hot holding	1 0.5 0 🗆 🗆 🗆		
Preventing Contamination by Hands .2652, .2653, .2655, .2656		33 🗆			Approved thawing methods used			
6 🛛 🗌 Hands clean & properly washed	420000	34 🛛			Thermometers provided & accurate	1 0.5 0 🗆 🗆 🗆		
7 🛛 🗆 🗆 🗠 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	31.50	Food	T T	tifica				
8 X - Handwashing sinks supplied & accessible	210	35		a of I	Food properly labeled: original container			
Approved Source .2653, .2655		36 🔀			Food Contamination .2652, .2653, .2654, .2656, Insects & rodents not present; no unauthorized			
9 🛛 🗆 Food obtained from approved source	210000			_	animals Contamination prevented during food			
10 🗌 🔲 🔀 Food received at proper temperature	21000	37 🛛		_	preparation, storage & display			
11 🛛 🗌 Food in good condition, safe & unadulterated	210000	38 🗆	X		Personal cleanliness			
12 D K Required records available: shellstock tags, parasite destruction	210	39 🛛	+	_	Wiping cloths: properly used & stored			
Protection from Contamination .2653, .2654		40			Washing fruits & vegetables			
13 🛛 🗆 🖾 Food separated & protected	31.50	Proper Use of Utensils .2653, .2654 41 ⊠ In-use utensils: properly stored 1.03				10.50		
14 Image: Second and the second and	31.50		+		Utensils, equipment & linens: properly stored,			
15 🛛 🗆 Proper disposition of returned, previously served, reconditioned, & unsafe food	210	42 🛛	+	_	dried & handled			
Potentially Hazardous Food Time/Temperature .2653		43 🗆	X		Single-use & single-service articles: properly stored & used	1 0.5 🕱 🗆 🗆		
16 Proper cooking time & temperatures	31.50	44 🛛			Gloves used properly			
17 Proper reheating procedures for hot holding	31.50		sils ai	nd E	quipment .2653, .2654, .2663 Equipment, food & non-food contact surfaces			
18 Image: Constraint of the second secon	3150	45 🛛			approved, cleanable, properly designed, constructed, & used			
19 🔲 🔀 🔲 Proper hot holding temperatures	3×0×	46 🛛			Warewashing facilities: installed, maintained, 8 used; test strips			
20 🛛 🗆	31.50	47 🗆	X		Non-food contact surfaces clean			
21 🛛 🗆 🗆 Proper date marking & disposition	31.50	Phys	ical F	acili	ties .2654, .2655, .2656			
22 Time as a public health control: procedures & records	210	48 🛛			Hot & cold water available; adequate pressure	210 🗆 🗆 🗆		
Consumer Advisory .2653		49 🗆	X		Plumbing installed; proper backflow devices	21 X X 🗆 🗆		
23 Consumer advisory provided for raw or undercooked foods		50 🛛			Sewage & waste water properly disposed			
Highly Susceptible Populations .2653 24 Image: State and State an		51 🗷			Toilet facilities: properly constructed, supplied & cleaned	10.50		
24 Image: Chemical Pasted roods loods used, prohibited roods not offered Chemical .2653, .2657		52 🛛			Garbage & refuse properly disposed; facilities maintained	10.50		
25 Contentical 2003, 2007		53 🗆	X		Physical facilities installed, maintained & clean			
26 X Image: Second additional approximation of the property identified stored, & used		54 🛛	\exists		Meets ventilation & lighting requirements;			
Conformance with Approved Procedures .2653, .2654, .2658					designated areas used			
27 Compliance with variance, specialized process, 210 Compliance with variance, specialized process, 210 Compliance with variance and the special spec								

this

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.



Comment Addendum to Food Establishment Inspection Report

Establishment Name: WALMART NEIGHBORHOOD MARKET DELI 6243	Establishment ID: 3034022824					
Location Address: <u>3633 CLEMMONS RD</u> City: <u>CLEMMONS</u> State: NC Ourse to 24 Ferretthe Time 27013	Inspection Re-Inspection Date: 06/03/2019 Comment Addendum Attached? Status Code: A					
County: <u>34 Forsyth</u> Zip: <u>27012</u>	Water sample taken? Yes X No Category #: III					
Wastewater System: Municipal/Community On-Site System Water Supply: Municipal/Community On-Site System	Email 1: ^{aelledg.s06243.us@wal-mart.com} Email 2:					
Permittee: WAL-MART INC.						
Telephone: (336) 293-1396	Email 3:					
Temperature Observations						

Cold Holding Temperature is now 41 Degrees or less									
ltem FSP	Location B. Drinnon6/20/22	Temp 0	Item Rotisserie	Location hot holding	Temp Item 152	Location	Temp		
Air	display cooler	36	Chicken	hot holding	122				
Air	display cooler	41	Corn dog	hot holding	129				
Ham	display cooler	39	Hot water	3 compartment sink	135				
Chicken	hot holding	150	Quat	3 compartment sink	200				
Ham	sliding door	30							
Rotisserie	walk in cooler	37							
Popcorn	hot holding	116							

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

19 3-501.16 (A)(1) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding - P Popcorn chicken 116 F, chicken sandwich 122 F, and corn dog 129 F in the hot holding display unit. The popcorn chicken was stored on a black holder and corn dog was sitting on top another corn dog on display. All items were made around 10:57am or so. Hot holding potentially hazardous food shall be maintained at 135 F or greater. CDI: Items were voluntarily disposed.

- 38 2-303.11 Prohibition-Jewelry C 0 points. Food employee with watch on wrist in the deli area. Except for a plain ring such as a wedding band, while preparing FOOD, FOOD EMPLOYEES may not wear jewelry including medical information jewelry on their arms and hands.
- 43 4-903.11 (A) and (C) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing C 0 points. Dark debris on top the single-use lids located on shelf next to ash pan by the oven. cleaned EQUIPMENT and UTENSILS, laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES shall be stored: (1) In a clean, dry location; (2) Where they are not exposed to splash, dust, or other contamination.

Bradley	First	Drinnon	Last	halles		/
Diadicy	First	Brinnon	last	- may		
): ^{Jill}	1 11 St	Sakamot			And	RE-MY
: 2685	- Sakamoto, Jill			_ Verification Required Date: _	_/_/_	
: (<u>33</u>	<u>6)703-31</u>	37				
of Health &	DHHS is 3	s an equal o	pportunity employer.		itection Program	REPH
	: 2685 : (<u>33</u>	Bradley First : Jill : 2685 - Sakamoto, Jill :: (336) 703 - 312 : . of Health & Human Services • D DHHS is 3 3 .	Bradley Drinnon First Sakamot 2685 - Sakamoto, Jill Constraints (336) 703 - 3137 of Health & Human Services • Division of Pu DHHS is an equal of 3	Bradley Drinnon First Last Jill Sakamoto REHSI : 2685 - Sakamoto, Jill : : (336) 703 - 3137 of Health & Human Services • Division of Public Health • Enviro DHHS is an equal opportunity employer. 3	Bradley Drinnon First Last Sakamoto REHSI July 2685 - Sakamoto, Jill Verification Required Date: :: (336) 703 - 3137 of Health & Human Services • Division of Public Health Bradley Division of Public Health Sakamoto, Jill • Food Pro-	Bradley Drinnon First Last Jill Sakamoto REHSI :: 2685 - Sakamoto, Jill :: 2685 - Sakamoto, Jill :: (336) 703 - 3137 of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program OHHS is an equal opportunity employer. 3

√ Spell

Comment Addendum to Food Establishment Inspection Report

Establishment Name: WALMART NEIGHBORHOOD MARKET DELI 6243

Establishment ID: 3034022824

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

√ Spell

47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - C Repeat. Dust build up on the fan guards and brownish residue on the ceiling panels in the walk in cooler. Food debris on the tracks and/or edges of the cabinet and sliding door cooler. Dark residue on the shelving by the walk in cooler. Nonfood-contact of equipment shall be free from the accumulation of dust, dirt, food residue, and other debris.

- 49 5-202.14 Backflow Prevention Device, Design Standard P 0 points. An open end hose and open end of a splitter connected to the faucet of the can wash. Observed no backflow device on the ends of the splitter. A backflow or backsiphonage prevention device installed on a water supply system shall meet American Society of Sanitary Engineering (A.S.S.E.) standards for construction, installation, maintenance, inspection, and testing for that specific application and type of device. CDI: Splitter was removed.
- 53 6-501.12 Cleaning, Frequency and Restrictions C 0 points. Soiled walls by the walk in cooler near the oven. PHYSICAL FACILITIES shall be cleaned as often as necessary to keep them clean.





Establishment Name: WALMART NEIGHBORHOOD MARKET DELI 6243 Establishment ID: 3034022824

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: WALMART NEIGHBORHOOD MARKET DELI 6243 Estab

Establishment ID: 3034022824

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: WALMART NEIGHBORHOOD MARKET DELI 6243 ____ Establishment ID: _3034022824

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

