Food Establishment Inspection Report Score: 99 Establishment Name: BOWMAN GRAY TECH CENTER Establishment ID: 3034010036 Location Address: 950 REYNOLDS BLVD City: WINSTON-SALEM Date: 06 / 04 / 2019 Status Code: A State: NC Time In: $09 : 45 \overset{\otimes}{\circ} pm$ Time Out: 11: 45 am County: 34 Forsyth Zip: 27105 Total Time: 2 hrs 0 minutes RJ REYNOLDS TOBACCO COMPANY Permittee: Category #: IV Telephone: (336) 741-7026 FDA Establishment Type: Full-Service Restaurant Wastewater System: ⊠Municipal/Community ☐ On-Site System No. of Risk Factor/Intervention Violations: 3 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 🔀 1 0.5 0 🗆 🗆 Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3150 - approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 1.5 🗶 🗆 🗆 🗆 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17|igotimes |igsqcup |igsqcup |igsqcup | Proper reheating procedures for hot holding 3 1.5 0 Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 **X** X 🗆 🗆 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 1.5 0 Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🖂 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗷 🗆 🗆 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🗷 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🔀 10.50 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



|27| 🗆 | 🗆 | 🔀

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 □ | 🖾 | □



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

				Food E	<u>Establish</u>	ment	<u>Inspectio</u>	n Report	
Establishm	nent Name: BOWMAN G	RAY TECH	H CENTER		Establish	nment ID): <u>3034010036</u>	-	
Location Address: 950 REYNOLDS BLVD City: WINSTON-SALEM				tate: NC	☐ Inspection ☐ Re-Inspection ☐ Date: 06/04/2019 Comment Addendum Attached? ☐ Status Code: A Water sample taken? ☐ Yes ☒ No Category #: IV Email 1: harold.fletcher@cbre.com Email 2: Email 3:				
Wastewater System: ☑ Municipal/Community ☐ On-Site Water Supply: ☑ Municipal/Community ☐ On-Site Permittee: RJ REYNOLDS TOBACCO COMPANY Telephone: (336) 741-7026			On-Site System						
			Temn	erature (Observatio	ns			
	C	old Hol	·				one or lee	e	
Item servsafe	Location M. Coble 8/4/21	Temp 00	Item burger	perature is now of Location upright cooler		Temp 40	Item chili	Location reheat	Temp 189
hot water	3-compartment sink	122	hot dog	upright cooler		40	potato soup	final cook	167
quat sani	3-comp sink (ppm) 200 chicken hot cabinet		et	176	-				
tomatoes	burger drawers	40	rice	hot cabinet		109			
chicken salad	d prep unit	40	pasta	cooling		43			
buffalo chix	prep unit	40	pasta	cooling 20 mins later		40			
ham	cold drawer	39	chicken	final cook (grill)		187			
hot dog	cold drawer	40	chicken	final cool	(oven)	171			
ready foods 19 3-501 hot ca	2.11 Packaged and Unp y-to-eat salad dressings i. 0 pts. I.16 (A)(1) Potentially Habinet measured 109F. Rice was sent to be reh	in walk-in azardous Potentially eated. 0 p	cooler. Unw Food (Time/ y hazardous	rashed prod Temperatur foods in ho	re Control for t holding shal	stored so Safety Fo I be main	that it can not bod), Hot and tained at a ter	t contaminate re Cold Holding - F nperature of 135	ady-to-eat P - Pan of rice in F or greater.
toxic	materials shall be stored	d so they o	cannot conta	minate foo	d, equipment,				
	narge (Print & Sign): Rands	ay <i>Fi</i> i	rst	Fletcher	Last Last :HSI		Loly 7:	Jutch Freeze	<u>~</u> H5I
	REHS ID:_	2737 - Fı	razier, Micha	ael		Verifica	ation Required D	Date: /	<i>I</i>

REHS Contact Phone Number: (336) 703 - 3382

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013



Establishment Name: BOWMAN GRAY TECH CENTER Establishment ID: 3034010036

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code



- 33 3-501.13 Thawing C Raw chicken and raw ground beef being thawed under running water that measured 79F. Potentially hazardous food shall be thawed at a water temperature of 70F or below, under refrigeration, as part of the cooking process, or in a microwave oven and immediately transferred to cooking equipment. 0 pts.
- 4-501.11 Good Repair and Proper Adjustment-Equipment C Cover for overflow drain on prep sink nearest 3-compartment sink is missing exposing rust underneath. Equipment shall be maintained in good repair. 0 pts.





Establishment Name: BOWMAN GRAY TECH CENTER Establishment ID: 3034010036

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BOWMAN GRAY TECH CENTER Establishment ID: 3034010036

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BOWMAN GRAY TECH CENTER Establishment ID: 3034010036

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



