Food Establishment Inspection	Report		Score: <u>100</u>		
Establishment Name: VIENNA VILLAGE Establishment ID: 3034160034					
Location Address: 6601 YADKINVILLE RD		Nispection Re-Inspection			
City: PFAFFTOWN	State: NC	Date: <u>10</u> / <u>17</u> / <u>2019</u> Status Code:	A		
Zip: 27040 County: 34 Forsyth Time In: 10 : 45°_{\circ} pm Time Out: 12 : 20°_{\circ} am pm					
Permittee: VIENNA VILLAGE INC.	Total Time: 1 hr 35 minutes				
Telephone:		Category #: _IV			
		FDA Establishment Type: Mursing Home			
Wastewater System: Municipal/Community	-	No. of Risk Factor/Intervention Violation	ıs: 0		
Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations:					
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals,					
Public Health Interventions: Control measures to prevent foodborne illness o		and physical objects into foods.	patriogene, enemicale,		
IN OUT N/A N/O Compliance Status	OUT CDI R VR	IN OUT N/A N/O Compliance Status	OUT CDI R VR		
Supervision .2652 1 Image: Comparison of the sector of the sect	20000	Safe Food and Water .2653, .2655, .2658 28 X Pasteurized eggs used where required			
Image: Constraint of the second sec					
2 🛛 🗆 Management, employees knowledge; responsibilities & reporting	31.50				
3 🛛 🗌 Proper use of reporting, restriction & exclusion	31.50				
Good Hygienic Practices .2652, .2653		Proper cooling methods used; adequate			
4 🛛 🗆 Proper eating, tasting, drinking, or tobacco use	210	31 Image: Second sec			
5 🛛 🗆 No discharge from eyes, nose or mouth		33 C X Approved thawing methods used			
Preventing Contamination by Hands .2652, .2653, .2655, .2656					
6 A Hands clean & properly washed	420	34 X Image: Constraint of the second se			
7 Image: Constraint of the second	31.50	35 ⊠ □ Food properly labeled: original container	21000		
8 🛛 🗆 Handwashing sinks supplied & accessible	210	Prevention of Food Contamination .2652, .2653, .2654, .2656	, .2657		
Approved Source .2653, .2655 9 X I Food obtained from approved source		36 ☑ Insects & rodents not present; no unauthorize animals	ed 210000		
		37 Contamination prevented during food preparation, storage & display	21 🗙 🗙 🗆 🗆		
10 Image: Second acceleration of the second accele		38 🛛 🗌 Personal cleanliness	10.50		
11 Image: Second condition Safe & unadulterated 12 Image: Second condition Safe & unadulterated 13 Image: Second condition Safe & unadulterated		39 🔀 🔲 Wiping cloths: properly used & stored	10.50		
12 Image: Required records available: shellstock tags, parasite destruction Protection from Contamination .2653, .2654	210	40 🛛 🗌 🔲 Washing fruits & vegetables	10.50		
13 X C Food separated & protected	31.50	Proper Use of Utensils .2653, .2654			
14 🛛 🗌 Food-contact surfaces: cleaned & sanitized	31.50	41 🛛 🗌 In-use utensils: properly stored	10.50		
Proper disposition of returned, previously served,		42 🛛 🗆 Utensils, equipment & linens: properly stored, dried & handled			
IS Image: Constraint of the second seco		43 🛛 🗆 Single-use & single-service articles: properly stored & used	10.50		
16 🛛 🗌 🔲 Proper cooking time & temperatures	31.50	44 🛛 🗌 Gloves used properly			
17 🔲 🗌 🖾 Proper reheating procedures for hot holding	31.50	Utensils and Equipment .2653, .2654, .2663			
18 🔲 🗌 🖾 Proper cooling time & temperatures	31.50	45 X C Approved, cleanable, properly designed, constructed, & used			
19 🛛 🗆	31.50	46 🖾 🗌 Warewashing facilities: installed, maintained, used; test strips	& 10.50		
20 🛛 🗌 🔲 Proper cold holding temperatures	31.50	47 🛛 🗌 Non-food contact surfaces clean			
21 🛛 🗆 🗆 Proper date marking & disposition	31.50	Physical Facilities .2654, .2655, .2656			
22 Time as a public health control: procedures & records	210	48 🛛 🗌 Hot & cold water available; adequate pressure	e 21000		
Consumer Advisory .2653		49 X Image: Plumbing installed; proper backflow devices			
23 Consumer advisory provided for raw or undercooked foods		50 🛛 🗌 Sewage & waste water properly disposed			
Highly Susceptible Populations .2653		51 🛛 🗆 🖾 Toilet facilities: properly constructed, supplied & cleaned			
24 Image: Chemical Pasteurized foods used; prohibited foods not offered Chemical .2653, .2657		52 🛛 🗌 Garbage & refuse properly disposed; facilities maintained			
25 C Kenneal 2003, 2007		53 X Physical facilities installed, maintained & clear	n 1050 🗆 🗆		
26 🛛 🗌 🔲 Toxic substances properly identified stored, & used		Meets ventilation & lighting requirements;			
Conformance with Approved Procedures .2653, .2654, .2658					
27 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	21000	Total Deduction	ons: ⁰		

ans

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendum to Food Establishment Inspection Report

Establishment Name: VIENNA VILLAGE		Establishment ID: 3034160034				
Location Address: 6601 YADKINVILLE RD City: PFAFFTOWN County: 34 Forsyth Wastewater System: Municipal/Community Water Supply: Municipal/Community Permittee: VIENNA VILLAGE INC.	State: <u>NC</u> Zip: <u>27040</u> On-Site System	Inspection □ Re-Inspection Comment Addendum Attached? □ Water sample taken? □ Yes ⊠ No Email 1: CHRIS@VIENNAVILLAGE.CC Email 2:	Date: <u>10/17/2019</u> Status Code: <u>A</u> Category #: <u>IV</u> DM			
Telephone: (336) 945-5410		Email 3:				
Temperature Observations						
Cold Holding Temperature is now 41 Degrees or less						

ltem deviled eggs	Location upright cooler	Temp 36	Item hot water	Location 2-compartment sink	Temp 137	Item	Location	Temp
salad	upright cooler	37	ambient air	beverage cooler	36			
ambient air	reach-in cooler	33	ServSafe	Edwina Overbey 8-16-21	0			
mashed	hot hold	145						
brussel	final cook	146						
chicken	final cook	170						
hot plate temp	dish machine	166						
quat (ppm)	2-compartment sink	300						

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

37 3-307.11 Miscellaneous Sources of Contamination - C - Empty employee coffee cup stored on prep table during food preparation. Employee beverages shall not be stored where they can potentially contaminate foods. Store employee drinks on a low shelf or segregated area. CDI - Cup moved to low shelf. 0 points taken due to the cup being empty and wasn't being used. 0 pts.

Spell

Lock Text					
Dereen in Charge (Drint & Sign).	<i>First</i> Chris	Last Parker	CI ' Culus		
Person in Charge (Print & Sign):	First	Last	my form		
Regulatory Authority (Print & Sign		Lee	anous Lu REUS		
REHS II): 2544 - Lee, Ar	ndrew	Verification Required Date://		
REHS Contact Phone Number: (336) 703 - 3128 North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. 2 Page 2 of Food Establishment Inspection Report, 3/2013					

Establishment ID: 3034160034

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

AMAS



Spell

Establishment ID: 3034160034

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034160034

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment ID: 3034160034

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

