Food Establishment Inspection	Report								Score: <u>95.5</u>	
Establishment Name: TWIN PEAKS										
Location Address: 1915 HAMPTON INN COURT			Establishment ID: 3034011762							
City: WINSTON SALEM	State: NC Date: 10/15/2019 Status Cod							<u>15 / 2019 Status Code: A</u>	۸ <u>ــــــــــــــــــــــــــــــــــــ</u>	
Zip: 27103 County: 34 Forsyth	Time In: $12 : 20 \otimes pm$ Time Out:							$1: 12: 20 \bigotimes_{pm}^{am}$ Time Out: $02$	:500 ⊗ am	
Permittee: LA CIMA RESTAURANTS LLC								ime: 2 hrs 30 minutes	•	
Telephone: (336) 306-9183					Ca	ate	go	ry #: _IV		
Wastewater System: Municipal/Community [	On Site Su	ot	om		FC	DA	Es	stablishment Type: <sup>Full-Service Restaurs</sup>	ant	
•	-	50	en					Risk Factor/Intervention Violations		
Water Supply: Municipal/Community On-	Sile Supply				No	). (	of F	Repeat Risk Factor/Intervention V	iolations: <u>1</u>	
Foodborne Illness Risk Factors and Public Health Int Risk factors: Contributing factors that increase the chance of developing foodt Public Health Interventions: Control measures to prevent foodborne illness of	oorne illness.		G	Good	Ret	ail F	Prac	Good Retail Practices tices: Preventative measures to control the addition of p and physical objects into foods.	pathogens, chemicals,	
IN OUT N/A N/O Compliance Status	OUT CDI R VI	R	1	IN C	DUT	N/A	N/O	Compliance Status	OUT CDI R VR	
Supervision .2652			1	- T	1	-	d W	ater .2653, .2655, .2658		
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □			28			X		Pasteurized eggs used where required		
Employee Health     .2652       2     X     Image: Complex Stress Str	31.50	٦١F	29	×				Water and ice from approved source		
3 X     Proper use of reporting, restriction & exclusion	31.50		30	_		X		Variance obtained for specialized processing methods		
Good Hygienic Practices .2652, .2653		-	Fo 31		em	per	atur	e Control .2653, .2654 Proper cooling methods used; adequate		
4 🛛 🗌 Proper eating, tasting, drinking, or tobacco use	210	٦IF						equipment for temperature control		
5 🛛 🗌 No discharge from eyes, nose or mouth		٦IF			-			Plant food properly cooked for hot holding		
Preventing Contamination by Hands .2652, .2653, .2655, .2656		ШH	33					Approved thawing methods used		
6 🛛 🗌 Hands clean & properly washed	420000	ᅴᄂ	34	⊠ ∣od I		+:6:0	otio	Thermometers provided & accurate		
7       Image: Constraint of the second	31.50	비는	35			unc	auc	Food properly labeled: original container	21000	
8 🗆 🔀 Handwashing sinks supplied & accessible	21 🗙 🗙 🗆 🗆	⊒ŀ			=1	n of	Foo	od Contamination .2652, .2653, .2654, .2656, .		
Approved Source .2653, .2655		-[	36	×				Insects & rodents not present; no unauthorized animals	210	
9 🛛 🗌 Food obtained from approved source		╡╞	37		×			Contamination prevented during food preparation, storage & display	21 🗶 🗆 🗆	
10   Image: Second acceleration of the second accele			38	×				Personal cleanliness	10.50	
11       Image: Second structure         12       Image: Second structure         13       Image: Second structure         14       Image: Second structure         15       Image: Second structure         16       Image: Second structure         17       Image: Second structure         18       Image: Second structure         19       Image: Second structure         10       Image: Second structure         11       Image: Second structure         12       Image: Second structure         13       Image: Second structure         14       Image: Second structure         15       Image: Second structure         16       Image: Second structure         17       Image: Second structure         18       Image: Second structure         19       Image: Second structure         19       Image: Second structure         19       Image: Second structure         19       Image: Second structure         10       Image: Second structu			39	×				Wiping cloths: properly used & stored		
<sup>12</sup> □ □ <b>□</b> parasite destruction	210		40	×				Washing fruits & vegetables		
Protection from Contamination         .2653, .2654           13 X             Food separated & protected	31.50	╗╞	Pro	opei	Us	e of	f Ute	ensils .2653, .2654		
14     X     Food-contact surfaces: cleaned & sanitized			41	×				In-use utensils: properly stored	10.50	
Proper disposition of returned, previously served,			42					Utensils, equipment & linens: properly stored, dried & handled		
IS         Image: Constraint of the second seco			43	×				Single-use & single-service articles: properly stored & used	10.50	
16 🛛 🗌 🗍 Proper cooking time & temperatures	31.50		44	×				Gloves used properly	10.50	
17 🔲 🗍 🔀 Proper reheating procedures for hot holding	31.50	jļ	Ute	ensi	ls a	nd I	Equ	ipment .2653, .2654, .2663		
18 🛛 🗌 🔲 Proper cooling time & temperatures	31.50	] 4	45		×			Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used		
19 🔀 🔲 🔲 Proper hot holding temperatures	3150000		46	×				Warewashing facilities: installed, maintained, & used: test strips		
20 🔀 🔲 🔲 Proper cold holding temperatures	3150	ᅴᄂ		_				Non-food contact surfaces clean		
21 🔀 🗌 🗍 Proper date marking & disposition	31.50	Jb		iysic	al F	aci	litie	s .2654, .2655, .2656		
22  Time as a public health control: procedures & records	210000	5	48	×				Hot & cold water available; adequate pressure	210 🗆 🗆	
Consumer Advisory .2653			49		×			Plumbing installed; proper backflow devices	2 🗙 0 🗙 🗙 🗆	
23 🛛 🗆 🖾 Consumer advisory provided for raw or undercooked foods	10.50	][	50	×				Sewage & waste water properly disposed		
Highly Susceptible Populations .2653		-	51					Toilet facilities: properly constructed, supplied & cleaned	10.50	
24     Image: Second structure     Pasteurized foods used; prohibited foods not offered       Chemical     .2653, .2657		╧╢╞	52	×				Garbage & refuse properly disposed; facilities maintained		
25 Criefinical .2003, .2007	10.50000				X			Physical facilities installed, maintained & clean	10.5 🗙 🗆 🗆 🗆	
26 X     Image: Construction of the state of		⊣⊦	-	_				Meets ventilation & lighting requirements;		
Conformance with Approved Procedures .2653, .2654, .2658		╡┟	- ' '					designated areas used		
27  Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan								Total Deduction	ns: 4.5	

Ans

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.



Comment Addendum t	o Food Establishmen	t Inspection Report

Establishment Name: TWIN PEAKS	Establishment ID: 3034011762				
Location Address:       1915 HAMPTON INN COURT         City:       WINSTON SALEM       State: NC         County:       34 Forsyth       Zip: 27103         Wastewater System:       Municipal/Community       On-Site System         Water Supply:       Municipal/Community       On-Site System         Permittee:       LA CIMA RESTAURANTS LLC         Telephone:       (336) 306-9183	Inspection       Re-Inspection       Date: 10/15/2019         Comment Addendum Attached?       Status Code: A         Water sample taken?       Yes X No       Category #: IV         Email 1:       winstonsalem@lacimallc.com         Email 2:       Email 3:				
Temperature Observations					
Cold Holding Temperature is now 41 Degrees or less					

ltem servsafe	Location D. Braswell 3/14/23	Temp 00	ltem marinara	Location steam table	Temp 161	ltem pico	Location make unit 2	Temp 38
hot water	3-compartment sink	176	pico	make unit	41	hardboil egg	reach-in cooler 2	40
quat sani	3-comp sink (ppm)	200	tomatoes	make unit	38	beans	steam well	145
steak	cooling @ 1247	53	lettuce	make unit	39	cheese bites	fryer make unit	41
steak	cooling @ 1330	44	spinach artich.	reach-in cooler	39	cheese bites	walk-in cooler	40
mash potato	steam table	155	turkey	reach-in cooler	39	pico	walk-in cooler	40
smoked pork	steam table	165	butter	make unit 2	40	blue cheese	walk-in cooler	40
queso	steam table	145	tomatoes	make unit 2	40			

## Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 6-301.12 Hand Drying Provision - PF - No paper towels supplied at bar area handwashing sink. Each handwashing sink shall be

8 6-301.12 Hand Drying Provision - PF - No paper towels supplied at bar area handwashing sink. Each handwashing sink shall be provided with a sanitary means of drying hands. CDI: PIC provided paper towels. 0 pts.

- 14 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils P REPEAT Numerous metal holding pans and plates soiled with food debris. Food contact surfaces of equipment and utensils shall be clean to sight and touch. VR: Verification required. Contact Michael Frazier at 336-703-3382 or fraziemb@forsyth.cc when new procedure for cleaning dishes is in place. Establish new procedure to clean dishes by 10/25/19.
- 37 3-307.11 Miscellaneous Sources of Contamination C 2 tea pitchers near seating at bar not covered. Food shall be protected from miscellaneous sources of contamination. 0 pts.

LOCK Text			
Person in Charge (Print & Sign):	<i>First</i> David	<i>Last</i> Braswell	Disch
Regulatory Authority (Print & Sign)	<i>First</i> Michael :	<i>Last</i> Frazier REHSI	Mi JEnkEHSE
REHS ID	: 2737 - Frazier, Micha	ael	_ Verification Required Date: <u>10</u> / <u>25</u> / <u>2019</u>
REHS Contact Phone Number	of Health & Human Services • DHHS		nmental Health Section • Food Protection Program

Spell

## **Comment Addendum to Food Establishment Inspection Report**

## Establishment Name: TWIN PEAKS

Establishment ID: 3034011762

	Observations and Corrective Actions
	Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.
40	

- 42 4-903.11 (A), (B) and (D) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing C Glasses at bar being stored directly next to handwashing sink. No splashguard is installed. Cleaned utensils shall be stored where they are not exposed to splash.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C REPEAT Lid to left make unit is broken and does not stay open. Equipment shall be maintained in good repair. 0 pts.
- 49 5-202.14 Backflow Prevention Device, Design Standard P REPEAT Atmospheric backflow prevention device incorporated into faucet at exterior canwash is not sufficient to handle continuous pressure applied to system by the nozzle attached to the hose. A backflow or backsiphonage prevention device installed on a water supply system shall standards for construction, installation, maintenance, inspection, and testing for that specific application and type of device. CDI: PIC removed hose from faucet head and turned off faucet handles.
- 53 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C Seal hole in wall in dry storage room. Physical facilities shall be maintained in good repair. // 6-501.12 Cleaning, Frequency and Restrictions C Additional cleaning needed on floor under soda boxes. Physical facilities shall be maintained clean. 0 pts.





Spell

Establishment Name: TWIN PEAKS

Establishment ID: 3034011762

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



**√** Spell Establishment Name: TWIN PEAKS

Establishment ID: 3034011762

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: TWIN PEAKS

Establishment ID: 3034011762

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

