Food Establishment Inspection Report Score: 99 Establishment Name: BURGER KING 108 CARROLS 757 Establishment ID: 3034012182 Location Address: 2100 PETERS CREEK PARKWAY City: WINSTON SALEM Date: 01/06/2020 Status Code: A State: NC Time In: $08:30^{\otimes}$ am pm Time Out: 10: 200 am County: 34 Forsyth Zip: 27127 Total Time: 1 hr 50 minutes CARROLS LLC BK Permittee: Category #: II Telephone: (336) 723-6065 FDA Establishment Type: Fast Food Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 □ 1 0.5 0 🗆 🗆 □ □ X Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 Thermometers provided & accurate 420 ---6 🛛 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 X Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 🔀 ☐ ☐ ☐ Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🗆 🔀 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17| 🗆 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips |19| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 1.5 0 Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🔀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure |22| 🔀 | 🖂 | 🖂 2 1 0 49 🔀 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷



26 🗵 🗆

|27| 🗆 | 🗆 | 🔀

Food additives: approved & properly used

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658



1 0.5 0

Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; designated areas used

Total Deductions:

54

П

1 0.5 0

210 - -


| | | | | <u> 1000 ES</u> | <u>stabiisn</u> | ment i | <u>inspection</u> | Report | |
|---|---|---|---|---|---|--|--|--|---|
| Establishment Name: BURGER KING 108 CARROLS 757 | | | | | Establishment ID: 3034012182 | | | | |
| Location Address: 2100 PETERS CREEK PARKWAY | | | | | ☑ Inspection ☐ Re-Inspection Date: 01/06/2020 | | | | |
| City: WINSTON SALEM State: NC | | | | | Comment Addendum Attached? Status Code: A | | | | |
| County: 34 Forsyth Zip: 27127 | | | | | Water sample taken? Yes No Category #: II | | | | |
| Wastewater System: Municipal/Community □ On-Site System | | | | | Email 1: dchaplin@carrols.com | | | | |
| Water Supply: ✓ Municipal/Community ✓ On-Site System Permittee: CARROLS LLC BK | | | | | Email 2: | | | | |
| Telephone: (336) 723-6065 | | | | | Email 3: | | | | |
| Тегерпопе | (:::, | | Tompoi | ratura Ok | oservatio | 200 | | | |
| | | | • | | | | | | |
| Item | Location | | aing remp _{Item} | Location | is now 4 | Temp | ees or less | Location | Temp |
| sausage | final cook temp | 187 | hot water | three comp | sink | 135 | | | |
| chicken | hot holding | 140 | quat sani | three comp sink | | 200 | | | |
| sausage | hot holding | 143 | quat sani | sani bucket | | 200 | | | |
| egg | gg hot holding 141 | | ServSafe Quamaine L. 3/17/22 | | ∟. 3/17/22 | 00 | _ | | |
| ambient | walk in cooler | 36.7 | | | | | - | | |
| ham | walk in cooler | 39 | | | | | | | |
| liquid egg | walk in cooler | 40 | | | | | | | |
| ambient | milk/ drink cooler | 38.6 | | | | | | | |
| | iolations cited in this repo | | bservation | | | | | 1 - 5 + 1 5 1 1 | |
| 43 4-903.7 from la expose contam room. | table, trash can was rate (A) and (C) Equipm st inspection based oned; Single service/use hination and kept in origination and kept and Pithree compartment sin | ent, Utens documen articles sh ginal prote | ils, Linens and tation) approx all be stored i ctive packagir stment-Equipr | imately foui n a clean di ng. Maintair ment - Repa | r stacks of c ry location, v n cups prote air/ replace i | sups at di where the cted; mo | rive through stor ey are not expos ve all single ser r ice machine th | ed with lip con sed to splash, vice items insi | ntact portion dust, or other de dry storage |
| | rge (Print & Sign): Qu thority (Print & Sign): ^{Sh} | Firs Jamaine Firs Jannon | st | Love | ast ast | | mi | du Milon | |
| - | | | olonov Cha | non | | \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | | |
| | KEHS IU: | ∠0∠0 - IVI2 | aloney, Shanı | IIUII | | Verifica | ation Required Da | te:// | ′ \- |

REHS Contact Phone Number: (336)703-3383

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program

DHHS is an equal opportunity employer.

Page 2 of 3 Food Establishment Inspection Report, 3/2013





Establishment Name: BURGER KING 108 CARROLS 757 Establishment ID: 3034012182

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods -REPEAT- Recaulk sink in womens restroom where it is peeling away from the wall. Repair floor corner at door to dry storage. Floors, walls, and ceilings including the attachments such as soap and towel dispensers; light fixtures; and heat/ac vents shall be maintained in good repair.// 6-201.11 Floors, Walls and Ceilings-Cleanability - regrout between tiles where grout is low including floor near fry line and floor near three compartment sink. Establishment must provide floors, floor coverings, walls, wall coverings, and ceilings that are designed, constructed and installed so they are smooth and easily cleanable.





Establishment Name: BURGER KING 108 CARROLS 757 Establishment ID: 3034012182

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BURGER KING 108 CARROLS 757 Establishment ID: 3034012182

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BURGER KING 108 CARROLS 757 Establishment ID: 3034012182

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



