| Food Establishment Inspection | n Report | So | ore: <u>94</u> | | | |
|---|--|--|----------------|--|--|--|
| Establishment Name: DIAMONDBACK GRILL | _ | Establishment ID: 3034010306 | | | | |
| Location Address: 751 AVALON RD | | Inspection Re-Inspection | | | | |
| City: WINSTON SALEM | State: NC | Date: Ø1/Ø9/2020 Status Code: A | | | | |
| Zip: 27104 County: 34 Forsyth | Time In: $\underline{12}$: $\underline{00} \otimes p_{m}^{am}$ Time Out: $\underline{02}$: 3 | $0 \otimes 0 = 0$ | | | | |
| Permittee: J. GREGG ENTERPRISES | Total Time: 2 hrs 30 minutes | | | | | |
| | | Category #: IV | | | | |
| Telephone: (336) 722-0006 | | FDA Establishment Type: Full-Service Restaurant | | | | |
| Wastewater System: X Municipal/Community | | No. of Risk Factor/Intervention Violations: | 3 | | | |
| Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 0 | | | | | | |
| Foodborne Illness Risk Factors and Public Health In Risk factors: Contributing factors that increase the chance of developing food Public Health Interventions: Control measures to prevent foodborne illness of | lborne illness. | Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. | | | | |
| IN OUT N/A N/O Compliance Status | OUT CDI R VR | IN OUT N/A N/O Compliance Status | OUT CDI R VR | | | |
| Supervision .2652 | | Safe Food and Water .2653, .2655, .2658 | | | | |
| □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ | | 28 C Resteurized eggs used where required | | | | |
| Employee Health .2652 2 X math math math math math math math math | 3150 | 29 X Water and ice from approved source | 210 | | | |
| 3 X Proper use of reporting, restriction & exclusion | | 30 Image: Warrance obtained for specialized processing methods | | | | |
| Good Hygienic Practices .2652, .2653 | | Food Temperature Control .2653, .2654 21 Proper cooling methods used; adequate | | | | |
| 4 X Proper eating, tasting, drinking, or tobacco use | 210 | 31 Image: Second se | | | | |
| 5 🕅 🗌 No discharge from eyes, nose or mouth | | 32 🛛 🗌 🖓 Plant food properly cooked for hot holding | | | | |
| Preventing Contamination by Hands .2652, .2653, .2655, .2656 | | 33 Approved thawing methods used | | | | |
| 6 | 4808 | 34 🛛 🗌 Thermometers provided & accurate | 1030 | | | |
| 7 🛛 🗆 🗆 🗠 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed | 31.50 | Food Identification .2653 35 🔀 🖂 Food properly labeled: original container | | | | |
| 8 🛛 🗌 Handwashing sinks supplied & accessible | 210 | Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 | | | | |
| Approved Source .2653, .2655 | | 36 ⊠ □ Insects & rodents not present; no unauthorized animals | 210 | | | |
| 9 🛛 🗌 Food obtained from approved source | 210000 | 27 🔽 🗆 Contamination prevented during food | 210000 | | | |
| 10 Image: Second se | 210 | 37 Image: Straight of Straightof Straight of Straight of Straight of Straight of Straight of Str | | | | |
| 11 Image: Second state of the second stat | 210 🗆 🗆 🗆 | 39 ☑ ☑ ☐ ☐ ☐ ☐ 39 ☑ ☑ ☑ Wiping cloths: properly used & stored | | | | |
| 12 🛛 🗆 🗆 Required records available: shellstock tags, parasite destruction | 210 | 40 X Value Washing fruits & vegetables | | | | |
| Protection from Contamination .2653, .2654 | | Proper Use of Utensils .2653, .2654 | | | | |
| 13 🗙 🗌 🔤 Food separated & protected | 31.50 | 41 ⊠ □ In-use utensils: properly stored | 10.50 | | | |
| 14 X Food-contact surfaces: cleaned & sanitized 17 X Proper disposition of returned, previously served. | 31.50 | 42 I I Utensils, equipment & linens: properly stored, dried & handled | 105 🕱 🗆 🗆 🗆 | | | |
| reconditioned, & unsafe food | 21000 | 43 ⊠ □ Single-use & single-service articles: properly stored & used | | | | |
| Potentially Hazardous Food TIme/Temperature .2653 16 Image: Comparison of the strength of the strenge strength of the strength of the strength | 31.50 | 44 X Gloves used properly | | | | |
| | | Utensils and Equipment .2653, .2654, .2663 | | | | |
| | + $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ | 45 X Kernel Karley Kernel Kern | | | | |
| 18 X Image: Constraint of the second sec | 31.50 | constructed, & used | | | | |
| | | 40 🛛 🗆 used; test strips | | | | |
| 20 X Proper cold holding temperatures | | 47 X Non-food contact surfaces clean Physical Facilities .2654, .2655, .2656 | | | | |
| 21 🛛 🗌 🔲 Proper date marking & disposition | | Physical raciinties .2034, .2035, .2030 48 🛛 🗌 🔄 Hot & cold water available; adequate pressure | 21000 | | | |
| 22 Consumer Advisory .2653 | 210 | 49 X Plumbing installed; proper backflow devices | | | | |
| 22 Z Consumer advisory provided for raw or | | 50 X Sewage & waste water properly disposed | | | | |
| Image: Constraint of the second se | | | | | | |
| 24 Pasteurized foods used; prohibited foods not offered | 31.50 | | | | | |
| Chemical .2653, .2657 | | Delta maintained | | | | |
| 25 Image: Second additives Food additives: approved & properly used | 10.50 | 53 Physical facilities installed, maintained & clean | | | | |
| 26 Image: State Stat | 21 🗙 🗙 🗆 🗆 | 54 🛛 🗆 Meets ventilation & lighting requirements; designated areas used | | | | |
| Conformance with Approved Procedures .2653, .2654, .2658 27 Image: Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan | 210 | Total Deductions: | 6 | | | |

this

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendum to Food Establishment Inspection Report

. . .

| stabilshment Name: Diament | UDDAGK OKIEL | Establishment ID: <u>3034010300</u> | | | | | |
|--|--|--|---|--|--|--|--|
| Location Address: 751 AVALO City: WINSTON SALEM County: 34 Forsyth Wastewater System: Municipal/O Water Supply: Municipal/O Permittee: J. GREGG ENTER | State: NC Zip: 27104 Community On-Site System Community On-Site System | ☑ Inspection □ Re-Inspection Comment Addendum Attached? □ Water sample taken? □ Yes ☑ No Email 1: Email 2: | Date: <u>01/09/2020</u> Status Code: <u>A</u> Category #: <u>IV</u> | | | | |
| Telephone: (336) 722-0006 | | Email 3: | | | | | |
| Temperature Observations | | | | | | | |
| tem Location Temp Item Location Temp Item Location Temp | | | | | | | |

| pasta | cooling (5 minutes) | 90 | tomato pie | Location walk-in cooler 2 | 39 | crab cake | Location large make-uniit | 1 emp 44 |
|----------------|------------------------|-----|----------------|------------------------------|-----|-----------|------------------------------|-------------|
| vegetable beef | hot hold | 165 | boiled egg | make-unit | 39 | salmon | small make-unit | 39 |
| chili | reheating (initial) | 44 | hot plate temp | dish machine | 167 | ServSafe | Mack Packer 6-3-24 | 0 |
| chili | reheating (1 hr later) | 170 | hot water | 2-compartment sink | 118 | | | |
| grits | walk-in cooler 1 | 39 | sherry | reheat | 175 | | | |
| pico | walk-in cooler 1 | 40 | chorizo | large make-unit | 45 | | | |
| pico | walk-in cooler 1 | 40 | black beans | large make-unit | 44 | | | |
| onions | walk-in cooler 2 | 40 | potato salad | large make-unit | 43 | | | |
| | | | | | | | | |

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

6 2-301.14 When to Wash - P - Manager did not wash hands after answering phone and touching face before putting portion of meat back into walk-in cooler. Employees shall wash hands after contaminating their hands or switching tasks. CDI - Manager instructed to wash hands and did so correctly. 0 pts.

- 3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding P PH foods in make-unit measured 41-45F. Air temperature of make-unit measured 43.8F. Potentially hazardous foods shall measure 41F or less in cold holding. VR Verification required by 1-19-2020. Contact Andrew Lee at (336) 703-3128 when completed.
- 26 7-207.11 Restriction and Storage-Medicines P,PF Medicine and vitamin bottles stored on shelf above heat lamp table. Medicines shall not be stored above food. CDI - Medicines moved to office. 0 pts.

| Lock Text | | \sim |
|--|-------------------------|---|
| Person in Charge (Print & Sign): Mack | <i>First</i> Packer | Last MUTAT |
| Regulatory Authority (Print & Sign): ^{Andrew} | <i>First</i> Lee | Last Children KEUS |
| REHS ID : 2544 | - Lee, Andrew | Verification Required Date: <u>Ø1</u> / <u>19</u> / <u>2020</u> |
| | DHHS is an equal o 3 | Public Health |

Establishment ID: 3034010306

| | Observations and Corrective Actions | | | | | | | |
|---|-------------------------------------|---|--|--|--|--|--|--|
| Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. | | | | | | | | |
| 10 | | - | | | | | | |

- 42 4-901.11 Equipment and Utensils, Air-Drying Required C Employee observed towel drying a container. Also, large bucket containers stacked while still wet. Utensils shall be air dried prior to stacking. Do not cloth towel dry utensils or food equipment. 0 pts.
- 45 4-205.10 Food Equipment, Certification and Classification C Repeat Crock pot in establishment rated for domestic use only. Food equipment shall be NSF approved for commercial use. // 4-501.11 Good Repair and Proper Adjustment-Equipment - C -Gaskets torn on both make-units, upright freezer, and upright cooler. PVC pipe wrap needed on condensate line in wooden walk-in cooler. Finished floor needed in wooden walk-in cooler so it is easily cleanable. Equipment shall be maintained in good repair.
- 47 4-602.13 Nonfood Contact Surfaces C Clean botton of vulcan warmer and pipes behind cooking equipment as they have accumulated grease. Nonfood contact surfaces of equipment shall be cleaned at a frequency necessary to maintain them clean. 0 pts.
- 49 5-205.15 (B) System maintained in good repair C Repeat Leak present underneath the 2-compartment sink. Plumbing fixtures shall be maintained in good repair. Repair leak. // 5-203.15 Backflow Prevention Device. Carbonator C Backflow preventer needed on soda carbonator. Contact soda rep to install backflow preventer.
- 6-201.11 Floors, Walls and Ceilings-Cleanability C Repeat Coved base missing in dry storage area and on one wall in front of salad make-unit. Walls of mop sink closet need to be repainted. Pass through window is chipping paint and needs to be repainted. Floor is not easily cleanable in prep room with oven. Floors, walls and ceilings shall be easily cleanable. Coved base shall be present where the wall meets the floor in prep areas and dry storage areas.





Spell

Establishment ID: 3034010306

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034010306

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment ID: 3034010306

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

