<u> FO</u>	<u> </u>	lt	<u>- (</u>	<u> </u>	<u>abiisnment inspection</u>	<u>K</u>	ep	0	rτ						Sco	ore: <u>S</u>	6.5	<u></u>	_			
Establishment Name: SALEM ACADEMY CAFETERIA													E	ĒS	stablishment ID: 3034060003							
Location Address: 500 SALEM AVENUE											✓ Inspection Re-Inspection											
City: WINSTON SALEM							State: NC						Date: 11 / 14 / 2018 Status Code: A									
Zip: 27101 County: 34 Forsyth											Time In: $11 : 45 \circ \text{pm}$ Time Out: $03 : 20 \circ \text{pm}$											
												_			Time: 3 hrs 35 minutes	_ 6 p						
												C	ate	q	ory #: IV							
Telephone: (336) 721-2780								FDA Fotoblishment Types Full-Service Restaurant														
Wastewater System: ⊠Municipal/Community [On-Site Syst					tem No. of Risk Factor/Intervention Violations: 3									
Water Supply: ⊠Municipal/Community □ On-								ite Supply No. of Repeat Risk Factor/Intervention Violations.											_			
Foodborne Illness Risk Factors and Public Health Inte								terventions					Good Retail Practices									
1	Risk factors: Contributing factors that increase the chance of developing foods Public Health Interventions: Control measures to prevent foodborne illness or											Good Retail Practices: Preventative measures to control the addition of pathoge and physical objects into foods.										
<u> </u>	ou	_	_	_	Compliance Status	OUT			R VR	-	IN	OUT	N/A	I _N		OUT	CDI	РΙ				
Sup	1		_	10	.2652	001		71	IX VIX	5		IN OUT N/A N/O Compliance Status OUT CDI afe Food and Water .2653, .2655, .2658										
1 🗵			ıΤ		PIC Present; Demonstration-Certification by accredited program and perform duties	2	0][28	3 🗆		X	Γ	Pasteurized eggs used where required	1 0.5 0		T	$\overline{}$			
Em	oloye	ee H	eal	_	.2652					29					Water and ice from approved source	210		寸	_			
2 🗷					Management, employees knowledge; responsibilities & reporting	3 1.5][30	+		×		Variance obtained for specialized processing	1 0.5 0		- -	_			
3					Proper use of reporting, restriction & exclusion	3 1.5	0][╙		Tor	_	rati	methods 2653, .2654	1 0.9 0						
Goo	d Hy	/gie	nic	Pra	actices .2652, .2653					31	$\overline{}$		IIPCI		Proper cooling methods used; adequate	1 0.5 0		7	_			
4					Proper eating, tasting, drinking, or tobacco use	21	0			32	+	=	\vdash	Σ	equipment for temperature control Plant food properly cooked for hot holding	1 0.5 0	_	7	_			
5					No discharge from eyes, nose or mouth	1 0.5	0][1	+	H	H	H		\rightarrow	_	_	_			
Prev	/enti	ng (Cor	ıtar	mination by Hands .2652, .2653, .2655, .2656					33	+		Н	2		1 0.5 0	+	4	_			
6					Hands clean & properly washed	42	0] [I 🖳	1 🗵				Thermometers provided & accurate	1 0.5 0		ᅶ	_			
7 🗵] [No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5][$\Box \Box$	-	ood	_	ntific	cai		2 1 0		7	_			
8 🗆	X				Handwashing sinks supplied & accessible	21	X	3 [11			nn of	f F	ood Contamination .2652, .2653, .2654, .2656, .2657				_			
App	$\overline{}$	d S	ou	ce	.2653, .2655					36	$\overline{}$	$\overline{}$		Ť	Insects & rodents not present; no unauthorized	2 1 0		7	Ξ			
9 🗵					Food obtained from approved source	21	0][⊩	7 0	×			animals Contamination prevented during food	2 X 0	-	7	Ξ			
10 🗆				X	Food received at proper temperature	21	0	1		-	\perp	\vdash			preparation, storage & display		-	#	_			
11 🗵			T		Food in good condition, safe & unadulterated	21	0][38	+	Ш			Personal cleanliness	1 0.5 0	-1-	-	_			
12 🗆		X] [Required records available: shellstock tags, parasite destruction	21	0][39		L			Wiping cloths: properly used & stored	1 0.5 0	Щ	4	_			
Pro	tecti	on fi	ron	_	ontamination .2653, .2654					40					3 4 3	1 0.5 0		<u> </u>	_			
13] [Food separated & protected	3 1.5	0	1			Prope			fι	Jtensils .2653, .2654	1 🗙 0						
14 🗆	X				Food-contact surfaces: cleaned & sanitized	3 🔀	0 2	3 [⊩	+	IX.	_		Litanaila aguinment & linana: pranarly starad		Ш	4	_			
15			T		Proper disposition of returned, previously served, reconditioned, & unsafe food	21	0	1		42	2 🛛				dried & handled	1 0.5 0		4	_			
Pote	entia	lly F	laz		lous Food Time/Temperature .2653					43	3 🔀				Single-use & single-service articles: properly stored & used	1 0.5 0						
16] [Proper cooking time & temperatures	3 1.5	0][44	4 🛛				Gloves used properly	1 0.5 0][\exists			
17 🗆				X	Proper reheating procedures for hot holding	3 1.5	0][ι	Jtens	sils	and	Eq	uipment .2653, .2654, .2663							
18 🗆				X	Proper cooling time & temperatures	3 1.5	0 [][45	5 🗆	×			Equipment, food & non-food contact surfaces approved, cleanable, properly designed,	211						
19 🔀			1 1	╗	Proper hot holding temperatures	3 1.5	0 [1	$\exists \Box$	46	5 🗵	\vdash			constructed, & used Warewashing facilities: installed, maintained, &	1 0.5 0		╁	_			
20	+-		+	$\equiv +$	Proper cold holding temperatures	\vdash		1 .		47	+	+		H	used; test strips			#	_			
21 🗆	:=		,	_	Proper date marking & disposition	\vdash	XX	a -		1	hys		Faci	ilit		1 0.5 0	ш					
H_{-}	.	+-	+	_	Time as a public health control: procedures &			N L			B 🔀	$\overline{}$	$\overline{}$		Hot & cold water available; adequate pressure	2 1 0		╦	Ξ			
22 L Con		or A		_	records	21	0	IJL	414	1		+	F		Plumbing installed; proper backflow devices	2 1 0	=		_			
23	J		$\overline{}$	150	Consumer advisory provided for raw or	1 0.5	0	ılr		1⊢	+	_						4	_			
				tible	undercooked foods e Populations .2653	تتان	- ات	-1-		ĭ⊢		L	L	H	Sewage & waste water properly disposed Toilet facilities: properly constructed, supplied		H		_			
24		×	_		Pasteurized foods used; prohibited foods not offered	3 1.5	0 [][51	+	빝			& cleaned	1 0.5 0	쁘	4	ᆜ			
Che	mica				.2653, .2657					52	2 🛛				Garbage & refuse properly disposed; facilities maintained	1 0.5 0						
25 🗆		X]	Ţ	Food additives: approved & properly used	1 0.5	0 [][53	3 🛛				Physical facilities installed, maintained & clean	1 0.5 0			Ī			
26			ijŢ		Toxic substances properly identified stored, & used	21	0 [][54	4 🗆	×			Meets ventilation & lighting requirements; designated areas used	1 🗷 0		X [$\overline{\Box}$			
Con	forn	$\overline{}$	$\overline{}$		Approved Procedures .2653, .2654, .2658			İ			1			1		3.5						
27 🗆		X	1		Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	21][Total Deductions:	5.5						





Comment Addendum to Food Establishment Inspection Report SALEM ACADEMY CAFETERIA **Establishment Name:** Establishment ID: 3034060003 Location Address: 500 SALEM AVENUE Date: 11/14/2018 X Inspection Re-Inspection City:_WINSTON SALEM State: NC Status Code: A Comment Addendum Attached? Zip: 27101 County: 34 Forsyth Water sample taken? Yes No Category #: Email 1: diningservices@salem.edu Wastewater System:

■ Municipal/Community □ On-Site System Water Supply: Municipal/Community On-Site System Permittee: SALEM COLLEGE & ACADEMY Email 2: Telephone: (336) 721-2780 Email 3: Temperature Observations 2019 Cold Holding will change to 41 degrees Effective January 1. Location Temp Item Location Temp Item Location Item Temp 0 Michael 05/31/22 Mashed Hot hold 143 Pasta Walk-in 39 Hot water 3 comp sink 158 Ham Hot hold 163 Cantaloupe Upright cooler Quat sanitizer Spray bottle 400 Turkey Hot hold 180 **Tomatoes** Upright cooler 41 200 Spinach Roast beef Turkey Final cook Salad bar 37 Upright cooler 39 Quat sani. Chemical tower 200 Tofu Salad bar 39 Spinach Upright cooler 37 Hot hold 172 Salad bar 43 Milk cooler Green beans Eggs Air temp 26 Sweet Hot hold 170 Green beans Walk-in 37 Corn Hot box 136 Corn Hot hold 176 Pork Walk-in 37 Green beans Hot box 143 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 8 5-202.12 Handwashing Sinks, Installation - PF- 0 pts. Hot water in the men's restroom is holding at 63F. A HANDWASHING SINK shall be equipped to provide water at a temperature of at least 38C (100F) through a mixing valve or combination faucet. CDI- Hot water was adjusted to 110F during the inspection. 14 4-501.114 Manual and Mechanical Warewashing Equipment, Chemical Sanitization-Temperature, pH, Concentration and Hardness - P- Hot water at the dish machine measured between 114-125F when checked 5 times. For hot water sanitization, plate temperature shall reach 161F. CDI- Technician came out during the inspection and repaired malfunctioning water heater and now dish machine is sanitizing at 165F. 21 3-501.17 Ready-To-Eat Potentially Hazardous Food (Time/Temperature Control for Safety Food), Date Marking - PF- 0 pts. Cooked chicken was found inside the walk-in cooler and did not bear at date marking label to indicate prep or discard date. Potentially hazardous food prepared and held in food establishment for more than 24 hours shall be marked to indicate the date or day by which the food shall be consumed on the premises, sold, or discarded after 7 days if held at 41F or below and 4 days at 45F or below. The day of preparation shall be counted as Day 1. CDI- Chicken was discarded. Lock Text First Last Michael Robeson

Person in Charge (Print & Sign):

First

Robeson

First

Last

Robeson

First

Last

Robert REHS

REHS ID: 2551 - Robert, Eva Verification Required Date: ___ / ___ /

REHS Contact Phone Number: (336) 7 Ø 3 - 3135

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.



Establishment Name: SALEM ACADEMY CAFETERIA Establishment ID: 3034060003

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 3-306.11 Food Display-Preventing Contamination by Consumers P- At beginning of inspection, observed bread basket, dessert table and craving station without any sneeze guards. Except for nuts in the shell and whole, raw fruits and vegetables that are intended for hulling, peeling, or washing by the CONSUMER before consumption, FOOD on display shall be protected from contamination by the use of PACKAGING; counter, service line, or salad bar FOOD guards; display cases; or other effective means. CDI- Person in charge was educated proper protection needed. Cafeteria provided a thanksgiving style meal today and does not normally have stations such as today out.
- 3-304.12 In-Use Utensils, Between-Use Storage C- Dipper well for ice cream scoops were not turned on. During pauses in FOOD preparation or dispensing, FOOD preparation and dispensing UTENSILS shall be stored: In running water of sufficient velocity to flush particulates to the drain, if used with moist FOOD such as ice cream or mashed potatoes.
- 4-202.16 Nonfood-Contact Surfaces C- 0 pts. Discontinue using milk crate as a shelf. NonFOOD-CONTACT SURFACES shall be free of unnecessary ledges, projections, and crevices, and designed and constructed to allow easy cleaning and to facilitate maintenance.
- 6-303.11 Intensity-Lighting C- REPEAT. Low lighting measured at men's toilet at 8 foot candles. Lighting shall be at least 20 foot candles at restroom fixtures. Increase lighting. .





Establishment Name: SALEM ACADEMY CAFETERIA Establishment ID: 3034060003

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SALEM ACADEMY CAFETERIA Establishment ID: 3034060003

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SALEM ACADEMY CAFETERIA Establishment ID: 3034060003

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



