Food Establishment Inspection Report Score: 98 Establishment Name: SIMPLY SOUTHERN CUISINE Establishment ID: 3034020582 Location Address: 3570-C CLEMMONS RD Date: <u>Ø 3</u> / <u>1 1</u> / <u>2 Ø 1</u> 9 Status Code: A City: CLEMMONS State: NC Time In: \emptyset 2 : $3.5 \otimes pm$ Time Out: <u>Ø 4</u> : <u>4 Ø ⊗ pm</u> County: 34 Forsyth Zip: 27012 Total Time: 2 hrs 5 minutes HAMPTON SQUARE CATERING & TAKE Permittee: Category #: IV Telephone: (336) 712-4636 FDA Establishment Type: Full-Service Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 2 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🗵 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 31 🗆 🗖 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □ □ X Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3150 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 44 🛛 🗆 1 0.5 0 ... Gloves used properly 17 🔲 **Utensils and Equipment** .2653, .2654, .2663 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 \square Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🖂 3 15 0 - -Proper cold holding temperatures 47 🛛 🗀 Non-food contact surfaces clean 1 0.5 0 21 🖾 🗀 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 210 49 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🗷 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🔀 10.50 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



|27| 🗆 | 🗆 | 🔀

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 □ | 🖾 | □



54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

21 🗶 🗙

210 - -

		Comme	ent Adde	endum to	Food E	stablish	ment	<u>Inspection</u>	Report		
Establ	lishmer	nt Name: SIMPLY S	SOUTHERN C	CUISINE		Establish	nment ID): 3034020582			
City Cou Wast Wate	: CLEMN nty: 34 lewater S er Supply:	Forsyth ystem: ⊠ Municipal/Co	ommunity (Zip: 27012 On-Site System On-Site System	n-Site System		☑ Inspection ☐ Re-Inspection Date: 03/11/2019 Comment Addendum Attached? ☐ Status Code: A Water sample taken? ☐ Yes ☒ No Category #: IV Email 1: Email 2:				
Telephone: _(336) 712-4636						_ Email 3:					
				Tempe	rature O	bservatio	ns				
						olding wi		nge to 41 de	_		
Item green beans		Location 1-dr customer svc	Temp 64	Item CL sanitizer	Location sink and be	ottle (ppm)	Temp 50	Item	Location	Temp	
green beans		COOLING - 4:18 pm	51	hot water	3 comp sin	k 140					
chicken pie		cust. self svc	38								
pie filling		2 dr - kitchen	36	Food Safety	Vickie Prid	dy 8/25/20	00				
shr. chx		2 dr - behind counter	39								
ground	beef	COOLING 3:31	92								
ground	beef	COOLING 3:45	80								
26	foods m of 2-doo parame 7-201.1 stored s	4 Cooling - P Gree oust be cooled to 4 for cooler behind conters are met. You start are met.	IF or below unter, uncov have a max ge - P Stern taminate foo	before offering vered, to cool. of 2 hours to cool. of stored above od, equipment,	for sale. O Recomment ool foods foods foods e canned g utensils, lin	CDI - green build monitoring to 7 mon 135 to 7 mon 135 to 7 mon 135 to 7 mon 135 to 13	beans rer g foods i '0, then a storage re ngle serv	noved from this n the process of n max of 4 hours oom. Poisonous	cooler and plate cooling to ensist to cool foods	aced on top she sure that cooling from 70 to 41F.	
	tightly co	5 Cooling Methods overed and 64F. T re actively cooling (iced uncovered on	his cooler is 135F or bel	s not designed ow), utilize pro	to rapidly c per cooling	cool foods, fo	od must	be 41F prior to p	placing in this	unit. Once	
\bigcirc				rst		ast			· · ·		
Person	in Char	ge (Print & Sign):	Vickie		Priddy		Vι	がなる	Kindel	'	
First Regulatory Authority (Print & Sign):				rst	Welch	ast	A	W gride	relah r	REHS	
REHS ID: 2519 - Welch, Aubrie							Verifica	ation Required Dat	te: /	1	
I	REHS Co	ontact Phone Number	: (<u>336</u>)	7 Ø 3 - 3 1 3	1	Hoolth • Envir				rom	

(CPH)

Establishment Name: SIMPLY SOUTHERN CUISINE Establishment ID: 3034020582

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code



- 45 4-205.10 Food Equipment, Certification and Classification C Maytag freezer in kitchen is for household use. Food equipment shall be used in accordance with manufacturer's intended use.
- 6-202.11 Light Bulbs, Protective Shielding C End caps for light shields at 3 comp sink area are missing. Light bulbs shall be shielded, coated, or otherwise shatter-resistamt in areas where there is exposed food, clean equipment, utensils, etc. 6-303.11
 - Intensity-Lighting C Lighting is still low in several areas of the kitchen: it is currently 13 fc at the right side of the 3 comp sink, 6 fc in the restroom by toilet (should be minimum of 20 in these areas)/ 20fc under the hood in kitchen, 26 fc in front of the microwave, 18 fc at mixer prep table (should be 50 in these areas). REPEAT from previous inspection dated 7/16/18.





Establishment Name: SIMPLY SOUTHERN CUISINE Establishment ID: 3034020582

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SIMPLY SOUTHERN CUISINE Establishment ID: 3034020582

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SIMPLY SOUTHERN CUISINE Establishment ID: 3034020582

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



