Food Establishment Inspection Report Score: 98 Establishment Name: KINGZ DOWNTOWN MARKET Establishment ID: 3034020826 Location Address: 418 NORTH LIBERTY STREET Date: 07/10/2019 Status Code: A City: WINSTON SALEM State: NC Time In: $\underline{\emptyset} \ \underline{\lambda} : \underline{\emptyset} \ \underline{\emptyset} \overset{\bigcirc}{\otimes} \underset{\text{pm}}{\text{am}}$ Time Out: <u>Ø 3</u> : <u>4 5 ⊗ am</u> County: 34 Forsyth Zip: 27101 Total Time: 1 hr 45 minutes KINGZ DOWNTOWN MARKET LLC Permittee: Category #: III Telephone: (336) 722-4170 FDA Establishment Type: Full-Service Restaurant Wastewater System: ⊠Municipal/Community ☐ On-Site System No. of Risk Factor/Intervention Violations: 2 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 31 🗆 🗖 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification .2653 No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 🔀 Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 105 🗙 🗆 🗆 42 🗆 🗷 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17| 🛛 | 🗆 | 🗆 | 🗆 3150 - -Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 -☐ Proper cooling time & temperatures 3 1.5 0 constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 □ □ Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 X 3 1.5 🗶 🗶 Proper cold holding temperatures 47 🛛 🗀 Non-food contact surfaces clean 1 0.5 0 21 🛛 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 210 49 🔀 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🗷 1 0.5 0 Chemical .2653, .2657



25 | | | | | |

|27| 🗆 | 🗆 | 🔀

26 🗵 🗆

Food additives: approved & properly used

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658



10.50

1 0.5 0

53 🔀

54

Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; designated areas used

Total Deductions:

1 0.5 0

210 - -

Comme	II Audendun	<u> 1 10 F000 ES</u>	<u>stablishment</u>	<u> </u>	Report	
Establishment Name: KINGZ DO	WNTOWN MARKET		Establishment II):_3034020826		
Location Address: 418 NORTH LIBERTY STREET City: WINSTON SALEM State: NC			☐ Inspection ☐ Re-Inspection ☐ Date: 07/10/2019 Comment Addendum Attached? ☐ Status Code: A			
County: 34 Forsyth	Zip: 27		Water sample taken?		Category #: III	
Wastewater System: Municipal/Community □ On-Site System Water Supply: Municipal/Community □ On-Site System Permittee: KINGZ DOWNTOWN MARKET LLC			Email 1: kingzdowntownmarket@hotmail.com			
<u>- </u>	MARKET LLC		Email 2:			
Telephone: (336) 722-4170			Email 3:			
		mperature Ob				
Item Location Cassandria 6/27/23	Cold Holding T Temp Item 0 wedges	emperature Location hot box	is now 41 Degi Temp 152		Location	Temp
Hot water three comp sink	119					
sanitizer (cl) three comp sink (ppm)	100					
sanitizer (cl) bucket (ppm)	100					
sausage make unit	41					
chicken upright	40					
hot dogs hot well	174					
chili hot well	148					
Violations cited in this rep			rrective Actions		of the food code	
CDI: PIC reheated chicken to below 135F. 20 3-501.16 (A)(2) and (B) Pote pan of cole slaw in ice bath times. CDI: PIC moved cole enough to be above the food	entially Hazardous f at 60F. Ice had mel slaw to upright coo	Food (Time/Temp ted. Potentially ha ler to drop in tem	erature Control for S azardous foods held perature. If using an	Safety Food), Hot cold must be kep ice bath ensure	and Cold Holding - at at 41F and lower a	P One at all
31 3-501.15 Cooling Methods - these products were sliced a	and placed directly i	in the make unit c	ooler. Holding equip	ment such as the	e make unit are not o	lesigned
to drop temperatures of food down to 41F or lower prior to during inspection. Thu Lock Text		units. CDI: emplo		upright cooler w		
to drop temperatures of food down to 41F or lower prior to during inspection. Thu Lock Text	o placing in holding First	La		upright cooler w		
to drop temperatures of food down to 41F or lower prior to during inspection. Thu Lock Text	o placing in holding		eyee moved items to	upright cooler w		
to drop temperatures of food down to 41F or lower prior to during inspection. Thu Lock Text	o placing in holding First Keith First	La King	eyee moved items to	upright cooler w		
to drop temperatures of food down to 41F or lower prior to during inspection. Thu Lock Text Person in Charge (Print & Sign):	o placing in holding First Keith First	La King La Chrobak	ast	upright cooler w	here they dropped to	

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program

DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013



Establishment Name: KINGZ DOWNTOWN MARKET Establishment ID: 3034020826

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



42 4-901.11 Equipment and Utensils, Air-Drying Required - C Multiple plastic pans stacked wet in utensil storage shelving. Always allow utensils to fully air dry after washing and sanitizing prior to storage or stacking. 0 pts





Establishment Name: KINGZ DOWNTOWN MARKET Establishment ID: 3034020826

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: KINGZ DOWNTOWN MARKET Establishment ID: 3034020826

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: KINGZ DOWNTOWN MARKET Establishment ID: 3034020826

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



