Food Establishment Inspection		Sci					core: <u>9</u>	6.5					
Establishment Name: FORSYTH VILLAGE ASSISTED LIVING							Establishment ID: 3034160016						
Location Address: 5100 LANSING DR						⊠ Inspection □ Re-Inspection							
City: WINSTON SALEM	State	. N	1C			D	ate	: (09/09/2019 Status Code: A				
City: WINSTON SALEM State: NC Zip: 27105 County: 34 Forsyth						Ti	me	e Ir	$\frac{1}{2}: 0 0 \otimes pm^{\circ} \text{ Time Out: } 0 2:$	15 🖉 a	m m		
						Total Time: _2 hrs 15 minutes							
						Category #: IV							
Telephone: (336) 661-0850						EDA Establishment Type: Nursing Home							
Wastewater System: X Municipal/Community On-Site Syst						No. of Risk Factor/Intervention Violations: 2							
Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Viol													
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury.						Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.							
IN OUT N/A N/O Compliance Status	OUT	CDI	R V	2	IN	OUT	N/A	N/O	Compliance Status	OUT	CDI R	VR	
Supervision .2652 1 Image: Compare the second sec					Safe		<u> </u>	d W					
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	20			2	_		×		Pasteurized eggs used where required	1 0.5 0			
Employee Health .2652 2 Image: Constraint of the second s	3 1.5 0			2	9 🛛				Water and ice from approved source	210			
2 Image: constraint of the second s	3 1.5 0	_		٦Ľ	0		×		Variance obtained for specialized processing methods	1 0.5 0			
Good Hygienic Practices .2652, .2653	[3][1.3][0					Ten	nper	atu	re Control .2653, .2654 Proper cooling methods used; adequate				
4 X Proper eating, tasting, drinking, or tobacco use	210			3					equipment for temperature control	1 0.5 0			
5 🛛 🗌 No discharge from eyes, nose or mouth	1 0.5 0	int		ᆘ⊢	2				Plant food properly cooked for hot holding	1 0.5 0			
Preventing Contamination by Hands .2652, .2653, .2655, .2656		-11		3	-			X	Approved thawing methods used	1 0.5 0			
6 🛛 🗌 Hands clean & properly washed	420			╝┝┝	4 🛛				Thermometers provided & accurate	1 0.5 0			
7 🛛 🗆 🗆 🗠 No bare hand contact with RTE foods or pre-	3 1.5 0				Food	Ider	ntific	catio					
8 🛛 🗌 Handwashing sinks supplied & accessible	210			니ᄂ			n of	Eo	Food properly labeled: original container od Contamination .2652, .2653, .2654, .2656, .26	210		ᆸ	
Approved Source .2653, .2655						1			Insects & rodents not present; no unauthorized	210			
9 Image: Source Food obtained from approved source	210			ᆘᅳ	7 🛛				animals Contamination prevented during food	210			
10 🗆 🔲 🔀 Food received at proper temperature	210				/ 🖂 8 🔀				preparation, storage & display	1 0.5 0			
11 🔲 🔀 Food in good condition, safe & unadulterated	212				_				Personal cleanliness				
12 D Kalence Required records available: shellstock tags, parasite destruction	210				9 🛛				Wiping cloths: properly used & stored	10.50			
Protection from Contamination .2653, .2654								F I I+	Washing fruits & vegetables ensils .2653, .2654	1 0.5 0		닏	
13 🛛 🗌 🖓 Food separated & protected	3 1.5 0	+ +			1				In-use utensils: properly stored	1 0.5 0		П	
14 Image: Second and Second an	3 1.5 🗙								Utensils, equipment & linens: properly stored.	1 🗙 0			
15 Image: Second seco	210			JI⊨	_	-			dried & handled Single-use & single-service articles: properly	1 0.5 0			
Potentially Hazardous Food Time/Temperature .2653					3 🛛				stored & used				
16 C Proper cooking time & temperatures	3 1.5 0			4					Gloves used properly	1 0.5 0		Ш	
17 🛛 🗌 🔲 Proper reheating procedures for hot holding	3 1.5 0			46		Γ	ana	Equ	ipment .2653, .2654, .2663 Equipment, food & non-food contact surfaces				
18 Image: Second state 19 Image: Second state 19 Image: Second state 19 Image: Second state 19 Image: Second state 18 Image: Second state 19	3 1.5 0			4	5	×			approved, cleanable, properly designed, constructed, & used	2 🗙 0			
19 🖾 🔲 🔲 Proper hot holding temperatures	3 1.5 0			4	6 🛛				Warewashing facilities: installed, maintained, & used; test strips	1 0.5 0			
20 🛛 🗆 🗀 Proper cold holding temperatures	3 1.5 0			4	7 🛛				Non-food contact surfaces clean	1 0.5 0			
21 🛛 🗆 🗆 Proper date marking & disposition	3 1.5 0			ו	Phys	ical	Faci	litie	s .2654, .2655, .2656	_			
22 Z2 Z2 Z2 Z2 Z2 Z2 Z2 Z2 Z2	210			4	8 🛛				Hot & cold water available; adequate pressure	210			
Consumer Advisory .2653				4	9 🗆	X			Plumbing installed; proper backflow devices	2 🗙 0	\mathbf{X}		
23 Consumer advisory provided for raw or undercooked foods	1 0.5 0			5	0 🛛				Sewage & waste water properly disposed	210			
Highly Susceptible Populations .2653				5	1 🛛				Toilet facilities: properly constructed, supplied & cleaned	1 0.5 0			
24 Image: Pasteurized foods used; prohibited foods not offered Chemical .2653, .2657	3 1.5 0	۳ГП		5	2 🛛				Garbage & refuse properly disposed; facilities maintained	1 0.5 0			
25 Contention 25 Food additives: approved & properly used	1 0.5 0] 5	-				Physical facilities installed, maintained & clean	1 🗙 0			
26 X □ □ Toxic substances properly identified stored, & used	210] 5	-				Meets ventilation & lighting requirements;	1×0			
Conformance with Approved Procedures .2653, .2654, .2658				Ĭ	<u>' </u>	* *	L		designated areas used				
27 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	210								Total Deductions	3.5			

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendum to Food Establishment Inspection Report

Establishment Name: FORSYTH VILLAGE ASSISTED LIVING	Establishment ID: 3034160016								
Location Address: 5100 LANSING DR City: WINSTON SALEM State: NC County: 34 Forsyth Zip: 27105 Wastewater System: X Municipal/Community On-Site System Water Supply: X Municipal/Community On-Site System Permittee: TRANQUILITY CARE OF WINSTON SALEM, LLC Telephone: (336) 661-0850	☑ Inspection ☐ Re-Inspection Date: 09/09/2019 Comment Addendum Attached? ☐ Status Code: A Water sample taken? ☐ Yes No Category #: IV Email 1: FORSYTHVILLAGE@BELLSOUTH.NET Email 2: Email 3:								
Temperature Observations									
Cold Holding Temperature is now 41 Degrees or less									

ltem servsafe	Location Whitney Martinez	Temp 0	Item	Location	Temp	Item	Location	Temp
hot water	3 compartment sink	127						
corn	steam table	161						
pork	steam table	138						
green beans	steam table	174						
quat sanitizer	3 compartment sink	300						
lettuce	upright cooler	40						
cheese	upright cooler	41						

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

11 3-202.15 Package Integrity - PF 0 points. One badly dented can found in dry storage room among other canned goods. Food packaging has be in good condition, intact and protect the food inside. CDI. Can placed in designated area for returns.

14 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - P 0 points. Mild buildup present on guard to ice machine. Food contact surfaces shall bve clean to sight and touch. CDI. Guard cleaned and sanitized. 4-501.114

Manual and Mechanical Warewashing Equipment, Chemical Sanitization-Temperature, pH, Concentration and Hardness - P No chlorine present for dish machine during inspection. Sign posted on dish machine not to be used. As per PIC, new chemical on order. CDI. All dishes washed in 3 compartment sink with compliant sanitizer.

42 4-903.11 (A), (B) and (D) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing - C Plastic bin containing clean utensils had food debris in bottom. Fryer basket used for storing container lids was soiled with carbon buildup. Store cleaned equipment, utensils, linens and packages in a clean, dry location and at least 6 inches off the floor.

Lock Text								
Ŭ		First		Last	r		1	
Person in Charge (Print & Sign):	Whitney		Martinez		-WLV:		1	
Regulatory Authority (Print & Sign): ^{Amanda}	First	Taylor	Last		X	V	
REHS II	2543	- Taylor, Amanc	la		Verification Require	d Date:/	/	
REHS Contact Phone Numbe	·		ivision of Pu	blic Health ● Envi pportunity employe		 Food Protection 	Program	(CIPH)
		Page 2 of Foo	d Establishm	ent Inspection Report	rt, 3/2013			

Establishment ID: 3034160016

Obser	vat	tior	າຣ	and	С	orre	ectiv	e	Actions	

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

45 4-501.11 Good Repair and Proper Adjustment-Equipment - C Repeat violation(improvements made). Bottom shelves and legs of prep tables have been reconditioned since last inspection. Recondition legs of sinks and drainboards to remove rust. Replace dented metal food pans and utensils with burned handles. Recondition rusted racks in upright cooler. Address ice buildup in upright freezer (work order in place per PIC). Repair bent freezer bracket in upright freezer. Equipment shall be in good repair.

49 5-203.14 Backflow Prevention Device, When Required - P Repeat violation (different circumstance). Spray gun attached to hose at can wash without proper backflow prevention device. If storing spray nozzle on hose, obtain backflow prevention device rated for continuous pressure. CDI. Spray nozzle removed from hose.

6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods - C Repeat violation(many improvements made)
Screen door has been repaired. Holes in FRP patched. Door damage patched on dry storage room door. Smooth out patches in door. Physical facilities shall be in good repair.
6-201.13 Floor and Wall Junctures, Coved, and Enclosed or Sealed - C Install coved base throughout kitchen. In food service establishments in which cleaning methods other than water flushing are used for cleaning floors, the floor and wall junctures shall be coved and closed to no larger than one thirty-second inch (1 mm).

6-202.11 Light Bulbs, Protective Shielding - C Lighting levels now compliant throughout kitchen. Overhead fixture in dry storage room missing shield. Light bulbs shall be shielded, coated, or otherwise shatter-resistant in areas where there is exposed food; clean equipment, utensils, and linens; or unwrapped single-service and single-use articles. Replace shield or replace bulbs to be shatterproof.

6-403.11 Designated Areas-Employee Accommodations for eating / drinking/smoking - C- C Employee phone charger stored above clean dish drainboard. Employee phone, cords and speakers stored on clean dish shelf. Employee food and drink stored in upright cooler among restaurant food. Areas designated for employees to eat, drink, and use tobacco shall be located so that food, equipment, linens, and single-service and single-use articles are protected from contamination.





Soell

Establishment ID: 3034160016

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: <u>3034160016</u>

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: <u>3034160016</u>

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

