Food Establishment Inspection Report Score: 97 Establishment Name: SMOOTHIE KING #1414 Establishment ID: 3034011760 Location Address: 5709 UNIVERSITY PARKWAY City: WINSTON SALEM Date: 09 / 12 / 2019 Status Code: A State: NC Time In:  $\underline{\emptyset} \ \underline{\lambda} : \underline{\emptyset} \ \underline{\emptyset} \overset{\bigcirc}{\otimes} \underset{\text{pm}}{\text{am}}$ Time Out: Ø 3 : 15  $\stackrel{\bigcirc am}{\otimes}$  pm County: 34 Forsyth Zip: 27105 Total Time: 1 hr 15 minutes DORSEY & CO HOLDING GROUP LLC Permittee: Category #: II Telephone: (336) 893-7591 FDA Establishment Type: Fast Food Restaurant Wastewater System: ⊠Municipal/Community ☐ On-Site System No. of Risk Factor/Intervention Violations: 2 No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 | 🗆 | 🖾 | 🗆  $\square$ 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🗵 1 0.5 0  $\times$ Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 □ 1 0.5 0 🗆 🗆 ☐ Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification .2653 No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🗆 🗷 Food properly labeled: original container 8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗆 🗷 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3150 - -13 Food separated & protected 1 0.5 🗶 🗌 🗌 41 □ X In-use utensils: properly stored 14 🔀 3150 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17 3150 - -Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 -3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 0 - - -Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 X 315 🗶 🔀 🗆 🗆 Proper cold holding temperatures 47 🛛 🗀 Non-food contact surfaces clean 1 0.5 0 21 🛛 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 210 49 □ 🗖 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🗷 1 0.5 0 Chemical .2653, .2657 maintained 25 🔀 🖂 🗀 53 🗷 10.50 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



|27| 🗆 | 🗆 | 🔀

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🖾 🖂 🖂



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

210 - -

		Comm	<u>ent Adde</u>	<u>ndum t</u>	<u>o Food Es</u>	<u>stablishment</u>	<u>t Inspectio</u>	<u>n Report</u>	
Establishment Name: SMOOTHIE KING #1414						Establishment ID: 3034011760			
Location Address: 5709 UNIVERSITY PARKWAY  City: WINSTON SALEM State: NC						☑Inspection [ Comment Addendu	·	_	
County: 34 Forsyth				_Zip: <u>_2710</u>		Water sample taker		- 5 ,	#: <u>II</u>
Wastewater System:   Municipal/Community □ On-Site System  Water Supply:   Municipal/Community □ On-Site System						Email 1: smoothiekingws@gmail.com			
		DORSEY & CO HOLDING GROUP LLC				Email 2:			
Tel	ephone:	(336) 893-7591				Email 3:			
				Tem	perature O	bservations			
			Cold Hol	ding Tei	mperature	is now 41 Deg	grees or les	S	
Item hot water		Location 3-compartment sink	Temp	_	Location	•	p Item	Location	Temp
quat sani		3-comp sink (ppm)	200						
yogurt		front reach-in cooler	r 48						
dates		front make unit	41	_					
yogur	t	rear upright cooler	41						
				_					
			C	)bservati	ons and Co	orrective Action	 ns		
	Vi	olations cited in this				es below, or as stated		i.11 of the food co	de.
1	least on		nas superviso	ry and mar	nagement resp	certified food prote onsibility and the a			
20	Yogurt i	in reach-in portion	of front make	unit meas	ured 48F. Pote	perature Control for entially hazardous f r to allow to cool. 0	oods in cold hol		
35	Except holding	for containers hold FOOD or FOOD i	ding FOOD th ngredients tha	at can be rat are remo	eadily and unnoved from their	ne of Food - C - Spi nistakably recogniz original packages ar shall be identified	ed such as dry for use in the F0	pasta, working OOD ESTABLIS	containers SHMENT, such
Lock Text	(								
$\cup$			Fir	rst	L	ast o	· × ·	, ,	
Perso	n in Char	ge (Print & Sign):	Sequoiah		Joins	<b>∕</b>	e U or	w/o/	<b>_</b>
First Regulatory Authority (Print & Sign): Michael Frazier R					<i>L</i> . Frazier REH	ast ISI	n:	FILE	45I
		REHS II	): 2737 - Fr	azier, Micl	hael	Verif	ication Required [	/ Date: /	1
DEUS Contact Phono Number: (226)762 2202									

REHS Contact Phone Number: (336)703-3382

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section DHHS is an equal opportunity employer.

Page 2 of \_\_\_\_\_ Food Establishment Inspection Report, 3/2013



Establishment Name: SMOOTHIE KING #1414 Establishment ID: 3034011760

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code



- 6-202.13 Insect Control Devices, Design and Installation C REPEAT Fly trap installed above single-use paper towels and napkins on wire shelf in rear of kitchen. Insect control devices shall be installed so that dead insects and insect fragments are not impelled onto or falling on exposed food, equipment, utensils, linens, and single-service and single-use articles.
- 3-304.12 In-Use Utensils, Between-Use Storage C 2 spoons stored in containers of water that measured 70F. Store in-use utensils in a clean, dry place, in food with handles out, in 135F or greater water or in running water which quickly moves food particles to the drain. 0 pts.
- 49 5-205.15 (B) System maintained in good repair C Leak at faucet head of 3-compartment sink. A plumbing system shall be maintained in good repair. 0 pts.



Establishment Name: SMOOTHIE KING #1414 Establishment ID: 3034011760

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SMOOTHIE KING #1414 Establishment ID: 3034011760

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SMOOTHIE KING #1414 Establishment ID: 3034011760

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



