Food Establishment Inspection Report Score: 97 Establishment Name: COUNTRYSIDE BOWLING LANES Establishment ID: 3034010789 Location Address: 1005 MASTEN DR Date: <u>Ø 8</u> / <u>1 4</u> / <u>2 Ø 1</u> 7 Status Code: A City: KERNERSVILLE State: NC Time In: $01 : 50 \times \text{am}$ Time Out: Ø 4: Ø Ø 😸 pm County: 34 Forsyth Zip: 27284 Total Time: 2 hrs 10 minutes KERNER-MENCOR INVESTMENT GROUP Permittee: Category #: III Telephone: (336) 993-5088 FDA Establishment Type: Fast Food Restaurant No. of Risk Factor/Intervention Violations: 1 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 Pasteurized eggs used where required **Employee Health** 29 🛭 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🗵 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🔀 1 0.5 0 \times П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 **Good Hygienic Practices** .2652, .2653 Proper cooling methods used: adequate 31 🛛 🗆 equipment for temperature control 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 1 0.5 0 🗆 🗆 5 ΙП 1 0.5 0 No discharge from eyes, nose or mouth Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗷 🗆 Thermometers provided & accurate 42 🗙 🗙 🗆 🗆 6 🗆 🗷 Hands clean & properly washed

CDI R VR 1 0.5 0 1 0.5 0 1 0.5 0 1 0.5 0 - -Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🛛 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210 - -210 - -9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗵 🗆 preparation, storage & display 10 🗆 Food received at proper temperature 38 🛛 🗀 Personal cleanliness 1 0.5 0 - -11 🛛 🗀 Food in good condition, safe & unadulterated 39 🗷 🗆 Wiping cloths: properly used & stored 1050 -Required records available: shellstock tags, 12 🗆 21000 40 🖾 🖂 🖂 Washing fruits & vegetables 1 0.5 0 ... **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3 1.5 0 13 Food separated & protected 41 🗆 🗖 1 0.5 🗶 🗆 🗆 In-use utensils: properly stored 14 🔀 3150 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 🗆 🗆 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210000 reconditioned, & unsafe food Single-use & single-service articles: properly 43 🛛 🗆 1 0.5 0 ... Potentially Hazardous Food Tlme/Temperature stored & used 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17| 🗆 3 1.5 0 | | | | Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used 45 🗆 🗷 3 1.5 0 Proper cooling time & temperatures Warewashing facilities: installed, maintained, & used; test strips 3 1.5 0 Proper hot holding temperatures 46 🛛 🗀 1 0.5 0 3 15 0 - -Proper cold holding temperatures 47 🛛 🗀 Non-food contact surfaces clean 1 0.5 0 21 🖂 Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔀 🖂 🖂 210 - -Hot & cold water available; adequate pressure 49 🔀 2100 Plumbing installed: proper backflow devices **Consumer Advisory** .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 - -50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 🗆 🗆 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🗆 🗷 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; 26 🗵 🗆 Toxic substances properly identified stored, & used 54 designated areas used Conformance with Approved Procedures .2653, .2654, .2658 Total Deductions: Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan |27| 🗆 | 🗆 | 🔀 210 - -





| | Comment | Addend | lum to Fo | <u>ood Es</u> | <u>tablish</u> | <u>ment</u> | Inspection | <u>n Repo</u> | <u>rt </u> | |
|--|--|--------------|-------------------|----------------------------------|----------------------|---|--------------------|---------------|---|---|
| Establishment Name: COUNTRYSIDE BOWLING LANES | | | | | Establish | ment ID | : 3034010789 | | | |
| Location Ad City: KERNI County: 34 | Stat | te: NC | | | | Date: 08/14/2017 Status Code: A Category #: III | | | | |
| Wastewater S Water Supply | System: 🛽 Municipal/C | ommunity 🗌 O | n-Site System | | Email 1: Email 2: | | | oategory 7 | r | |
| Telephone: | (336) 993-5088 | | | | Email 3: | | | | | |
| | | | Temne | rature Ob | servation | 15 | | | | |
| Item | Location | Temp | Item | Location | | | Item | Location | Temp | |
| Joyce Carey | 07/24/22 | 0 | Turkey | 3 door coole | er | 41 | | | | _ |
| Hot water | 3 comp sink | 156 | Slaw | 3 door cooler | | 41 | | | | _ |
| Quat sanitizer | 3 comp sink | 200 | Lettuce | Cooling-3 door cooler | | 49 | | | | _ |
| Tomatoes | Make unit | 41 | Nacho cheese | Hot hold | | 155 | | | | _ |
| Slaw | Make unit | 41 | Chili | Hot hold | | 170 | | | | _ |
| Lettuce | Make unit | 42 | Hamburger ———— | Final | | 192 | | | | _ |
| Butter | Make unit | 45 | , | | | | | | | _ |
| Hot dogs | Make unit | 37 | | | | | | | | _ |
| 2-301.12 Cleaning Procedure - P- 0 pts. One food employee applied handwashing soap and lathered for less than 10 seconds before rinsing hands. After applying soap, employees shall rub hands together vigorously for at least 10 to 15 seconds while paying particular attention to removing soil from underneath the fingernalls during the cleaning procedure and creating frication on the surfaces of the hands and arms, finger tips and areas between the fingers. CDI- Employee asked to re-wash hands properly. Observed proper handwashing procedure. 3-304.12 In-Use Utensils, Between-Use Storage - C- 0 pts. Handle of ice scoop stored touching ice inside Coke machine bin. During pauses in food preparation or dispensing, food preparation and dispensing utensils shall be stored with their handles above the top of the food within the containers or in a clean protected location. 4-501.11 Good Repair and Proper Adjustment-Equipment - C- REPEAT. Replace missing cabinet door underneath nacho machine and repair laminate damage inside cabinets throughout. Replace torn gasket on small freezer near fryer. Toilet seats in men's restroom requires replacement as seats are worn and stained. Equipment shall be maintained in good repair. | | | | | | | | | | |
| | ge (Print & Sign): chority (Print & Sign) | | st | La Carey La Robert REHS | st | | ine Co | sert, k | > 2016[| |
| | KEHS ID | 2551 - Ro | bbert, EVa | | | _ Verifica | ition Required Dat | e:/ | / | |

REHS Contact Phone Number: (336)703 - 3135

Establishment Name: COUNTRYSIDE BOWLING LANES Establishment ID: 3034010789

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 52 5-501.111 Area, Enclosures and Receptacles, Good Repair C- Replacement of dumpster is needed as present dumpster is severely rusted. Receptacles shall be maintained in good repair.
- 6-201.13 Floor and Wall Junctures, Coved, and Enclosed or Sealed C- REPEAT. Coved base needed in restrooms for easy cleaning. In food establishments in which cleaning methods other than water flushing are used for cleaning floors, the floor and wall junctures shall be coved and closed to no larger than 1 mm.// 6-201.11 Floors, Walls and Ceilings-Cleanability C- Replace stained ceiling tiles over rear Coke machine. Physical facilities shall be easily cleanable.// 6-501.12 Cleaning, Frequency and Restrictions C- Wall cleaning needed around three compartment sink and can wash. Physical facilities shall be kept clean.
- 6-303.11 Intensity-Lighting C- REPEAT. Low lighting measured at grill line 39-72 foot candles, men's toilets 0-4 foot candles, men's vanity 11 foot candles, urinals 7-9 foot candles, women's toilets 0-3 foot candles. Lighting shall be at least 50 foot candles in areas of food prep and at least 20 foot candles in restrooms for periods of cleaning. Increase lighting.





Establishment Name: COUNTRYSIDE BOWLING LANES Establishment ID: 3034010789

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: COUNTRYSIDE BOWLING LANES Establishment ID: 3034010789

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: COUNTRYSIDE BOWLING LANES Establishment ID: 3034010789

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



