<u>FOOG EStablishment inspection</u>	Report					SCI	ore: <u>96.5</u>						
Establishment Name: KAZE GRILL		Establishment ID: 3034012425											
Location Address: 5194 REIDSVILLE RD SUITE 300			Inspection ☐ Re-Inspection										
City: WALKERTOWN	Date: Ø 3 / 1 4 / 2 Ø 1 9 Status Code: A												
•	State: NC	Time In: $1\ 2: 000 \ \text{m}$ Time Out: $03: 000 \ \text{m}$ Time											
Oounty.			Total Time: 3 hrs 0 minutes										
Permittee: TVK LLC			Category #: IV										
Talanhona: (330) / 54-4800													
Wastewater System: ⊠Municipal/Community [stem	FDA Establishment Type: Fast Food Restaurant No. of Risk Factor/Intervention Violations: 2											
Water Supply: ⊠Municipal/Community □ On-		No. of Repeat Risk Factor/Intervention Violations: 1											
110. of Reposit Note 1 doto//intervention violations.													
Foodborne Illness Risk Factors and Public Health Int		Good Retail Practices											
Risk factors: Contributing factors that increase the chance of developing foodb Public Health Interventions: Control measures to prevent foodborne illness or	Good	Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.											
IN OUT N/A N/O Compliance Status	OUT CDI R VR	! IN	OUT	OUT CDI R VR									
Supervision .2652		Safe I	000	and	W t	Compliance Status ater .2653, .2655, .2658							
1 ☑ ☐ PIC Present; Demonstration-Certification by accredited program and perform duties	2 0	28 🗆		X		Pasteurized eggs used where required	1050						
Employee Health .2652		29 🔀				Water and ice from approved source	210						
2 🛛 🗆 Management, employees knowledge; responsibilities & reporting	3 1.5 0	30 🗆		X		Variance obtained for specialized processing methods	1 0.5 0						
3 ☒ ☐ Proper use of reporting, restriction & exclusion	3 1.5 0	Food			atur	e Control .2653, .2654							
Good Hygienic Practices .2652, .2653		31 🔀				Proper cooling methods used; adequate equipment for temperature control	1050						
4 Proper eating, tasting, drinking, or tobacco use		32 🗆			X	Plant food properly cooked for hot holding	1 0.5 0						
5 ☒ ☐ No discharge from eyes, nose or mouth	1 0.5 0	33 🗷		П		Approved thawing methods used	10.50						
Preventing Contamination by Hands .2652, .2653, .2655, .2656		34 🗵				Thermometers provided & accurate							
6 🗵 🗌 Hands clean & properly washed 7 💆 🖂 🖂 🖂 🖂 🖂 Robust of pre-	420	Food	Iden	tific	atio	·							
approved alternate procedure properly followed	3150	35 🔀				Food properly labeled: original container	210000						
8 🗵 🗌 Handwashing sinks supplied & accessible	210	℩⅃ҍ	ntio	n of	Foc	od Contamination .2652, .2653, .2654, .2656, .265							
Approved Source .2653, .2655		36				Insects & rodents not present; no unauthorized animals	210						
9 🖾 🗆 Food obtained from approved source		37 🗵				Contamination prevented during food preparation, storage & display	210						
10 Food received at proper temperature	210	38 🗷	П			Personal cleanliness	1 0.5 0						
Food in good condition, safe & unadulterated	210	39 🗆				Wiping cloths: properly used & stored	105 🗶						
12 🛛 🖂 🖂 🖂 Required records available: shellstock tags, parasite destruction	210	40 🗵		\exists									
Protection from Contamination .2653, .2654			40 X D Washing fruits & vegetables 1 0.5 0 D										
13 🗷 🗌 🖂 Food separated & protected	3 1.5 0		41 🛛 In-use utensils: properly stored										
14 🗵 🗌 Food-contact surfaces: cleaned & sanitized	3 1.5 0	42 🗵	\Box			Utensils, equipment & linens: properly stored, dried & handled	1 0.5 0						
Proper disposition of returned, previously served, reconditioned, & unsafe food	210	Л —				Single-use & single-service articles; properly							
Potentially Hazardous Food Tlme/Temperature .2653		43 🗵				stored & used							
16 🛛 🗌 🗎 Proper cooking time & temperatures	3 1.5 0	44 🛛	<u> </u>			Gloves used properly							
17	3 1.5 0	4		na E	qu	pment .2653, .2654, .2663 Equipment, food & non-food contact surfaces							
18 🗵 🗌 🗎 Proper cooling time & temperatures	3 1.5 0] 45 🗆	X			approved, cleanable, properly designed, constructed, & used							
19 🗵 🗌 🗎 Proper hot holding temperatures	3150	46 🗷				Warewashing facilities: installed, maintained, & used; test strips	1 0.5 0 🗆 🗆						
20 🗆 🗷 🗆 Proper cold holding temperatures	3 × 0××	47 🗆	X			Non-food contact surfaces clean	1 0.5 🗶 🗆 🗆						
21 🛛 🗌 🗎 Proper date marking & disposition	3 1.5 0	Physi	cal F	acil	ities	.2654, .2655, .2656							
22 🗷 🗆 🗆 Time as a public health control: procedures & records	210	48 🗵				Hot & cold water available; adequate pressure	210						
Consumer Advisory .2653		49 🗷				Plumbing installed; proper backflow devices	210						
23 🛛 🗆 Consumer advisory provided for raw or undercooked foods	1 0.5 0	50 🗷				Sewage & waste water properly disposed	210						
Highly Susceptible Populations .2653		51 🗵				Toilet facilities: properly constructed, supplied & cleaned	1 0.5 0						
24 Pasteurized foods used; prohibited foods not offered	3 1.5 0	52 🗵	H			Garbage & refuse properly disposed; facilities	1 0.5 0						
Chemical .2653, .2657		┦	X			maintained Physical facilities installed maintained & clean							
25 Food additives: approved & properly used		53 🗆		\dashv		Physical facilities installed, maintained & clean Meets ventilation & lighting requirements:							
26 X		54 🗵				Meets ventilation & lighting requirements; designated areas used	1 0.5 0						
Conformance with Approved Procedures .2653, .2654, .2658 27													
-' □ □ reduced oxygen packing criteria or HACCP plan		1											





			endum to	<u> </u>	<u>stablishm</u>	ent	nspection	า Report					
Establishment Name: KAZE GRILL					Establishment ID: 3034012425								
Location Address: 5194 REIDSVILLE RD SUITE 300					⊠Inspectio	n 🗌	Re-Inspectio	n Date: 03/14/2019					
City: WALKERTOWN State: NC		te: <u>NC</u>	Comment Add	lendum	Attached?	Status Code: A							
County: 34 Forsyth Zip: 27051					Water sample	taken?	Yes X N	lo Category #: <u>IV</u>					
Wastewater System: ✓ Municipal/Community ✓ On-Site System Water Supply: ✓ Municipal/Community ✓ On-Site System					Email 1: hhung_halie@yahoo.com								
Water Suppl Permittee:	•	imunity 📋 (on-Site System		Email 2:								
	e:_(336) 754-4800				Email 3:								
			Tempe	rature Ob	oservations								
	Effectiv	e Janua	ary 1, 2019				nae to 41 d	earees					
Item servsafe	Location Sang Tang 8/14/22	Temp 0		Location prep unit	•	Temp 38	Item chlorine	Location 3 compartment sink	Temp 100				
chicken	cook temp	167	cream cheese	prep unit	4	1 1	chlorine	spray bottle	100				
shrimp	cook temp	168	cooked	prep unit		39							
mushrooms	cook temp	160	chicken	cooling 15 r	minutes	115	_						
carrots	hot holding	170	chicken	cooling 1 ho	our 8	31	.,						
rice	hot holding	148	noodles	walk in cool	ler 4	40	,						
cut zucchini	on ice	38	scallops	walk in cool	ler :	39	,						
hot water	3 compartment sink	150	raw chicken	walk in cool	ler 4	40							
,	Violations cited in this repo		bservation					44 - 5 46 - 5					
violation causing top of	16 (A)(2) and (B) Pote on (different circumstang temperature to rise. container of non poten	nces). Coo Potentially ntially haza	ked noodles in hazardous fo rdous sauce. N	walk in coo od shall be Noodles alld	oler 45F. Pan cold held at 4 owed to cool in	of cooli 1F or le n walk i	ing chicken ha ess. CDI. Pan in cooler.	d ben placed on top of cooling chicken rel	of noodles located on				
wiping	14 Wiping Cloths, Use cloths in sanitizer as o					erved o	on cutting boar	d. Once they become	∍ wet, stor				
Lock Text							0	•					
Person in Cha	arge (Print & Sign):	Fil ang		Tang	ast	1	Low	MIN	1				
Regulatory Au	uthority (Print & Sign): ^A	<i>Fii</i> manda	rst	La Taylor	ast (
	REHS ID:	2543 - Ta	aylor, Amanda	а		Verifica	ation Required D	vate: / /					
REHS (— Contact Phone Number:	(336)	703-313	6			4						

КСРН

Establishment Name: KAZE GRILL Establishment ID: 3034012425

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 4-501.11 Good Repair and Proper Adjustment-Equipment C Repeat violation(with improvements made). Gaskets on prep unit have been replaced since last inspection. Damaged utensils have also been discarded. Replace/resurface legs and bottom shelving of prep tables where they are oxidized. Remove peeling plastic from front of microwave. Equipment shall be in good repair.
 - 4-205.10 Food Equipment, Certification and Classification C Shelving has been installed on wall outside hood to prevent cold air from blowing down on grill area. Shelving is domestic. Replace with NSF shelving or eliminate entirely. Equipment shall be ANSI approved.
- 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C 0 points. Minor cleaning needed on shelf under flat top grill. Equipment cleaning improved since last inspection. Non food contact surfaces of equipment shall be clean.
- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C 0 points. Continue to replace/repair cracked flooring and baseboard tiles as needed theoughout facility. Reattach vegetable prep sink to wall. Physical facilities shall be in good repair.





Establishment Name: KAZE GRILL Establishment ID: 3034012425

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: KAZE GRILL Establishment ID: 3034012425

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: KAZE GRILL Establishment ID: 3034012425

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



