Food Establishment Inspection Report Score: 94 Establishment Name: PULLIAM'S Establishment ID: 3034020126 Location Address: 4400 OLD WALKERTOWN ROAD Date: <u>Ø 3</u> / <u>1 5</u> / <u>2 Ø 1</u> 9 Status Code: A City: WINSTON-SALEM State: NC Time In:  $\emptyset$  2 :  $25 \otimes_{\text{pm}}^{\bigcirc \text{am}}$ Time Out: <u>Ø 4</u> : <u>Ø Ø ⊗ pm</u> County: 34 Forsyth Zip: 27105 Total Time: 1 hr 35 minutes JS PULLIAMS INC. Permittee: Category #: IV Telephone: (336) 767-2211 FDA Establishment Type: Fast Food Restaurant Wastewater System: ⊠Municipal/Community □ On-Site System No. of Risk Factor/Intervention Violations: 0 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 🖾 🗀 🗀 1 0.5 0 X Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 □ 1 0.5 0 🗆 🗆 □ □ X Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 🛛 🗀 Hands clean & properly washed Food Identification .2653 No bare hand contact with RTE foods or pre-3150 - approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗆 🔀 preparation, storage & display 10 Food received at proper temperature 38 🗵 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🔯 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 🔀 Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🗆 🔀 1 0.5 🗶 🗌 🗌 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 X 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips |19| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 15 0 - -Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🔀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 🔀 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🔯 🖂 🖂 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🗆 🗷 **X** 0.5 0 | **X** Chemical .2653, .2657 maintained 25 🔀 🖂 🗀 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean



|27| 🔀 | 🖂 | 🖂

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🖾 🖂 🖂



54

Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

210 - -

		t Addendum	<u>to Food E</u>	<u>stablishm</u>	<u>ient Inspectio</u>	<u>n Kepor</u>	<u>t                                    </u>	
Establishment Name: PULLIAM'S				Establishment ID: 3034020126				
Location Address: 4400 OLD WALKERTOWN ROAD				☑Inspection ☐Re-Inspection Date: 03/15/2019				
City: WINSTON-SALEM State: NC			State: NC_	Comment Addendum Attached? Status Code: A				
County: 3	4 Forsyth	Zip:_ <sup>2710</sup>		Water sample	taken? Yes X		ory #:	
	System: Municipal/Com			Email 1: BB	QQUEEN@TRIAD.RR.	.COM		
Water Supp	lly: ⊠ Municipal/Comi :: JS PULLIAMS INC.	munity   On-Site Syste	m	Email 2:				
	e: (336) 767-2211			Email 3:				
releption	6(====================================	Ton	noratura O	bservations	<u> </u>			
	Effe etic		•					
Item ServSafe	Location Mark Flynt 6-12-19	Temp Item	Location		Change to 41 (	Location	Temp	
Hot water	2 comp sink	141						
Slaw	Make unit	40						
BBQ	Upright	41						
Slaw	Upright	41						
Chili	Stove	171						
BBQ	Steam table	185						
Chlorine sani	2 comp sink - ppm	50						
	Violations cited in this repo			orrective Ac				
Storag Reloc Where 43 4-502 mix ar	In upright freezer. Food ge-Preventing Contamir ate to dry storage shelve it is not exposed to sport and Single-Service and store hot sauce. Obtzing. Single-service and	nation from the Pren ring. Food shall be p lash, dust, or other Single-Use Articles- ain food grade conta	nises - C Bulk forotected from ocontamination; -Use Limitation ainers that are	food items bein contamination b and (3) At leas s - C Single-us meant to be re-	ng stored on the floo by storing the food; st 6 inches above the se chili containers be	r below pass (1) In a clean e floor. eing re-used i	counter at front line n, dry location; (2) in establishment to	
formir are in good table, Lock be use	.11 Good Repair and P ng ice inside upright free poor repair, damaged, repair. // 4-205.10 Food and sneeze guard do n ed in accordance with the ards Institute (ANSI)-ac	ezer, repair. / Prep s rusted, and/or crack I Equipment, Certific ot comply with 4-1 a ne manufacturer's ir	link counter, showed and require cation and Clas and 4-2 of 2009 tended use an	elving, exterior e replacement. esification - C R 9 NC Food Cod	r walk-in cooler, prep Equipment shall be EPEAT: Two compa de, and need to be re	o table, and li maintained c artment sink, eplaced. Foo	ids on steam table cleanable and in prep sink, steam od equipment shall	
Dama = !   0!	onno (Duint o Ct. ) Mi	<i>First</i> <sub>ark</sub>	<i>L</i> Flynt	.ast	1/s/ /	1/		
Person in Cn	arge (Print & Sign):		•		Why rels	20		
Regulatory A	uthority (Print & Sign): <sup>Cl</sup>	First nristy	Whitley	.ast	_ Christy	tilly by	they parts	
	REHS ID:	2610 - Whitley, Ch	risty		Verification Required	Date: /	, <b>U</b>	
DEHC (	— Contact Phone Number:	(336)703-3	157		•			

S Contact Phone Number: (336) 703 - 3157

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of \_\_\_\_\_ Food Establishment Inspection Report, 3/2013



Establishment Name: PULLIAM'S Establishment ID: 3034020126

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 52 5-501.11 Outdoor Storage Surface C REPEAT: Dumpster is being stored on gravel surface. An outdoor storage surface for refuse, recyclables, and returnables shall be constructed of nonabsorbent material such as concrete or asphalt and shall be smooth, durable, and sloped to drain.
- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C // 6-201.11 Floors, Walls and Ceilings-Cleanability C REPEAT: Repair leak in wall of pit room, as water is pooled. / Replace damaged/missing floor tiles and baseboards. / Refinish rough concreted floors throughout establishment as needed to provide a smooth and easily cleanable surface. / Add cove base behind front line counter (on side of food preparation) and in restroom. / Repair and/or replace damage walls and ceilings throughout. / Seal gaps in between wall and ceilings throughout. / Repair wall finish throughout and cover and/or insulate exposed wires and conduit lines to be smooth and easily cleanable. / Physical facilities shall be maintained smooth, easily cleanable, and in good repair.
- 6-303.11 Intensity-Lighting C REPEAT: Lighting measuring low in the following areas (measured in foot candles): in exterior pit room at smoker and handwashing sink measuring 9-36 and 10-12 at chopper in dry storage room. Lighting intensity shall be increased to at least 50 foot candles in areas of food preparation and where using equipment for employee safety, and 20 foot candles in areas used for handwashing, warewashing, and equipment and utensil storage,





Establishment Name: PULLIAM'S Establishment ID: 3034020126

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: PULLIAM'S Establishment ID: 3034020126

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: PULLIAM'S	Establishment ID: 3034020126
ESTADIISTILLIETI MATTIE: 1 OLLIAM S	ESTADIISTITIETIL ID. 3034020120

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



