Food Establishment Inspection Report Score: 92 Establishment Name: TAQUERIA GUADALAJARA 2 Establishment ID: 3034011586 Location Address: 980 PETERS CREEK PARKWAY ☐ Inspection ☐ Re-Inspection Date: <u>Ø 5</u> / <u>1 5</u> / <u>2 Ø 1</u> 9 Status Code: A City: WINSTON SALEM State: NC Time In: $11 : 00 \times \text{am}$ Time Out: Ø 1 : 25⊗ pm County: 34 Forsyth Zip: 27103 Total Time: 2 hrs 25 minutes TAQUERIA GUADALAJARA #2 INC Permittee: Category #: IV Telephone: (336) 724-9299 FDA Establishment Type: Full-Service Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 3 No. of Repeat Risk Factor/Intervention Violations: 2 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 31 🗆 🗖 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 □ 1 0.5 0 □ □ X Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🗵 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🛛 🗀 🗀 🗀 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 \times Food separated & protected 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🗆 X Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖂 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17| 🛛 | 🗆 | 🗆 Proper reheating procedures for hot holding 3 1.5 0 Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 \square Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips |19| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 15 0 - -Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🖂 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 □ 🗖 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗷 🗆 🗆 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

Comment Addendum to Food Establishment Inspection Report TAQUERIA GUADALAJARA 2 **Establishment Name:** Establishment ID: 3034011586 Location Address: 980 PETERS CREEK PARKWAY Date: 05/15/2019 Inspection Re-Inspection City:_WINSTON SALEM State: NC Status Code: A Comment Addendum Attached? Zip: 27103 County: 34 Forsyth Water sample taken? Yes X No Category #: Email 1: reyr@light.com Wastewater System:

■ Municipal/Community

On-Site System Water Supply: Municipal/Community

On-Site System Permittee: TAQUERIA GUADALAJARA #2 INC Email 2: Telephone: (336) 724-9299 Email 3: Temperature Observations Cold Holding Temperature is now 41 Degrees or less Location Temp Item Location Temp Item Location Item Temp R. Ramirez 2/13/23 ServSafe 00 cooked tripa walk-in cooler 37 mozzarella make unit 40 hot water 3 comp sink 130 lettuce walk-in cooler octopus reach in dish machine 120 final cook 164 reach in 41 hot water beef shrimp chlorine ppm sani dish machine 50 chicken final cook 181 quesa reach in 41 100 200 41 chlorine ppm sani bottle lengua final cook pico server make unit 62 172 41 rice walk-in cooler queso reheat salsa 3 door upright walk-in cooler 60 final cook 182 rice hot hold rice cooker 141 beans egg quesa walk-in cooler tomato make unit 41 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 13 3-302.11 Packaged and Unpackaged Food-Separation, Packaging, and Segregation - P - REPEAT - One container of chorizo stored over one container of pastor, and one container of chicken stored over one container of fish in on middle shelf in walk-in cooler. Kept at half credit because of improvement in this area. Raw animal foods shall be protected from cross-contamination by arranging foods in equipment so that cannot occur. Store according to final cooking temperatures with poultry on the bottom. CDI -Items were rearranged in correct storage order. 14 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - P - REPEAT - Observed the following utensils soiled with food debris: 3 lids, 2 bowls, 3 spoons, 3 forks. Food contact surfaces of equipment and utensils shall be clean to sight and touch. CDI - Items taken to warewashing area to be washed, rinsed, and sanitized. // 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C - Ice machine has buildup on back side of shield. Ice bin at drink station had buildup under the lid. In ice bins and ice machines, clean at a frequency necessary to preclude accumulation of soil or mold. Clean lid and shield thoroughly and more frequently. 18 3-501.14 Cooling - P - In walk-in cooler, one large bucket of rice measured 62F, and one large bucket of refried beans measured 60F. Person in charge stated they were placed in cooler the previous night. Foods did not meet time and temperature cooling parameters. Potentially hazardous food shall be cooled from 135F to 70F within 2 hours, and from 135F to 41F within 6 hours. Use cooling methods that will meet cooling parameters. CDI - Rice and beans were voluntarily discarded. Lock Text First Last Reynaldo Ramirez Person in Charge (Print & Sign): First Last Regulatory Authority (Print & Sign): Lauren Pleasants Michael Frazier

Серн

Verification Required Date:

REHS ID: 2737 - Frazier, Michael

Establishment Name: TAQUERIA GUADALAJARA 2 Establishment ID: 3034011586

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code



- 31 3-501.15 Cooling Methods PF REPEAT Rice and refried beans were cooled overnight in large deep plastic containers with sealed plastic lids, and measured 62F and 60F, respectively. They did not meet time and temperature cooling parameters. Potentially hazardous foods shall be cooled in thin portions, in shallow containers, uncovered, stirred frequently to release heat, with ice as an ingredient, in ice baths, or using other effective methods. Place beans and rice in shallow metal pans in refrigerator or freezer to facilitate cooling. CDI Rice and beans were voluntarily discarded.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C REPEAT Lowered to half credit because of significant improvement in this area. Ice machine door is held on by unapproved wire. Torn gasket on upright freezer in bar area. Maintain equipment in a state of repair. // 4-202.11 Food-Contact Surfaces-Cleanability PF One steak knife chipped and one set of tongs with broken handle. Multiuse food-contact surfaces shall be smooth, free of sharp angles, inclusions, pits, chips, and finished to have smooth seams and joints. CDI Damaged utensils voluntarily discarded.
- 5-202.14 Backflow Prevention Device, Design Standard P Backflow prevention device on hose at can wash not rated for continuous pressure and spray nozzle is attached to hose. A backflow or backsiphonage prevention device installed on a water supply system shall meet ASSE standards for construction, installation, maintenance, inspection, and testing for that specific application and type of device. Remove spray nozzle after use, or install backflow prevention device rated for continuous pressure if spray nozzle stays attached. CDI Spray nozzle was removed. If nozzle continues to be attached, installation of continuous pressure backflow prevention device will be required.
- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C One missing tile at baseboard behind make unit and meat prep sink. Replace tile. Physical facilities shall be maintained in good repair. Significant improvement of floors, walls, and ceiling repair.





Establishment Name: TAQUERIA GUADALAJARA 2 Establishment ID: 3034011586

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: TAQUERIA GUADALAJARA 2 Establishment ID: 3034011586

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: TAQUERIA GUADALAJARA 2 Establishment ID: 3034011586

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



