| Food Establishment Inspection | n Report | S | core: <u>95</u> | | | |
|---|---|--|--|--|--|--|
| Establishment Name: FOOD LION #1518 DELI | | Establishment ID: 3034020513 | | | | |
| Location Address: 1050 HWY 65 | | ⊠ Inspection ☐ Re-Inspection | | | | |
| City: RURAL HALL | State: NC | Date: Ø 9 / 1 Ø / 2 Ø 1 9 Status Code: A | | | | |
| | | Time In: $\underline{\emptyset 1}$: $\underline{35} \otimes pm$ Time Out: $\underline{\emptyset 3}$: | $\mathcal{D} \emptyset \overset{\text{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}{\overset{am}}{\overset{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}{\overset{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}}{\overset{am}}}{\overset{am}}{\overset{am}}}{\overset{am}}{\overset{am}}}{\overset{am}}}{\overset{am}}}{\overset{am}}{\overset{am}}}{\overset{am}}}{\overset{am}}{\overset{am}}}{a$ | | | |
| | | Total Time: 1 hr 45 minutes | <u>a o</u> os pm | | | |
| Permittee: FOOD LION LLC Total Time: Thirds minutes (320) 050 0540 Category #: III | | | | | | |
| Telephone: (336) 969-9542 | | | | | | |
| Wastewater System: X Municipal/Community [| □On-Site Sys | tem FDA Establishment Type: Deli Department | 3 | | | |
| Wastewater System: Municipal/Community On-Site System No. of Risk Factor/Intervention Violations: 3 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 3 | | | | | | |
| Easthaman Illusian Dials Eastana and Dublic Uselike lat | 4 | | | | | |
| Foodborne Illness Risk Factors and Public Health Int Risk factors: Contributing factors that increase the chance of developing food | | Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pat | hogens, chemicals, | | | |
| Public Health Interventions: Control measures to prevent foodborne illness o | | and physical objects into foods. | | | | |
| IN OUT N/A N/O Compliance Status | OUT CDI R VR | IN OUT N/A N/O Compliance Status | OUT CDI R VR | | | |
| Supervision .2652 | | Safe Food and Water .2653, .2655, .2658 | | | | |
| Image: Image | | 28 Pasteurized eggs used where required | | | | |
| Employee Health .2652 2 X Image: Imag | | 29 X U Water and ice from approved source | 210 | | | |
| Tesponsibilities & reporting | | 30 C X Variance obtained for specialized processing methods | | | | |
| 3 Image: Proper use of reporting, restriction & exclusion Good Hygienic Practices .2652, .2653 | 3 1.5 0 | Food Temperature Control .2653, .2654 | | | | |
| 4 Proper eating, tasting, drinking, or tobacco use | 2×0 - × - | 31 Image: Proper cooling methods used; adequate equipment for temperature control | | | | |
| | | 32 Plant food properly cooked for hot holding | 10.50 | | | |
| 5 Image: No discharge from eyes, nose or mouth Preventing Contamination by Hands .2652, .2653, .2655, .2656 | | 33 🛛 🗆 🖾 Approved thawing methods used | | | | |
| 6 X Hands clean & properly washed | 420 | 34 🛛 🗌 Thermometers provided & accurate | 1 0.5 0 🗆 🗆 🗆 | | | |
| No bare hand contact with RTE foods or pre- | 31.50 | Food Identification .2653 | | | | |
| approved alternate procedure property followed | | 35 🛛 🗌 Food properly labeled: original container | 21000 | | | |
| 8 X Handwashing sinks supplied & accessible | | Prevention of Food Contamination .2652, .2653, .2654, .2656, .26 | | | | |
| Approved Source .2653, .2655 9 Image: Constrained from approved source | 210 | 36 Insects & rodents not present; no unauthorized animals | | | | |
| | + | 37 Contamination prevented during food preparation, storage & display | 21 X | | | |
| 10 Image: Second se | | 38 🛛 🗌 Personal cleanliness | 1050 | | | |
| 11 X Food in good condition, safe & unadulterated 12 V Required records available: shellstock tags, | 210 | 39 🔀 🗌 Wiping cloths: properly used & stored | | | | |
| I2 I Parasite destruction | 210 | 40 X U Washing fruits & vegetables | | | | |
| Protection from Contamination .2653, .2654 | 3150000 | Proper Use of Utensils .2653, .2654 | | | | |
| 13 🛛 🗆 🗠 Food separated & protected | | 41 X In-use utensils: properly stored | 10.50 | | | |
| 14 🛛 🗌 Food-contact surfaces: cleaned & sanitized | 3150 | Utensils, equipment & linens: properly stored, | | | | |
| 15 Image: Second s | 210000 | A2 ☑ Single-use & single-service articles: properly | | | | |
| Potentially Hazardous Food Time/Temperature .2653 | | | | | | |
| 16 Image: Constraint of the second secon | 31.50 | 44 🕅 🗌 Gloves used properly | | | | |
| 17 Proper reheating procedures for hot holding | 3150 | Utensils and Equipment .2653, .2654, .2663 | | | | |
| 18 Image: Description of the second seco | 3150 | 45 A approved, cleanable, properly designed, constructed, & used | | | | |
| 19 🛛 🗆 🗆 Proper hot holding temperatures | 31.50 | 46 🛛 🗆 Warewashing facilities: installed, maintained, & used; test strips | 10.50 | | | |
| 20 Proper cold holding temperatures | | 47 🛛 🗌 Non-food contact surfaces clean | 10.50 | | | |
| 21 🛛 🗆 🗆 Proper date marking & disposition | 31.50 | Physical Facilities .2654, .2655, .2656 | | | | |
| 22 Time as a public health control: procedures & records | 210 | 48 🛛 🗌 Hot & cold water available; adequate pressure | 210 | | | |
| Consumer Advisory .2653 | | 49 Plumbing installed; proper backflow devices | | | | |
| 23 Consumer advisory provided for raw or undercooked foods | | 50 🛛 🗌 Sewage & waste water properly disposed | 210 | | | |
| Highly Susceptible Populations .2653 | | 51 🛛 🗆 🔲 Toilet facilities: properly constructed, supplied & cleaned | 10.50 | | | |
| | | 52 X Garbage & refuse properly disposed; facilities maintained | | | | |
| Chemical .2653, .2657 25 Image: Xero Amplitude Food additives: approved & property used | | 53 X Physical facilities installed, maintained & clean | | | | |
| | | Meets ventilation & lighting requirements; | | | | |
| 26 X Toxic substances properly identified stored, & used Conformance with Approved Procedures .2653, .2654, .2658 | | 64 X designated areas used | | | | |
| 27 Image: Solution of the soluti | 210000 | Total Deductions | 5 | | | |
| | | | | | | |

applys

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.



Comment Addendum to Food Establishment Inspection Report

| Establishment Name: FOOD LION #1518 DELI | Establishment ID: 3034020513 | | | | |
|--|---|--|--|--|--|
| Location Address: 1050 HWY 65 City: RURAL HALL State: NC County: 34 Forsyth Zip: 27045 Wastewater System: Municipal/Community On-Site System Water Supply: Municipal/Community On-Site System Permittee: FOOD LION LLC Telephone: (336) 969-9542 | Inspection □ Re-Inspection Date: 09/10/2019 Comment Addendum Attached? □ Status Code: A Water sample taken? □ Yes No Category #: □□ Email 1: ^{51518sm@retail.foodlion.com} Email 2: Email 3: Email 3: Email 3: | | | | |
| Temperature Observations | | | | | |
| | | | | | |

| | Cold Holding Temperature is now 41 Degrees or less | | | | | | | |
|--------------|--|------------|-----------------|----------------------------|------------|-----------------|---------------------|-------------|
| Item CFPM | Location B. Lowell 8/16/24 | Temp 00 | ltem chicken | Location display cooler | Temp 56 | ltem nuggets | Location hot bar | Temp 135 |
| hot water | 3-compartment sink | 132 | roast beef | display cooler | 52 | macaroni | hot bar | 151 |
| quat sani | 3-comp sink (ppm) | 200 | ham sandwich | display cooler 2 | 47 | hot dog | hot bar | 153 |
| ambient | walk-in cooler | 38 | egg salad | display cooler 2 | 46 | | | |
| chicken | cooling @ 1351 | 102 | chicken salad | display cooler 2 | 49 | | | |
| chicken | cooling @ 1424 | 75 | ham | deli cooler | 39 | | | |
| ham | display cooler | 52 | chorizo | deli cooler | 40 | | | |
| turkey | display cooler | 51 | chicken | deli cooler | 40 | | | |

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

4 2-401.11 Eating, Drinking, or Using Tobacco - C - REPEAT - Open employee beverage being stored above establishment food in walk-in cooler. Employees shall eat, drink, or use any form of tobacco only in designated area to prevent cross contamination.

- 3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding P -REPEAT - All deli meats in display cooler measured from 50-56F. Sandwiches on front row of second display cooler measured 47F. Salads on front row of second display cooler measured 49F. Potentially hazardous foods in cold holding shall be maintained at a temperature of 41F or less. CDI: PIC voluntarily discarded all foods above 41F.
- 26 7-201.11 Separation-Storage P Bottle of chlorine-based cleaner stored on splash guard above prep sink. Poisonous or toxic materials shall be stored so they cannot contaminate food, equipment, utensils, linens, and single-service and single-use articles. CDI: PIC moved bottle. 0 pts.

| Lock Text | | | | | | |
|---|---------|-------------------|------------------------------|---------------------------------|--|--|
| \bigcirc | | | | | | |
| | Brett | First | Last | Brithol Tarrell | | |
| Person in Charge (Print & Sign): | Dieu | | Lowell | Janasqual | | |
| | Michael | First | <i>Last</i> Frazier REHSI | MA N. MC. | | |
| Regulatory Authority (Print & Sign |): | | | 1 mft H92 | | |
| REHS IF | . 2737 | - Frazier, Michae | 2 | Verification Degruined Date: | | |
| | | | | Verification Required Date: / / | | |
| REHS Contact Phone Numbe | | | | | | |
| North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program | | | | | | |
| Page 2 of Food Establishment Inspection Report, 3/2013 | | | | | | |
| | | | | | | |

Comment Addendum to Food Establishment Inspection Report

Establishment Name: FOOD LION #1518 DELI

Establishment ID: 3034020513

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 36 6-501.112 Removing Dead or Trapped Birds, Insects, Rodents and other Pest C Numerous dead flies in display coolers, including on several food containers. Dead or trapped birds, insects, rodents, and other pests shall be removed from control devices and the PREMISES at a frequency that prevents their accumulation, decomposition, or the attraction of pests. // 6-501.111 Controlling Pests C Numerous flies around all areas of kitchen. The PREMISES shall be maintained free of insects, rodents, and other pests.
- 37 3-305.11 Food Storage-Preventing Contamination from the Premises C 4 boxes of food stored on floor in walk-in freezer. Food shall be stored at least 6 inches above the floor. 0 pts.
- 45 4-205.10 Food Equipment, Certification and Classification C Food being stored on milk crates inside walk-in freezer. Except for toasters, mixers, microwave ovens, water heaters, and hoods, food equipment shall be used in accordance with the manufacturer's intended use and certified or classified for sanitation by an ANSI-accredited certification program. 0 pts.
- 49 5-202.14 Backflow Prevention Device, Design Standard P The atmospheric backflow preventer at the canwash is not sufficient to handle the continuous pressure applied to the water system by the nozzle attached to the hose. A backflow or backsiphonage prevention device installed on a water supply system shall standards for construction, installation, maintenance, inspection, and testing for that specific application and type of device. CDI: PIC removed nozzle from hose. // 5-205.15 (B) System maintained in good repair - C - Leak at faucet head of canwash. A plumbing system shall be maintained in good repair. 0 pts.





Spell

Establishment Name: FOOD LION #1518 DELI

Establishment ID: 3034020513

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: FOOD LION #1518 DELI

Establishment ID: 3034020513

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: FOOD LION #1518 DELI

Establishment ID: 3034020513

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

