

**PUBLIC NOTICE OF INTENT TO ISSUE A TITLE V AIR QUALITY PERMIT**

**FORSYTH COUNTY  
ENVIRONMENTAL AFFAIRS DEPARTMENT  
WINSTON-SALEM, NORTH CAROLINA**























































**C. Prevention of Significant Deterioration (PSD Avoidance)** [Rules 3D .0530 and 3Q .0317]

ES-21 through ES-24, ES-26, ES-43, and ES-45 (can printers),































**Emission  
Source I.D.**

**Emission Source  
Description**





# **Significant Modification Statement of Basis**

## **REXAM BEVERAGE CAN**









equally spaced over an hour in accordance with the CAM requirements. The applicant will



























source operation due to curtailed production in subsequent years.









- c) the amount and VOC percentage by weight of each diluent added to each coating, and
- d) the percentage by volume of solids of each coating.

*1.2.2 Monitoring and recordkeeping required for compliance with 3D .0524 (Line 6 equipment)*

The applicant complies with the NSPS standards through the use of coatings which are below the allowable limits. The monitoring and recordkeeping required to demonstrate compliance with these limits are the same as outlined in Section 1.2.1 above.

*1.2.3 Monitoring and recordkeeping required for compliance with 3D .0530 (Facility-wide PSD avoidance limit)*





### **1.3 Reporting Requirements**

The applicant is required by general condition



















kg/hr) of VOC to the atmosphere. The additional spray guns allow the inside spray machines to continue operation at normal speed while one of the three banks of spray guns is cleaned.

---

---

