Food Establishment Inspection Report Score: 99 Establishment Name: SALEM ROOM THE Establishment ID: 3034012018 Location Address: 100 N MAIN STREET Date: 06 / 08 / 2021 Status Code: A City: WINSTON SALEM State: NC Time In:  $1 \ 2 \ : \ 0 \ 0 \ \overset{\bigcirc{}\otimes}{\otimes} \ \overset{\mathsf{am}}{\mathsf{pm}}$ Time Out: Ø ⊋ : 35⊗ pm Zip: 27101 34 Forsyth County: Total Time: 2 hrs 35 minutes **COMPASS GROUP NAD** Permittee: Category #: IV Telephone: (336) 732-2663 FDA Establishment Type: Full-Service Restaurant Wastewater System: ⊠Municipal/Community ☐ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🗵 1 0.5 0  $\times$ Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷  $\boxtimes$ 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 X 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🗆 315 🗶 🔀 🗆 🗆 Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🛛 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 210 49 □ 🗖 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🗷 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🔀 10.50 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

210 - -

	Comment		<u>endum to</u>	<u> </u>	<u>:stablist</u>	<u>ıment I</u>	<u>nspection</u>	n Report	
Establishment Name: SALEM ROOM THE					Establishment ID: 3034012018				
Location Address: 100 N MAIN STREET					☑ Inspection ☐ Re-Inspection Date: 06/08/2021   Comment Addendum Attached? ☐ Status Code: A   Water sample taken? ☐ Yes ☒ No Category #: IV				
City: WINSTON SALEM State: NC									
County: 34 Forsyth Zip: 27101									
Wastewater System:   ✓ Municipal/Community   ✓ On-Site System					Email 1: unit22467@compass-usa.com				
Water Supply:   ✓ Municipal/Community   ✓ On-Site System  Permittee: COMPASS GROUP NAD					Email 2:				
Telephone: _(336) 732-2663					Email 3:				
Тегерпопе	()		Tomp	oroturo (	Observation				
			·						
Item	Location	III HOI Temp	_	perature Location		41 Degr	ees or less	S Location	Temp
Larisa Meade	6/27/24	0	raw burger	display co		39	itom	Location	Tomp
Hot water	three comp sink	132	raw turkey	display cooler		40			
sanitizer (qac)	three comp sink (ppm)	200	raw chicken	display cooler		39	,		
sanitizer (qac)	buckets (ppm)	200	tomato	display co	ooler	39			
soulvaki	cooler	40	chicken	walk in		36			
cucumber	cooler	39	collards	walk in		35			
slaw	cooler	40							
hot dog	display cooler	40							
pan of change  45 4-501.7 prep ta	16 (A)(2) and (B) Poten coleslaw in display united out with pan in cooled and the cooled are also and Probles in kitchen area harubber on wheels./ Wadition tables to remove	at 50F. r at 40F. oper Adji ve rust b ilk in free	Potentially ha: 0 pts ustment-Equipuild up on the ezer has ice le	zardous fo pment - C F ir undersid eak build up	ods held col Repeat: Prepes. / Castors on its drain	d must be o sinks, three on shelving line pipes.	kept at 41F or ee compartme ng unit by thre ./ Equipment s	lower at all time	s. ČDI: Slaw  and multiple sink have
to it wit connec a backt Lock Text	14 Backflow Preventior th only atmospheric vac ctions with adequate ba flow prevention devices	cuum bre ckflow p rated fo	aker installed revention devi	. All water : ices. CDI: \$ pressure ap	supplies mu Spray gun re	st be prote emoved, If	cted from pote establishment	ential back sipho wishes to use s	nage and cross
Person in Cha	rge (Print & Sign): La	risa		Meade		$\alpha$	XU/MC	NIA	Mose
Figure 1 Regulatory Authority (Print & Sign): Joseph			rst	Chrobak	Last	The state of the s			
	REHS ID: 2	2450 - C	hrobak, Jose	eph		Varifica	ition Required D	iate: I I	
DELIC O						veriiled	mon Negulieu D	ταισ. <u> </u>	
KEH5 C	ontact Phone Number: (	330)	ナロゴーゴ L !	04					

NOPH

Establishment Name: SALEM ROOM THE Establishment ID: 3034012018

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SALEM ROOM THE Establishment ID: 3034012018

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SALEM ROOM THE Establishment ID: 3034012018

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SALEM ROOM THE Establishment ID: 3034012018

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



