Food Establishment Inspection Report

Establishment Name: FOO	OD LION #1062 PRODUCE	Establishment ID:	3034020720
Location Address: 6810 SHA City: LEWISVILLE Zip: 27023 Co	LLOWFORD ROAD State: North Carolina bunty: 34 Forsyth	Date: 01/31/2023	_Status Code: _A
Permittee: FOOD LION, LLC		Time In: 12:01 PM Category#: II	_Time Out:1:06 PM
Telephone: (336) 945-4411		· -	Produce Department and Salad
⊗ Inspection	○ Re-Inspection	FDA Establishment Type:	Dai
Wastewater System: ⊗ Municipal/Community ○ On-Site System Water Supply:		No. of Risk Factor/Interve	
Municipal/Community	On-Site Supply		

F	00	dborn	e Illness Risk Factors and Public Health Ir	nte	erve	ent	ions								Good Retail Practices			_		
			Contributing factors that increase the chance of developing foo				ess.				Go	ood	Retai	l Pra	ractices: Preventative measures to control the addition of par	tho	jens	, ch	nemica	ls,
Pu	bli	c Health	Interventions: Control measures to prevent foodborne illness	or	injur	У		_	_						and physical objects into foods.	_		_		_
Со	m	pliand	ce Status	(OUT	(CDI R	١	۷R	Co	on	np	liand	се	Status		OUT	г	CDI	R۱
Sup	erv	ision	.2652	_						Saf	e F	F00	d and	Wa	ater .2653, .2655, .2658					
1 N	OI	JT N/A	PIC Present, demonstrates knowledge, &	1		0		Τ	\neg	30				Т	Pasteurized eggs used where required	1	0.5	0		\top
	╙		performs duties	_		+		+	\dashv	31	X	OUT			Water and ice from approved source	2	1	0		ユ
	_	JT N/A	Certified Food Protection Manager	1		0		L	_	32	IN	OUT	N/A		Variance obtained for specialized processing	2	-			
Emp	lo	ee Heal	th .2652 Management, food & conditional employee;	_		_		Т	-				1,,	\perp	methods	2	1	U	Ll	丄
3)	(01	JT	knowledge, responsibilities & reporting	2	1	0				Fo	od	Ter	npera	ture	e Control .2653, .2654	_				
4 j)((οι	JT		3	1.5	0		t		33	x	OUT	-		Proper cooling methods used; adequate	_				
5 j)((οι	JT	Procedures for responding to vomiting & diarrheal events	1	0.5	0									equipment for temperature control Plant food properly cooked for hot holding	_	0.5	ш		+
Goo	d F	lvaienic	Practices .2652, .2653	L				_					N/A N		Approved thawing methods used	_	0.5	_		+
6 IX				1	0.5	0		Т	\dashv	36				.,0	Thermometers provided & accurate	-	0.5	-	\vdash	+
7 ()	01	JT		1	0.5	0		T		i	- \		ntifica	tion	·			-		
Prev	en	ting Cor	ntamination by Hands .2652, .2653, .2655, .2656	6						37				T	Food properly labeled: original container	2	1	0	П	\top
8))(OI	JT	Hands clean & properly washed	4	2	0		I		i				Foo	od Contamination .2652, .2653, .2654, .2656, .265	_			L(
9 X	OI	JT N/A N/C	No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	4	2	0				-			Т	T	Insects & rodents not present; no unauthorized	Τ	$\overline{}$	П	П	$\overline{}$
10 🕅	01	IT N/A	1 1 1	2		0		+	\dashv	38	M	OUT			animals	2	1	0		
	_	ed Sour		_	1 1	-				39	_	O.1.17		T	Contamination prevented during food			П		T
11 X				2	1	0		Т	-		-				preparation, storage & display	2	1	0		\perp
I2 IN				2	-	0		t	\dashv	40				1	Personal cleanliness	_	0.5	-		4
13 M	OI	л	1 1 1	2	-	_		t	\neg	41	•		_	+	Wiping cloths: properly used & stored	-	0.5	_		+
4 IN	OI	JT NXA N/C	Required records available: shellstock tags,	2	1	0			\neg	42	_			\perp	Washing fruits & vegetables	1	0.5	0	<u> </u>	ㅗ
	L	1, ,	parasite destruction	_				L	_		•		se of	Ute					,	_
			Contamination .2653, .2654	_		_		_		43	X	OUT	1	4	In-use utensils: properly stored	1	0.5	0		+
15 IX	ч .				1.5 1.5			╀	\dashv	44	M	OUT	1		Utensils, equipment & linens: properly stored, dried & handled	1	0.5	0		
	\top		Proper disposition of returned provincely conved	Н	\vdash	\pm		+	\dashv	\vdash	\dashv			+	Single-use & single-service articles: properly	H		Н		+
17 X	OI	JΤ	reconditioned & unsafe food	2	1	0				45	×	OUT			stored & used	1	0.5	0		
Pote	nti	ally Haz	ardous Food Time/Temperature .2653							46	M	OUT		\top	Gloves used properly	1	0.5	0		\top
	_			_	1.5	_		I		Ute	ens	ils	and E	qui	ipment .2653, .2654, .2663				,	
			Proper reheating procedures for hot holding Proper cooling time & temperatures		1.5 1.5			+	_	Т	Т		П	Т	Equipment, food & non-food contact surfaces	Т		П		Т
20 IN	O	IT NYA N/C	Proper hot holding temperatures	3	1.5	_		+	\dashv	47	M	OUT			approved, cleanable, properly designed,	1	0.5	0		
22 1)((01	JT N/A N/C	Proper cold holding temperatures	3	1.5	_		t	\dashv	\perp	4			- 0	constructed & used		<u> </u>	Ц		\perp
23 ()	(01	JT N/A N/C	Proper date marking & disposition	3	1.5	0		Ī		48	IN	o)X(1			Warewashing facilities: installed, maintained & used; test strips	1	0.5	X	x	
24 IN	οι	JT NXA N/C	Time as a Public Health Control; procedures &	3	1.5	0				49	M	OUT	+	+	Non-food contact surfaces clean	1	0.5	0		+
	_		records	L				_	\dashv	<u> </u>			Facili	ties		1-	0.0		LI	\pm
		mer Adv	isory .2653 Consumer advisory provided for raw/	Г		\top		Т	\dashv		•		N/A		Hot & cold water available; adequate pressure	1	0.5	١	П	\neg
25 IN	OI	JT NXA	undercooked foods	1	0.5	0				51				$^{+}$	Plumbing installed; proper backflow devices	2		_		+
High	ıly	Suscept	ible Populations .2653							52	M	OUT	1	Ť	Sewage & wastewater properly disposed	2	-			\top
26 IN	Οl	JT 1) (A)	Pasteurized foods used; prohibited foods not offered	3	1.5	0				53	×	OUT	N/A		Toilet facilities: properly constructed, supplied & cleaned	1	0.5	0		
Che	mic	al	.2653, .2657							54	Mí .	יווס		1	Garbage & refuse properly disposed; facilities	T		П		\top
	OI	JT NXA			0.5			Γ			_		\perp	\downarrow	maintained	1	0.5 0%5			+
27 IN	-				T	0		1	1	55	IN I	ONT	пі		Physical facilities installed, maintained & clean	11	I OVE			- 1
27 IN 28 (X	(οι	JT N/A		2	1	U		_	_	\vdash	+	-71	+	\dashv	** · · · · · · · · · · · · · · · · · ·	Ť	0.0	U		+
27 IN 28 (X	(οι		Toxic substances properly identified stored & used with Approved Procedures .2653, .2654, .2658 Compliance with variance, specialized process,	2	1	υ <u> </u>		_		56	\neg			T	Meets ventilation & lighting requirements; designated areas used	1		П		\dagger





Score: 99.5

CDI R VR

Comment Addendum to Food Establishment Inspection Report Establishment ID: 3034020720 Establishment Name: FOOD LION #1062 PRODUCE Location Address: 6810 SHALLOWFORD ROAD Date: 01/31/2023 X Inspection Re-Inspection City: LEWISVILLE State: NC Comment Addendum Attached? X Status Code: A County: 34 Forsyth Zip: 27023 Water sample taken? Yes X No Category #: II Email 1:S1062SM@RETAIL.FOODLION.COM Water Supply: Municipal/Community On-Site System Permittee: FOOD LION, LLC Email 2: Telephone: (336) 945-4411 Email 3: Temperature Observations Effective January 1, 2019 Cold Holding is now 41 degrees or less Item Location Temp Item Location Temp Item Temp 00 ANSI - 10/6/2027 Sharon Fulk 118 hot water 3-comp sink 400 qt sanitizer (ppm) 3-comp sink 200 qt sanitizer (ppm) spray bottle ambient 35 walk-in cooler temperature ambient 53 produce prep room temperature ambient 38 display cooler temperature **First** Last Person in Charge (Print & Sign): Sharon Fulk Last Regulatory Authority (Print & Sign): Travis Addis REHS ID:3095 - Addis, Travis Verification Required Date:



REHS Contact Phone Number:

Authorize final report to

be received via Email:



Comment Addendum to Inspection Report

Establishment Name: FOOD LION #1062 PRODUCE **Establishment ID:** 3034020720

Date: 01/31/2023 Time In: 12:01 PM Time Out: 1:06 PM

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 48 4-303.11 (B) Cleaning Agents and Sanitizer, Availability (C) Bag of quat sanitizer supplying the dispenser located at 3-comp sink was empty at beginning of inspection. Except for those that are generated on-site at the time of use, chemical sanitizers that are used to sanitize equipment and utensils as specified under Part 4-7, shall be provided and available for use during all hours of operation. CDI: Bag of sanitizer was replaced by PIC and measured 400ppm from dispenser. (0 pts)
- 55 6-501.11 Repairing Premises, Structures, Attachments, and Fixtures Methods (C) REPEAT. Repair damaged corner stripping above handsink in produce prep room. Physical facilities shall be maintained in good repair. (0.5 pts)