Food Establishment Inspection Report Score: 95 Establishment Name: PAPA JOHN'S #382 Establishment ID: 3034020271 Location Address: 1330 S HAWTHORNE RD City: WINSTON SALEM Date: 08/04/2020 Status Code: A State: NC Time In: $12 : 55 \overset{\bigcirc}{\otimes} ^{am}_{pm}$ Time Out: Ø 3 : Ø Ø ⊗ pm County: 34 Forsyth Zip: 27103 Total Time: 2 hrs 5 minutes CODECO, INC Permittee: Category #: II Telephone: (336) 748-8886 FDA Establishment Type: Fast Food Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 2 No. of Repeat Risk Factor/Intervention Violations: 2 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 | 🗆 | 🖾 | 🗆 \square 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 🖾 🗀 🗀 1 0.5 0 X Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 □ 1 0.5 0 🗆 🗆 Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 🛛 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 X Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 Approved Source .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 - -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 🔀 Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 105 🗙 🗆 🗆 42 🗆 🔀 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17| 🗆 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🖂 3 1.5 0 Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 21 🔀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure |22| 🔀 | 🖂 | 🖂 2 1 0 49 □ 🗖 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

			endum to I	Food Es			nspection	Report			
Establishme		Establishment ID: 3034020271									
Location Address: 1330 S HAWTHORNE RD					☑Inspection ☐Re-Inspection Date: 08/04/2020						
•				te: <u>NC</u>	Comment A	mment Addendum Attached?			Status Code: A		
County: 34 Forsyth Zip: 27103					Water sample taken? Yes X No Category #: II						
Wastewater System: Municipal/Community □ On-Site System Water Supply: Municipal/Community □ On-Site System					Email 1:						
Permittee: CODECO, INC.					Email 2:						
Telephone: (336) 748-8886					Email 3:						
			Tempe	rature Ol	servatior	าร					
	Co	old Hol	ding Temp	erature	is now 4	1 Degr	ees or less				
Item Cheese	Location cooked to	Temp 205	Item Wings	Location walk-in coo	er	Temp 39	Item	Location		Temp	
Pep Pizza	cooked to	215	Chicken	walk-in cooler		40					
Artisan Pizza	cooked to	214	Quat Sani	3-compartn	nent sink	150					
Mozzarella	make-unit	40	Hot Water	3-compartn	nent sink	135					
Sausage	make-unit	41									
Tomatoes	make-unit	41									
Hamburger	make-unit	41									
Chicken	make-unit	41									
reques applica demor throug 8 6-301. of adja	11 Demonstration - C: Not, the person in charge ation of the hazard analystrate this knowledge being that is personal that is personal that it is personal to the personal that it is personal that it is personal to the personal that it is personal to the personal that it is personal to the personal that it is personal tha	shall der ysis and y being a part of ar on - PF:	nonstrate to the critical control a certified food a accredited pro	e regulatory point princip protection i ogram. I were avail individual d	authority ki bles, and the manager wh able at the r isposable pa	nowledg require o has sh	e of food borne of ments of this coo nowed proficiency hand sink. Each	disease prede. The per y of require	vention, son in char ed information	ge sha on group	
	11 (A), (B) and (D) Equi stored on rusting shelvii								lean dishes	are	
\cup		E i	rst	1.	ast		_				
Person in Cha	arge (Print & Sign): Syl	vie		Haddix		<u></u>	Jelly				
Regulatory Authority (Print & Sign): **Murphy**					ast	Win	- 1	M		<u> </u>	
REHS ID: 2795 - Murphy, Victoria						_ Verifica	ation Required Dat	e:/	/	_	
	Contact Phone Number: (North Carolina Department of H				Health ● Enviro	onmental H	ealth Section ● Foo	d Protection P	rogram		

DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013



Establishment Name: PAPA JOHN'S #382 Establishment ID: 3034020271

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 4-501.11 Good Repair and Proper Adjustment-Equipment C: Repair is needed to the following: rusting chemical shelves, rusting shelving in the walk-in cooler, lower shelf in the walk-in cooler. Equipment shall be maintained in good repair.//4-502.11 (A) and (C) Good Repair and Calibration-Utensils and Temperature and Pressure Measuring Devices C: The only thermometer in the facility is broken. Utensils shall be maintained in a state of repair or condition that complies with the requirements specified under parts 4-1 and 4-2 or shall be discarded.
- 4-602.13 Nonfood Contact Surfaces C: Cleaning is needed to/in the following areas: shelving in the walk-in cooler, walls of the walk-in cooler, ceiling in the walk-in cooler, fan covers in the walk-in cooler, and the base panels of the walk-in cooler. Nonfood-contact surfaces shall be clean to sight and touch.
- 49 5-205.15 (B) System maintained in good repair C: A leak was observed at the faucet of the 3-compartment sink. Plumbing fixtures shall be maintained in good repair.
- 6-501.12 Cleaning, Frequency and Restrictions C: Cleaning is need to/in the following areas: walls of the mop sink, wall at the mop sink, floor of mopsink, floors under mop sink, walls behind 3-compartment sink, and walls in dry storage area. Physical facilities shall be maintained in good repair.//6-501.16 Drying Mops C: Mops were drying right side up at the mop sink. After use, mops shall be placed in position that allows them to air-dry without soiling walls, equipment, or supplies.





Establishment Name: PAPA JOHN'S #382 Establishment ID: 3034020271

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: PAPA JOHN'S #382 Establishment ID: 3034020271

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: PAPA JOHN'S #382 Establishment ID: 3034020271

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



