Food Establishment Inspection Report Score: 98 Establishment Name: UPPER DECK CAFE Establishment ID: 3034011109 Location Address: 4900 BETHANIA STATION X Inspection Re-Inspection Date: 07/19/2021 City: WINSTON SALEM State: NC Status Code: A Zip: 27105 County: 34 Forsyth Time In: 10:15 AM Time Out: 12:45 PM Total Time: 2 hrs 30 min Permittee: WILSON COOK MEDICAL INC Telephone: (336) 744-0157 Category #: III FDA Establishment Type: Full-Service Restaurant Wastewater System: X Municipal/Community On-Site System No. of Risk Factor/Intervention Violations: 2 Water Supply: X Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 0 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury OUT CDIR VR OUT CDI R VR IN OUT N/A N/O IN OUT N/A N/C Compliance Status Compliance Status Safe Food and Water 2653, .2655, .2658 Supervision PIC Present; Demonstration-Certification by accredited program and perform duties المالمالها 28 Pasteurized eggs used where required **Employee Health** .2652 2100 29 🛛 Water and ice from approved source Management, employees knowledge; responsibilities & reporting Variance obtained for specialized processing 3 1.5 0 - -30 methods Proper use of reporting, restriction X 3 1.5 0 Food Temperature Control & exclusion .2653, .2654 Good Hygienic Practices .2652, .2653 Proper cooling methods used; adequate equipment for temperature control 1 0.9 0 | | | 31 🛛 Proper eating, tasting, drinking, or tobacco 4 X 32 X Plant food properly cooked for hot holding 1 0.5 0 5 X 1 0.5 0 No discharge from eyes, nose or mouth 33 □ □ X Approved thawing methods used 1050 - -Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🛚 1 0.5 0 Thermometers provided & accurate X П Hands clean & properly washed 420 -Food Identification □ □ No bare hand contact with RTE foods or pre-approved alternate procedure properly followed 3 1.5 0 - - -X X 35 🗆 Food properly labeled: original container X 8 Handwashing sinks supplied & accessible 210 _ _ Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657 Approved Source .2653, .2655 Insects & rodents not present; no 36 🛛 210 - -unauthorized animals X Food obtained from approved source Contamination prevented during food preparation, storage & display 37 X 210000 10 2100 38 🛛 1 0.5 0 - -Personal cleanliness 11 Food in good condition, safe & unadulterated 🗵 🗓 🗵 🖂 39 🛛 \Box Wiping cloths: properly used & stored 1 0.5 0 □ 🛛 □ Required records available: shellstock tags, parasite destruction 21000 40 X Washing fruits & vegetables 1 0.5 0 Protection from Contamination .2653, .2654 Proper Use of Utensils 13 □ □ Food separated & protected 41 🖾 🗆 1 0.5 0 In-use utensils: properly stored 14 X 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored dried & handled 42 🛛 🗆 Proper disposition of returned, previously 210 - -15 🛛 Served, reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 | □ | IXI Potentially Hazardous Food Tlme/Temperature .2653 44 🛛 16 ☒ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 Gloves used properly 1 0.5 0 Utensils and Equipment .2653, .2654, .2663 3150 - -□ □ Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces 45 □ 🛛 3 1.5 0 approved, cleanable, properly designed, constructed, & used X □ □ Proper cooling time & temperatures Warewashing facilities: installed, maintained & used; test strips 3 1.5 0 X □ □ Proper hot holding temperatures 46 X 3 1.5 0 □ □ Proper cold holding temperatures 47 X Non-food contact surfaces clean Physical Facilities .2654, .2655, .2656 21 3 1.5 0 □ □ □ Proper date marking & disposition Time as a public health control:procedures & records Hot & cold water available; 48 🖾 🗀 🗀 22 210 - -49 🛛 Consumer Advisory Plumbing installed; proper backflow devices Consumer advisory provided for raw or 23 🗆 🗆 🖾 1 0.5 0 | | | | 50 🛛 210000 П Sewage & waste water properly disposed undercooked foods Highly Susceptible Populations Toilet facilities: properly constructed, supplied .2653 51 🛛 |24| 🗆 | 🗆 | 🖾 Garbage & refuse properly disposed; facilities maintained 52 🛛



Chemical

25 🗆 🗆 🔯

X

 Total Deductions: |2

Physical facilities installed, maintained

Meets ventilation & lighting requirements; designated areas used

Conformance with Approved Procedures .2653, .2654, .2658

.2653, .2657

Food additives: approved & properly used

Toxic substances properly identified stored,

53 🗆 X

54

1 0.5 0 | | | |

210 -

Comment Addendum to Food Establishment Inspection Report Establishment ID: 3034011109 Establishment Name: UPPER DECK CAFE Date: 07/19/2021 Location Address: 4900 BETHANIA STATION X Inspection Re-Inspection State: NC City: WINSTON SALEM Comment Addendum Attached? Status Code: A Zip: 27105 County: 34 Forsyth Water sample taken? Yes X No Category #: III Wastewater System:

Municipal/Community

On-Site System Email 1: Water Supply: Municipal/Community On-Site System Permittee: WILSON COOK MEDICAL INC Email 2: Telephone: (336) 744-0157 Email 3: Temperature Observations Effective January 1, 2019 Cold Holding is now 41 degrees or less Item Location Temp Item Location Temp Item Temp 0.0 Susan Davis 2/1/23 Food manager 135.0 hot water 3 comp sink 200.0 quat sanitizer ppm 3 comp sink 184.0 hot water sanitizing dish machine 50.0 salad cooling 10:40 41.0 salad ice bath 11:30 212.0 chicken tenders final cook 192.0 fries final cook 41.0 cheese upright cooler 37.0 ambient air egg cooler 29.0 chicken cooler ambient air 147.0 chicken tenders hot holding cabinet 159.0 spaghetti hot holding cabinet 51.0 canteloupe cooling 10:50 45.0 cooling 11:20 canteloupe 40.0 2 door reach in bologna 41.0 lettuce 2 door reach in 162.0 steam table spaghetti


First Last Person in Charge (Print & Sign): Bryan Tsiolkas First Last

> REHS ID: 2809 - Pleasants, Lauren Verification Required Date:

Pleasants

REHS Contact Phone Number: (336) 703-3144

Regulatory Authority (Print & Sign): Lauren





Comment Addendum to Food Establishment Inspection Report

Establishment Name: UPPER DECK CAFE Establishment ID: 3034011109

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 3-202.15 Package Integrity PF One dented can on can rack. Food packages shall be in good condition and protect the integrity of the contents so that the food is not exposed to adulteration or potential contaminants. CDI Can segregated from food supply to send back to supplier. 0 pts.
- 3-302.11 Packaged and Unpackaged Food-Separation, Packaging, and Segregation P In bottom of 2 door refrigerator, unopened package of ground beef stored in contact with unopened package of whole beef. Store ground meats separate from whole meats as they require different cooking temperatures to destroy pathogens. CDI- Ground beef stored separately from whole beef. 0 pts.
- 35 3-302.12 Food Storage Containers Identified with Common Name of Food C REPEAT- Container of spices with no label. Working containers holding food or food ingredients that are removed from their original packages, such as cooking oils, herbs, flour, salt, spices, and sugar shall be identified with the common name of the food. CDI- Containers labeled by PIC.
- 43 4-904.11 Kitchenware and Tableware-Preventing Contamination C Cups stored with lip-contact surfaces exposed at cash register. Single-service containers stored with food-contact surfaces facing up. Single-service and single-use articles shall be handled, displayed, and dispensed so that contamination of food- and lip-contact surfaces is prevented. Invert single-service containers and maintain cups sleeved to protect lip-contact surfaces.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C Remove rust from screws in bottom of left side 2 door freezer. Left side steam table with rust in cavities and welds that are no longer smooth and cleanable. Recommend replacing steam table. Replace peeling laminate on cabinets in dining room where trash cans are stored. Equipment shall be maintained in good repair. 0 pts.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C REPEAT- Additional cleaning needed on underside of soiled drainboard at dish machine, inside cabinet of fryer, on external components of slicer, in bottom crevices of dessert freezer, on sides of dish machine, and at the base of the bread rack at serving line. Nonfood-contact surfaces shall be free of dust, dirt, food residue, and dehris
- 6-501.12 Cleaning, Frequency and Restrictions C REPEAT- Ceiling cleaning needed around return vent above prep table. If tiles are unable to be cleaned, recommend replacing stained tiles. Wall cleaning needed near vegetable prep and handwashing sink, and around 3 compartment sink. Physical facilities shall be cleaned at a frequency necessary to maintain them clean.
- 6-403.11 Designated Areas-Employee Accommodations for eating / drinking/smoking C Employee beverage stored on top of dish machine. Areas for employees to drink shall be located so that equipment and food cannot be contaminated. CDI- Employee put her drink in designated employee drink location. 0 pts.