Food Establishment Inspection Report Score: 97 **Establishment Name: SUBWAY** Establishment ID: 3034011530 Location Address: 2537-B LEWISVILLE-CLEMMONS RD Date: 01/07/2019 Status Code: A City: CLEMMONS State: NC Time In:  $12 : 05 \overset{\bigcirc}{\otimes} pm$ Time Out: Ø ⊋ : 10 ⊗ pm County: 34 Forsyth Zip: 27012 Total Time: 2 hrs 5 minutes NEWSOME KITE INVESTMENTS, INC Permittee: Category #: II Telephone: (336) 766-3016 FDA Establishment Type: Fast Food Restaurant Wastewater System: 

✓ Municipal/Community 

✓ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🗵 1 0.5 0  $\times$ Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 31 🗆 🗖 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 42020 6 □ 🖂 Hands clean & properly washed Food Identification .2653 No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 - -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗆 🗷 Personal cleanliness 10.5 🗶 🗆 🗆 🗆 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 🔀 ☐ ☐ ☐ Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly 17 🗆 **Utensils and Equipment** .2653, .2654, .2663 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷  $\boxtimes$ 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🖂 3 1.5 0 Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 1 0.5 🗶 🗌 🔲 21 🔀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned



|24| □ | □ | 🔀

25 | | | | | |

|27| 🗆 | 🗆 | 🔀

.2653, .2657

Food additives: approved & properly used

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

Chemical

26 🗵 🗆



1 0.5 🗶 🗆 🗆

1 0.5 🗶 🔲 🗀

Garbage & refuse properly disposed; facilities

Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

maintained

52 🗆 🗷

53 🗆 🗷

54

П

1 0.5 0

210 - -

		<u>Commen</u>	t Adde	<u>endum to</u>	<u>Food</u>	<u>Establish</u>	<u>ıment</u>	<u>Inspection</u>	<u>Report</u>	
Establishment Name: SUBWAY						Establishment ID: 3034011530				
Location Address: 2537-B LEWISVILLE-CLEMMONS RD  City: CLEMMONS State: NC  County: 34 Forsyth Zip: 27012			☑ Inspection       ☐ Re-Inspection       Date: 01/07/2019         Comment Addendum Attached?       ☐ Status Code: A         Water sample taken?       ☐ Yes ☒ No Category #: □							
Wat <b>Pe</b> r	er Supply: mittee:	System: Municipal/Comn Municipal/Comn NEWSOME KITE INVE (336) 766-3016	nunity 🗌 (	On-Site System		Email 1: Email 2: Email 3:				
	срионс.			Temne	erature	Observation				
		Effective	lanu	•				nge to 41 de	aroos	
Item Sliced	d	Location reach in cooler	Temp 37		Location	_	Temp 0	_	Location	Temp
Roast	t beef	walk in cooler	39							
Hot w	ater	3 compartment sink	124							
Quat		3 compartment sink	150							
Meath		hot holding make unit	185 43	<u>.</u>						
Turke		make unit	43	_						
Shred		make unit	40							
			(	)bservatio	ns and	Corrective	Actions			
31	sink then grabbed disposable, paper towels. Food employees shall use the following cleaning procedure:  (1) Rinse under clean, running warm water; (2) Apply an amount of cleaning compound; (3) Rub together vigorously for at least 1 to 15 seconds; (4) Thoroughly rinse under clean, running warm water; and (5) Immediately follow the cleaning procedure with thorough drying using a method as specified under § 6-301.12. To avoid recontaminating their hands or surrogate prosthetic devices, food employees may use disposable paper towels or similar clean barriers when touching surfaces such as manually operated faucet handles on a handwashing sink or the handle of a restroom door. CDI: Educated both employees and one of the employees properly washed hands.  3-501.15 Cooling Methods - PF 0 points. Chicken (shredded) 41 F to 43 F in the make unit. Sliced tomatoes 43 F with tightly covered in the walk in cooler. Chicken and sliced tomatoes were prepared today per person in charge. Cooling shall be accomplished by using one or more of the following methods: 1. Shallow pans, 2. Smaller or thinner portions, 3. Rapid cooling equipment, 4. Stir the food in container placed in an ice water bath, 5. Use containers that facilitate heat transfer, 6. Add ice as ingredient or 7. Other effective methods. In cold holding equipment, food shall be: 1. Arranged to provide maximum heat transfer and 2. Loosely covered or uncovered if protected from overhead contamination. CDI: Person in charge placed the chicken in the reach in freezer and sliced tomatoes were loosely covered.									
Lock Text — Perso	single-u	use articles.		rst	Cole	Last	Kı	ujus	D. U	,
First Sakamoto Sakamoto					<i>Last</i> o REHSI		n)Sake	. J /b	4/16/	
		REHS ID:	2685 - Ji	ll Sakamoto			Verific	ation Required Da	te:/	_/

REHS Contact Phone Number: (336) 703 - 3137

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of \_\_\_\_\_ Food Establishment Inspection Report, 3/2013



Establishment Name: SUBWAY Establishment ID: 3034011530

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 4-501.11 Good Repair and Proper Adjustment-Equipment C 0 points. Rust on shelving used for storage. Slicer was removed from the prep sink causing four holes in the drain board. Replace or properly seal the holes in the drain board of the prep sink. Equipment shall be maintained in good repair.
- 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C 0 points. Residue on the gaskets of the reach in cooler and reach in freezer. Nonfood-contact surfaces of equipment and utensils shall be free of accumulation of dirt, dust, food debris, and other debris.
- 52 5-501.113 Covering Receptacles C 0 points. One door opened to the waste dumpster and one lid opened to the recyclable dumpster. The dumpsters are shared with other establishments. Waste handling units such as refuse, recyclables, and returnables shall be kept covered. CDI: Person in charge closed the door to the waste dumpster.
- 6-101.11 Surface Characteristics-Indoor Areas C Repeat. Wood is present on the top of the half wall at the back handwashing sink. No finish on the wood piece of the half wall at the back handwashing sink. Paper towel dispenser is attached to pieces of wood, also. Materials for indoor floor, wall, & ceiling surfaces under conditions of normal use shall be nonabsorbent for areas subject to moisture.//6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C Repeat. Floor tiles in need of repair (not secure) around grease trap or floor sink under sinks. Coved base coming off along the frp under the 3 compartment sink, prep sink, and inside the women's restroom. Damaged/peeling paint on wall by the can wash. Physical facilities shall be maintained in good repair.//6-501.12 Cleaning, Frequency and Restrictions C Repeat. Floor in need of cleaning throughout establishment to remove residue and/or debris especially under equipment. Physical facilities shall be kept clean.
- 6-303.11 Intensity-Lighting C 0 points. Lighting measured 41 to 47 foot candles at the prep sink. One of the light bulbs was not working. Lighting shall be at least 50 foot candles where employees work with food or safety is a factor.





Establishment Name: SUBWAY Establishment ID: 3034011530

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SUBWAY Establishment ID: 3034011530

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: 5	SUBWAY	<b>Establishment ID:</b>	3034011530

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



