Food Establishment Inspection Report Score: 98 Establishment Name: DOWNTOWN THAI Establishment ID: 3034011573 Location Address: 271 W 4TH ST Date: 09/21/2020 Status Code: A City: WINSTON SALEM State: NC Time In:  $12 : 35 \overset{\bigcirc{}}{\otimes} pm$ Time Out: Ø ⊋ : 3 Ø ⊗ pm County: 34 Forsyth Zip: 27101 Total Time: 1 hr 55 minutes SOUPHAB RESTAURANT GROUP INC Permittee: Category #: IV Telephone: (336) 777-1422 FDA Establishment Type: Full-Service Restaurant Wastewater System: 

✓ Municipal/Community 

✓ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 | 🗆 | 🖾 | 🗆  $\square$ 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0  $\times$ Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 X 🗆 Hands clean & properly washed Food Identification .2653 No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210 - -9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 - -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3150 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly 17 🔲 **Utensils and Equipment** .2653, .2654, .2663 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷  $\boxtimes$ 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🖂 3 15 0 - -Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🛛 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 210 49 🔀 2100 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

210 - -

- -ctahlichma			<u> </u>	FOOU E	Establishment ID: 3034011573		
Establishment Name: DOWNTOWN THAI							
	ddress: 271 W 4TH ST			NC NC	☑ Inspection ☐ Re-Inspection Date: 09/21/2020		
			Sta _ Zip:_ <sup>27101</sup>	ate: <u>NC</u>	Comment Addendum Attached? Status Code: A  Wester completely and Status Code: A  Wester code: A		
-		umunity 🖂 (	•		Water sample taken? Yes No Category #:IV		
Water Supply:   ✓ Municipal/Community ☐ On-Site System			On-Site System		Email 1: downtownthai@yahoo.com		
Permittee: SOUPHAB RESTAURANT GROUP INC			IP INC		Email 2:		
Telephone	:_(336) 777-1422				Email 3:		
			Tempe	erature O	bservations		
			_	•	is now 41 Degrees or less		
Item Hot water	Location three comp sink	Temp 132	Item tofu	Location reach in	Temp Item Location Temp 40		
sanitizer (cl)	dish machine (ppm)	100	meatball	reach in	40		
chicken	make unit	38	dumpling	upright	40		
cabbage	make unit	40	curry	upright	40		
egg roll	hot hold	142	beef shrimp	upright	40		
curry	stove top	139	chicken	hot hold	145		
rice	hot hold	152					
chicken	reach in	41					
manag 45 4-501.1 prep sii Have c	er certification from al 11 Good Repair and F nk. Small crack prese racks sealed and wel	Proper Adjunt on back ded by an	ustment-Equip cright corner of ANSI approve	oment - C Soof the basined welder. 0	mall crack present on back left corner of the basin of the left side of the right side prep sink. Equipment shall be kept in good repair		
	rge (Print & Sign): S thority (Print & Sign):	ouphab <i>Fi</i> i	rst	Doahenag	ast  ast		
REHS ID: 2450 - Chrobak, Joseph				eph	Verification Required Date: / /		
DELIC O	_			•	Verilloation Nequilea Date11		
KEH5 C	ontact Phone Number:	( <u>336</u> )	<u> </u>	04			

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section DHHS is an equal opportunity employer.

Page 2 of \_\_\_\_\_ Food Establishment Inspection Report, 3/2013



Establishment Name: DOWNTOWN THAI Establishment ID: 3034011573

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: DOWNTOWN THAI Establishment ID: 3034011573

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: DOWNTOWN THAI Establishment ID: 3034011573

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: DOWNTOWN THAI Establishment ID: 3034011573

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



