Food Establishment Inspection Report Score: 98 Establishment Name: VILLAGE INN EVENT CENTER Establishment ID: 3034012137 Location Address: 6205 RAMADA DRIVE City: CLEMMONS Date: 07 / 28 / 20 21 Status Code: A State: NC Time In: $0 9 : 5 0 \otimes \text{am}$ Time Out: 12: 25⊗ am County: 34 Forsyth Zip: 27012 Total Time: 2 hrs 35 minutes KZ HOSPITALITY LLC Permittee: Category #: IV Telephone: (336) 766-9121 FDA Establishment Type: Full-Service Restaurant Wastewater System: ☐ Municipal/Community ☒ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 🖂 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🗆 X 31.5 🗶 🗆 🗆 🗆 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖂 🗀 210 reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly 17 | | | | | | | | **Utensils and Equipment** .2653, .2654, .2663 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 🗆 🗆 🗷 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🗷 3 1.5 0 Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 21 🖾 🗀 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure



23 🗆 🗆 🔀

|24| □ | □ | 🔀

25 | | | | | |

|27| 🗆 | 🗆 | 🔀

Chemical

26 🗵 🗆

Consumer Advisory

Highly Susceptible Populations

undercooked foods

Conformance with Approved Procedures .2653, .2654, .2658

.2653 Consumer advisory provided for raw or

.2653

.2653, .2657

Pasteurized foods used; prohibited foods not

Food additives: approved & properly used

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



21000

21000

1 0.5 0

1 0.5 0

1 0.5 0

Plumbing installed: proper backflow devices

Sewage & waste water properly disposed

& cleaned

maintained

Toilet facilities: properly constructed, supplied

Garbage & refuse properly disposed; facilities

Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; designated areas used

Total Deductions:

49 🔀

50 🗷 🗆

52 🛛 🗆

53 🗆 🗷

54

51 🛛 🗀

П

2 1 0

1 0.5 0 ...

1 0.5 0

210 - -

Establishment Name: VILLAGE INN EVENT CENTER Location Address: 6205 RAMADA DRIVE City: CLEMMONS State: NC County: 34 Forsyth Wastewater System: Municipal/Community On-Site System Water Supply: Water sample taken? Yes No Category #: V Email 1: Ischlotfeldt@sh-hotels.com Email 2: Email 3: Email 3:	Comment	<u>Addendu</u>	<u>ım to Food E</u>	<u>stablishment l</u>	nspection	Report	
City: CLEMMONS County: 34 Forsyth Zip: 27012 Wastewater System: Municipal/Community On-Site System Water Supply: Email 1: Ischlotfeldt@sh-hotels.com Email 2: Email 3: Temperature Observations Cold Holding Temperature is now 41 Degrees or less Item	Establishment Name: VILLAGE INN	EVENT CENTE	R	Establishment ID	: 3034012137	-	
Temperature Observations Cold Holding Temperature is now 41 Degrees or less Item Location 6/19/22 0 0 Item Location Temp Item Location Temp Item Location Temp Araceli 6/19/22 0 0 Item Location Temp Item Location Temp Araceli 6/19/22 0 0 Item Location Temp Item Location Temp Araceli 6/19/22 0 0 Item Location Temp Araceli 6/19/22 0 0 Item Location Temp Item Location Temp Araceli 6/19/22 0 0 Item Location Temp Item Location Temp Araceli 6/19/22 0 0 Item Location Temp Item Location Temp Araceli 6/19/22 0 Item Location Temp Item Location Temp Araceli 6/19/22 0 Item Location Temp Item Location Temp Araceli 6/19/22 0 Item Location Temp Item Location Temp Araceli 6/19/22 0 Item Location Temp Item Location Temp Araceli 6/19/22 0 Item Location Temp Item Location Temp Araceli 6/19/22 0	City: CLEMMONS County: 34 Forsyth Wastewater System: ☐ Municipal/Commu Water Supply: ☑ Municipal/Commu Permittee: _KZ HOSPITALITY LLC	Zip:	27012 System	Comment Addendum Water sample taken? Email 1: Ischlotfeldt Email 2:	Attached? Yes No	Status Code:	4
Cold Holding Temperature is now 41 Degrees or less Item Location 6/19/22 Temp Item Location Temp Item Location Temp Item Location Temp Not water three comp sink 122 sanitizer (La) three comp sink (ppm) 700 sausage walk in cooler 40 walk in air temp 38 reach in air temp 38 hot plate dish machine 161 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 14 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C Minor soiling on ice machine shield. All food contact	releptione. (4000) 100 0.121	-	Temperature ∩				1
Item Araceli	Col		•		one or lose		
sanitizer (La) three comp sink (ppm) 700 sausage walk in cooler 40 walk in air temp 38 reach in air temp 38 hot plate dish machine 161 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 14 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C Minor soiling on ice machine shield. All food contact	Item Location	Temp Item	•	_		Location	Temp
sausage walk in cooler 40 walk in air temp 38 reach in air temp 38 hot plate dish machine 161 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 14 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C Minor soiling on ice machine shield. All food contact	hot water three comp sink	122					
walk in air temp 38 reach in air temp 38 hot plate dish machine 161 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 14 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C Minor soiling on ice machine shield. All food contact	sanitizer (La) three comp sink (ppm)	700					
reach in air temp 38 hot plate dish machine 161 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 14 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C Minor soiling on ice machine shield. All food contact	sausage walk in cooler	40					
hot plate dish machine 161 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C Minor soiling on ice machine shield. All food contact	walk in air temp	38					
Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C Minor soiling on ice machine shield. All food contact	'						
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C Minor soiling on ice machine shield. All food contact	hot plate dish machine	161 					
4-501.11 Good Repair and Proper Adjustment-Equipment - C One walk has excessive ice build up on back, repair has been scheduled to address ice. Same cooler has duct tape wrapped around drain lines. Remove duct tape as it is not easily cleanable and replace with smooth PVC jacketing. / Wire chemical storage shelving is rusted and needs to be repaired or replaced. / Very small crack present on front left corner of wash basin and front right corner of sanitizer basin at three compartment sink. Have cracks repaired by an ANSI approved welder. / Equipment shall be kept in good repair.	 4-602.11 Equipment Food-Con surfaces shall be clean to sight 4-501.11 Good Repair and Pro scheduled to address ice. Sam and replace with smooth PVC j small crack present on front lef 	tact Surfaces and touch. C per Adjustme e cooler has d acketing. / Wi t corner of wa	and Utensils-Frequ lean ice machine to nt-Equipment - C O duct tape wrapped a re chemical storage sh basin and front r	ency - C Minor soiling remove build up. 0 p ne walk has excessive ground drain lines. Re e shelving is rusted an ight corner of sanitize	g on ice machine re ice build up or emove duct tape nd needs to be re er basin at three	e shield. All food control of the shift of t	been cleanable d. / Very
 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - C Cleaning needed on front doors of wine cooler and inside dump sink at bar to remove dark build up and growth. Cleaning needed on soda gun at bar to remove soiling. non food contact surfaces shall be kept clean. Clean noted items. Joseph Chrobak Lock Chrobajb@forsyth.cc Text (336) 703-3164 	doors of wine cooler and inside remove soiling. non food conta Joseph Chrobak Lock Chrobajb@forsyth.cc	e dump sink at ct surfaces sh	: bar to remove dark all be kept clean. C	build up and growth lean noted items.			
First Last Person in Charge (Print & Sign):	Person in Charge (Print & Sign):	FIIST	L	asi (L	1,04	///	
Regulatory Authority (Print & Sign): First Chrobak Chrobak	-			ast A			
REHS ID: 2450 - Chrobak, Joseph Verification Required Date: / /	REHS ID: 24						
REHS Contact Phone Number: (336) 703 - 3164		450 - Chroba	k, Joseph	Verifica	ation Required Dat	e: / /	

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013



Establishment Name: VILLAGE INN EVENT CENTER Establishment ID: 3034012137

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



6-201.11 Floors, Walls and Ceilings-Cleanability - C Grouting has thinned and chipped out between floor tiles in various areas of the kitchen. Patches of floor have been covered with rough concrete during previous repairs. Flooring must be smooth and in good repair for easy cleaning. Have grout filled in where thin or missing and have concrete patches smoothed and sealed. // 6-501.12

Cleaning, Frequency and Restrictions - C Cleaning needed on floor between fryers to remove spilled grease.





Establishment Name: VILLAGE INN EVENT CENTER Establishment ID: 3034012137

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: VILLAGE INN EVENT CENTER Establishment ID: 3034012137

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: VILLAGE INN EVENT CENTER Establishment ID: 3034012137

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



